



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Adair  | Corn      | I         | GSG        |      | 183   | 183   | 0      | 0.0%     |
| Adair  | Corn      | I         | HAMLS      |      | 183   | 183   | 0      | 0.0%     |
| Adair  | Corn      | I         | WAXY       |      | 183   | 183   | 0      | 0.0%     |
| Adair  | Corn      | I         | WHITE      |      | 183   | 183   | 0      | 0.0%     |
| Adair  | Corn      | IRR OC    | GSG        |      | 137   | 137   | 0      | 0.0%     |
| Adair  | Corn      | IRR OC    | HAMLS      |      | 137   | 137   | 0      | 0.0%     |
| Adair  | Corn      | IRR OC    | WAXY       |      | 137   | 137   | 0      | 0.0%     |
| Adair  | Corn      | IRR OC    | WHITE      |      | 137   | 137   | 0      | 0.0%     |
| Adair  | Corn      | IRR OT    | GSG        |      | 137   | 137   | 0      | 0.0%     |
| Adair  | Corn      | IRR OT    | HAMLS      |      | 137   | 137   | 0      | 0.0%     |
| Adair  | Corn      | IRR OT    | WAXY       |      | 137   | 137   | 0      | 0.0%     |
| Adair  | Corn      | IRR OT    | WHITE      |      | 137   | 137   | 0      | 0.0%     |
| Adair  | Corn      | NI        | GSG        |      | 165   | 165   | 0      | 0.0%     |
| Adair  | Corn      | NI        | HAMLS      |      | 165   | 165   | 0      | 0.0%     |
| Adair  | Corn      | NI        | WAXY       |      | 165   | 165   | 0      | 0.0%     |
| Adair  | Corn      | NI        | WHITE      |      | 165   | 165   | 0      | 0.0%     |
| Adair  | Corn      | NON-IRROC | GSG        |      | 124   | 124   | 0      | 0.0%     |
| Adair  | Corn      | NON-IRROC | HAMLS      |      | 124   | 124   | 0      | 0.0%     |
| Adair  | Corn      | NON-IRROC | WAXY       |      | 124   | 124   | 0      | 0.0%     |
| Adair  | Corn      | NON-IRROC | WHITE      |      | 124   | 124   | 0      | 0.0%     |
| Adair  | Corn      | NON-IRROT | GSG        |      | 124   | 124   | 0      | 0.0%     |
| Adair  | Corn      | NON-IRROT | HAMLS      |      | 124   | 124   | 0      | 0.0%     |
| Adair  | Corn      | NON-IRROT | WAXY       |      | 124   | 124   | 0      | 0.0%     |
| Adair  | Corn      | NON-IRROT | WHITE      |      | 124   | 124   | 0      | 0.0%     |
| Adair  | Oats      | I         | S          |      | 52    | 52    | 0      | 0.0%     |
| Adair  | Oats      | IRR OC    | S          |      | 52    | 47    | -5     | -9.6%    |
| Adair  | Oats      | IRR OT    | S          |      | 52    | 47    | -5     | -9.6%    |
| Adair  | Oats      | NI        | S          |      | 52    | 52    | 0      | 0.0%     |
| Adair  | Oats      | NON-IRROC | S          |      | 52    | 47    | -5     | -9.6%    |
| Adair  | Oats      | NON-IRROT | S          |      | 52    | 47    | -5     | -9.6%    |
| Adair  | Soybeans  | I         | ALLOTHFDGD |      | 47    | 58    | 11     | 23.4%    |
| Adair  | Soybeans  | I         | COMM       |      | 51    | 58    | 7      | 13.7%    |
| Adair  | Soybeans  | I         | HP         |      | 47    | 54    | 7      | 14.9%    |
| Adair  | Soybeans  | I         | LLA        |      | 47    | 54    | 7      | 14.9%    |
| Adair  | Soybeans  | I         | LSF        |      | 47    | 54    | 7      | 14.9%    |
| Adair  | Soybeans  | I         | LSFG       |      | 43    | 49    | 6      | 14.0%    |
| Adair  | Soybeans  | I         | SSFG       |      | 36    | 41    | 5      | 13.9%    |
| Adair  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 33    | 41    | 8      | 24.2%    |
| Adair  | Soybeans  | IRR OC    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Adair  | Soybeans  | IRR OC    | HP         |      | 33    | 38    | 5      | 15.2%    |
| Adair  | Soybeans  | IRR OC    | LLA        |      | 33    | 38    | 5      | 15.2%    |
| Adair  | Soybeans  | IRR OC    | LSF        |      | 33    | 38    | 5      | 15.2%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Adair  | Soybeans  | IRR OC    | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Adair  | Soybeans  | IRR OC    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Adair  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 33    | 41    | 8      | 24.2%    |
| Adair  | Soybeans  | IRR OT    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Adair  | Soybeans  | IRR OT    | HP         |      | 33    | 38    | 5      | 15.2%    |
| Adair  | Soybeans  | IRR OT    | LLA        |      | 33    | 38    | 5      | 15.2%    |
| Adair  | Soybeans  | IRR OT    | LSF        |      | 33    | 38    | 5      | 15.2%    |
| Adair  | Soybeans  | IRR OT    | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Adair  | Soybeans  | IRR OT    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Adair  | Soybeans  | NI        | ALLOTHFDGD |      | 45    | 52    | 7      | 15.6%    |
| Adair  | Soybeans  | NI        | COMM       |      | 49    | 52    | 3      | 6.1%     |
| Adair  | Soybeans  | NI        | HP         |      | 45    | 48    | 3      | 6.7%     |
| Adair  | Soybeans  | NI        | LLA        |      | 45    | 48    | 3      | 6.7%     |
| Adair  | Soybeans  | NI        | LSF        |      | 45    | 48    | 3      | 6.7%     |
| Adair  | Soybeans  | NI        | LSFG       |      | 42    | 44    | 2      | 4.8%     |
| Adair  | Soybeans  | NI        | SSFG       |      | 34    | 36    | 2      | 5.9%     |
| Adair  | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 32    | 36    | 4      | 12.5%    |
| Adair  | Soybeans  | NON-IRROC | COMM       |      | 34    | 36    | 2      | 5.9%     |
| Adair  | Soybeans  | NON-IRROC | HP         |      | 32    | 34    | 2      | 6.3%     |
| Adair  | Soybeans  | NON-IRROC | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Adair  | Soybeans  | NON-IRROC | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Adair  | Soybeans  | NON-IRROC | LSFG       |      | 29    | 31    | 2      | 6.9%     |
| Adair  | Soybeans  | NON-IRROC | SSFG       |      | 24    | 25    | 1      | 4.2%     |
| Adair  | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 32    | 36    | 4      | 12.5%    |
| Adair  | Soybeans  | NON-IRROT | COMM       |      | 34    | 36    | 2      | 5.9%     |
| Adair  | Soybeans  | NON-IRROT | HP         |      | 32    | 34    | 2      | 6.3%     |
| Adair  | Soybeans  | NON-IRROT | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Adair  | Soybeans  | NON-IRROT | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Adair  | Soybeans  | NON-IRROT | LSFG       |      | 29    | 31    | 2      | 6.9%     |
| Adair  | Soybeans  | NON-IRROT | SSFG       |      | 24    | 25    | 1      | 4.2%     |
| Adams  | Corn      | I         | BLUE       |      | 101   | 101   | 0      | 0.0%     |
| Adams  | Corn      | I         | GSG        |      | 184   | 184   | 0      | 0.0%     |
| Adams  | Corn      | I         | HAMLS      |      | 184   | 184   | 0      | 0.0%     |
| Adams  | Corn      | I         | HAMOS      |      | 129   | 129   | 0      | 0.0%     |
| Adams  | Corn      | I         | WAXY       |      | 184   | 184   | 0      | 0.0%     |
| Adams  | Corn      | I         | WHITE      |      | 184   | 184   | 0      | 0.0%     |
| Adams  | Corn      | IRR OC    | BLUE       |      | 76    | 76    | 0      | 0.0%     |
| Adams  | Corn      | IRR OC    | GSG        |      | 138   | 138   | 0      | 0.0%     |
| Adams  | Corn      | IRR OC    | HAMLS      |      | 138   | 138   | 0      | 0.0%     |
| Adams  | Corn      | IRR OC    | HAMOS      |      | 97    | 97    | 0      | 0.0%     |
| Adams  | Corn      | IRR OC    | WAXY       |      | 138   | 138   | 0      | 0.0%     |
| Adams  | Corn      | IRR OC    | WHITE      |      | 138   | 138   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Adams  | Corn      | IRR OT    | BLUE       |      | 76    | 76    | 0      | 0.0%     |
| Adams  | Corn      | IRR OT    | GSG        |      | 138   | 138   | 0      | 0.0%     |
| Adams  | Corn      | IRR OT    | HAMLS      |      | 138   | 138   | 0      | 0.0%     |
| Adams  | Corn      | IRR OT    | HAMOS      |      | 97    | 97    | 0      | 0.0%     |
| Adams  | Corn      | IRR OT    | WAXY       |      | 138   | 138   | 0      | 0.0%     |
| Adams  | Corn      | IRR OT    | WHITE      |      | 138   | 138   | 0      | 0.0%     |
| Adams  | Corn      | NI        | BLUE       |      | 93    | 93    | 0      | 0.0%     |
| Adams  | Corn      | NI        | GSG        |      | 169   | 169   | 0      | 0.0%     |
| Adams  | Corn      | NI        | HAMLS      |      | 169   | 169   | 0      | 0.0%     |
| Adams  | Corn      | NI        | HAMOS      |      | 118   | 118   | 0      | 0.0%     |
| Adams  | Corn      | NI        | WAXY       |      | 169   | 169   | 0      | 0.0%     |
| Adams  | Corn      | NI        | WHITE      |      | 169   | 169   | 0      | 0.0%     |
| Adams  | Corn      | NON-IRROC | BLUE       |      | 70    | 70    | 0      | 0.0%     |
| Adams  | Corn      | NON-IRROC | GSG        |      | 127   | 127   | 0      | 0.0%     |
| Adams  | Corn      | NON-IRROC | HAMLS      |      | 127   | 127   | 0      | 0.0%     |
| Adams  | Corn      | NON-IRROC | HAMOS      |      | 89    | 89    | 0      | 0.0%     |
| Adams  | Corn      | NON-IRROC | WAXY       |      | 127   | 127   | 0      | 0.0%     |
| Adams  | Corn      | NON-IRROC | WHITE      |      | 127   | 127   | 0      | 0.0%     |
| Adams  | Corn      | NON-IRROT | BLUE       |      | 70    | 70    | 0      | 0.0%     |
| Adams  | Corn      | NON-IRROT | GSG        |      | 127   | 127   | 0      | 0.0%     |
| Adams  | Corn      | NON-IRROT | HAMLS      |      | 127   | 127   | 0      | 0.0%     |
| Adams  | Corn      | NON-IRROT | HAMOS      |      | 89    | 89    | 0      | 0.0%     |
| Adams  | Corn      | NON-IRROT | WAXY       |      | 127   | 127   | 0      | 0.0%     |
| Adams  | Corn      | NON-IRROT | WHITE      |      | 127   | 127   | 0      | 0.0%     |
| Adams  | Oats      | I         | S          |      | 65    | 65    | 0      | 0.0%     |
| Adams  | Oats      | IRR OC    | S          |      | 65    | 59    | -6     | -9.2%    |
| Adams  | Oats      | IRR OT    | S          |      | 65    | 59    | -6     | -9.2%    |
| Adams  | Oats      | NI        | S          |      | 65    | 65    | 0      | 0.0%     |
| Adams  | Oats      | NON-IRROC | S          |      | 65    | 59    | -6     | -9.2%    |
| Adams  | Oats      | NON-IRROT | S          |      | 65    | 59    | -6     | -9.2%    |
| Adams  | Soybeans  | I         | ALLOTHFDGD |      | 47    | 59    | 12     | 25.5%    |
| Adams  | Soybeans  | I         | COMM       |      | 51    | 59    | 8      | 15.7%    |
| Adams  | Soybeans  | I         | HP         |      | 47    | 55    | 8      | 17.0%    |
| Adams  | Soybeans  | I         | LLA        |      | 47    | 55    | 8      | 17.0%    |
| Adams  | Soybeans  | I         | LSF        |      | 47    | 55    | 8      | 17.0%    |
| Adams  | Soybeans  | I         | LSFG       |      | 43    | 50    | 7      | 16.3%    |
| Adams  | Soybeans  | I         | SSFG       |      | 36    | 41    | 5      | 13.9%    |
| Adams  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 33    | 41    | 8      | 24.2%    |
| Adams  | Soybeans  | IRR OC    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Adams  | Soybeans  | IRR OC    | HP         |      | 33    | 39    | 6      | 18.2%    |
| Adams  | Soybeans  | IRR OC    | LLA        |      | 33    | 39    | 6      | 18.2%    |
| Adams  | Soybeans  | IRR OC    | LSF        |      | 33    | 39    | 6      | 18.2%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|           |           |           |            |      | Yield | Yield |        |          |
| Adams     | Soybeans  | IRR OC    | LSFG       |      | 30    | 35    | 5      | 16.7%    |
| Adams     | Soybeans  | IRR OC    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Adams     | Soybeans  | IRR OT    | ALLOTHFDGD |      | 33    | 41    | 8      | 24.2%    |
| Adams     | Soybeans  | IRR OT    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Adams     | Soybeans  | IRR OT    | HP         |      | 33    | 39    | 6      | 18.2%    |
| Adams     | Soybeans  | IRR OT    | LLA        |      | 33    | 39    | 6      | 18.2%    |
| Adams     | Soybeans  | IRR OT    | LSF        |      | 33    | 39    | 6      | 18.2%    |
| Adams     | Soybeans  | IRR OT    | LSFG       |      | 30    | 35    | 5      | 16.7%    |
| Adams     | Soybeans  | IRR OT    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Adams     | Soybeans  | NI        | ALLOTHFDGD |      | 46    | 52    | 6      | 13.0%    |
| Adams     | Soybeans  | NI        | COMM       |      | 50    | 52    | 2      | 4.0%     |
| Adams     | Soybeans  | NI        | HP         |      | 46    | 48    | 2      | 4.3%     |
| Adams     | Soybeans  | NI        | LLA        |      | 46    | 48    | 2      | 4.3%     |
| Adams     | Soybeans  | NI        | LSF        |      | 46    | 48    | 2      | 4.3%     |
| Adams     | Soybeans  | NI        | LSFG       |      | 43    | 44    | 1      | 2.3%     |
| Adams     | Soybeans  | NI        | SSFG       |      | 35    | 36    | 1      | 2.9%     |
| Adams     | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 32    | 36    | 4      | 12.5%    |
| Adams     | Soybeans  | NON-IRROC | COMM       |      | 35    | 36    | 1      | 2.9%     |
| Adams     | Soybeans  | NON-IRROC | HP         |      | 32    | 34    | 2      | 6.3%     |
| Adams     | Soybeans  | NON-IRROC | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Adams     | Soybeans  | NON-IRROC | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Adams     | Soybeans  | NON-IRROC | LSFG       |      | 30    | 31    | 1      | 3.3%     |
| Adams     | Soybeans  | NON-IRROC | SSFG       |      | 25    | 25    | 0      | 0.0%     |
| Adams     | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 32    | 36    | 4      | 12.5%    |
| Adams     | Soybeans  | NON-IRROT | COMM       |      | 35    | 36    | 1      | 2.9%     |
| Adams     | Soybeans  | NON-IRROT | HP         |      | 32    | 34    | 2      | 6.3%     |
| Adams     | Soybeans  | NON-IRROT | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Adams     | Soybeans  | NON-IRROT | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Adams     | Soybeans  | NON-IRROT | LSFG       |      | 30    | 31    | 1      | 3.3%     |
| Adams     | Soybeans  | NON-IRROT | SSFG       |      | 25    | 25    | 0      | 0.0%     |
| Allamakee | Barley    | IRR OC    | S          |      | 41    | 41    | 0      | 0.0%     |
| Allamakee | Barley    | IRR OT    | S          |      | 41    | 41    | 0      | 0.0%     |
| Allamakee | Barley    | IRRIGATED | S          |      | 55    | 55    | 0      | 0.0%     |
| Allamakee | Barley    | NON IRR   | S          |      | 55    | 55    | 0      | 0.0%     |
| Allamakee | Barley    | NON-IRROC | S          |      | 41    | 41    | 0      | 0.0%     |
| Allamakee | Barley    | NON-IRROT | S          |      | 41    | 41    | 0      | 0.0%     |
| Allamakee | Corn      | I         | GSG        |      | 192   | 192   | 0      | 0.0%     |
| Allamakee | Corn      | I         | GSS        |      | 29.3  | 29.3  | 0      | 0.0%     |
| Allamakee | Corn      | I         | HAMLS      |      | 192   | 192   | 0      | 0.0%     |
| Allamakee | Corn      | I         | WAXY       |      | 192   | 192   | 0      | 0.0%     |
| Allamakee | Corn      | I         | WHITE      |      | 192   | 192   | 0      | 0.0%     |
| Allamakee | Corn      | IRR OC    | GSG        |      | 144   | 144   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County    | Crop Name  | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|-----------|------------|-----------|-------|------|-------|-------|--|--------|----------|
|           |            |           |       | Area | Yield | Yield |  |        |          |
| Allamakee | Corn       | IRR OC    | GSS   |      | 22    | 22    |  | 0      | 0.0%     |
| Allamakee | Corn       | IRR OC    | HAMLS |      | 144   | 144   |  | 0      | 0.0%     |
| Allamakee | Corn       | IRR OC    | WAXY  |      | 144   | 144   |  | 0      | 0.0%     |
| Allamakee | Corn       | IRR OC    | WHITE |      | 144   | 144   |  | 0      | 0.0%     |
| Allamakee | Corn       | IRR OT    | GSG   |      | 144   | 144   |  | 0      | 0.0%     |
| Allamakee | Corn       | IRR OT    | GSS   |      | 22    | 22    |  | 0      | 0.0%     |
| Allamakee | Corn       | IRR OT    | HAMLS |      | 144   | 144   |  | 0      | 0.0%     |
| Allamakee | Corn       | IRR OT    | WAXY  |      | 144   | 144   |  | 0      | 0.0%     |
| Allamakee | Corn       | IRR OT    | WHITE |      | 144   | 144   |  | 0      | 0.0%     |
| Allamakee | Corn       | NI        | GSG   |      | 184   | 184   |  | 0      | 0.0%     |
| Allamakee | Corn       | NI        | GSS   |      | 29.3  | 29.3  |  | 0      | 0.0%     |
| Allamakee | Corn       | NI        | HAMLS |      | 184   | 184   |  | 0      | 0.0%     |
| Allamakee | Corn       | NI        | WAXY  |      | 184   | 184   |  | 0      | 0.0%     |
| Allamakee | Corn       | NI        | WHITE |      | 184   | 184   |  | 0      | 0.0%     |
| Allamakee | Corn       | NON-IRROC | GSG   |      | 138   | 138   |  | 0      | 0.0%     |
| Allamakee | Corn       | NON-IRROC | GSS   |      | 22    | 22    |  | 0      | 0.0%     |
| Allamakee | Corn       | NON-IRROC | HAMLS |      | 138   | 138   |  | 0      | 0.0%     |
| Allamakee | Corn       | NON-IRROC | WAXY  |      | 138   | 138   |  | 0      | 0.0%     |
| Allamakee | Corn       | NON-IRROC | WHITE |      | 138   | 138   |  | 0      | 0.0%     |
| Allamakee | Corn       | NON-IRROT | GSG   |      | 138   | 138   |  | 0      | 0.0%     |
| Allamakee | Corn       | NON-IRROT | GSS   |      | 22    | 22    |  | 0      | 0.0%     |
| Allamakee | Corn       | NON-IRROT | HAMLS |      | 138   | 138   |  | 0      | 0.0%     |
| Allamakee | Corn       | NON-IRROT | WAXY  |      | 138   | 138   |  | 0      | 0.0%     |
| Allamakee | Corn       | NON-IRROT | WHITE |      | 138   | 138   |  | 0      | 0.0%     |
| Allamakee | Green Peas | I         | SESP  |      | 3480  | 3480  |  | 0      | 0.0%     |
| Allamakee | Green Peas | I         | SLSP  |      | 3712  | 3712  |  | 0      | 0.0%     |
| Allamakee | Green Peas | I         | SMSP  |      | 4060  | 4060  |  | 0      | 0.0%     |
| Allamakee | Green Peas | IRR OC    | SESP  |      | 2262  | 2262  |  | 0      | 0.0%     |
| Allamakee | Green Peas | IRR OC    | SLSP  |      | 2413  | 2413  |  | 0      | 0.0%     |
| Allamakee | Green Peas | IRR OC    | SMSP  |      | 2639  | 2639  |  | 0      | 0.0%     |
| Allamakee | Green Peas | IRR OT    | SESP  |      | 2262  | 2262  |  | 0      | 0.0%     |
| Allamakee | Green Peas | IRR OT    | SLSP  |      | 2413  | 2413  |  | 0      | 0.0%     |
| Allamakee | Green Peas | IRR OT    | SMSP  |      | 2639  | 2639  |  | 0      | 0.0%     |
| Allamakee | Green Peas | NI        | SESP  |      | 3000  | 3000  |  | 0      | 0.0%     |
| Allamakee | Green Peas | NI        | SLSP  |      | 3200  | 3200  |  | 0      | 0.0%     |
| Allamakee | Green Peas | NI        | SMSP  |      | 3500  | 3500  |  | 0      | 0.0%     |
| Allamakee | Green Peas | NON-IRROC | SESP  |      | 1950  | 1950  |  | 0      | 0.0%     |
| Allamakee | Green Peas | NON-IRROC | SLSP  |      | 2080  | 2080  |  | 0      | 0.0%     |
| Allamakee | Green Peas | NON-IRROC | SMSP  |      | 2275  | 2275  |  | 0      | 0.0%     |
| Allamakee | Green Peas | NON-IRROT | SESP  |      | 1950  | 1950  |  | 0      | 0.0%     |
| Allamakee | Green Peas | NON-IRROT | SLSP  |      | 2080  | 2080  |  | 0      | 0.0%     |
| Allamakee | Green Peas | NON-IRROT | SMSP  |      | 2275  | 2275  |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|           |           |           |            |      | Yield | Yield |        |          |
| Allamakee | Oats      | I         | S          |      | 72    | 71    | -1     | -1.4%    |
| Allamakee | Oats      | IRR OC    | S          |      | 72    | 64    | -8     | -11.1%   |
| Allamakee | Oats      | IRR OT    | S          |      | 72    | 64    | -8     | -11.1%   |
| Allamakee | Oats      | NI        | S          |      | 72    | 71    | -1     | -1.4%    |
| Allamakee | Oats      | NON-IRROC | S          |      | 72    | 64    | -8     | -11.1%   |
| Allamakee | Oats      | NON-IRROT | S          |      | 72    | 64    | -8     | -11.1%   |
| Allamakee | Soybeans  | I         | ALLOTHFDGD |      | 50    | 57    | 7      | 14.0%    |
| Allamakee | Soybeans  | I         | COMM       |      | 54    | 57    | 3      | 5.6%     |
| Allamakee | Soybeans  | I         | HP         |      | 50    | 53    | 3      | 6.0%     |
| Allamakee | Soybeans  | I         | LLA        |      | 50    | 53    | 3      | 6.0%     |
| Allamakee | Soybeans  | I         | LSF        |      | 50    | 53    | 3      | 6.0%     |
| Allamakee | Soybeans  | I         | LSFG       |      | 46    | 48    | 2      | 4.3%     |
| Allamakee | Soybeans  | I         | SSFG       |      | 38    | 40    | 2      | 5.3%     |
| Allamakee | Soybeans  | IRR OC    | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Allamakee | Soybeans  | IRR OC    | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Allamakee | Soybeans  | IRR OC    | HP         |      | 35    | 37    | 2      | 5.7%     |
| Allamakee | Soybeans  | IRR OC    | LLA        |      | 35    | 37    | 2      | 5.7%     |
| Allamakee | Soybeans  | IRR OC    | LSF        |      | 35    | 37    | 2      | 5.7%     |
| Allamakee | Soybeans  | IRR OC    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Allamakee | Soybeans  | IRR OC    | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Allamakee | Soybeans  | IRR OT    | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Allamakee | Soybeans  | IRR OT    | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Allamakee | Soybeans  | IRR OT    | HP         |      | 35    | 37    | 2      | 5.7%     |
| Allamakee | Soybeans  | IRR OT    | LLA        |      | 35    | 37    | 2      | 5.7%     |
| Allamakee | Soybeans  | IRR OT    | LSF        |      | 35    | 37    | 2      | 5.7%     |
| Allamakee | Soybeans  | IRR OT    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Allamakee | Soybeans  | IRR OT    | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Allamakee | Soybeans  | NI        | ALLOTHFDGD |      | 50    | 56    | 6      | 12.0%    |
| Allamakee | Soybeans  | NI        | COMM       |      | 54    | 56    | 2      | 3.7%     |
| Allamakee | Soybeans  | NI        | HP         |      | 50    | 52    | 2      | 4.0%     |
| Allamakee | Soybeans  | NI        | LLA        |      | 50    | 52    | 2      | 4.0%     |
| Allamakee | Soybeans  | NI        | LSF        |      | 50    | 52    | 2      | 4.0%     |
| Allamakee | Soybeans  | NI        | LSFG       |      | 46    | 48    | 2      | 4.3%     |
| Allamakee | Soybeans  | NI        | SSFG       |      | 38    | 39    | 1      | 2.6%     |
| Allamakee | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 35    | 39    | 4      | 11.4%    |
| Allamakee | Soybeans  | NON-IRROC | COMM       |      | 38    | 39    | 1      | 2.6%     |
| Allamakee | Soybeans  | NON-IRROC | HP         |      | 35    | 36    | 1      | 2.9%     |
| Allamakee | Soybeans  | NON-IRROC | LLA        |      | 35    | 36    | 1      | 2.9%     |
| Allamakee | Soybeans  | NON-IRROC | LSF        |      | 35    | 36    | 1      | 2.9%     |
| Allamakee | Soybeans  | NON-IRROC | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Allamakee | Soybeans  | NON-IRROC | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Allamakee | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 35    | 39    | 4      | 11.4%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|-----------|-----------|-----------|-------|------|-------|-------|--|--------|----------|
|           |           |           |       | Area | Yield | Yield |  |        |          |
| Allamakee | Soybeans  | NON-IRROT | COMM  |      | 38    | 39    |  | 1      | 2.6%     |
| Allamakee | Soybeans  | NON-IRROT | HP    |      | 35    | 36    |  | 1      | 2.9%     |
| Allamakee | Soybeans  | NON-IRROT | LLA   |      | 35    | 36    |  | 1      | 2.9%     |
| Allamakee | Soybeans  | NON-IRROT | LSF   |      | 35    | 36    |  | 1      | 2.9%     |
| Allamakee | Soybeans  | NON-IRROT | LSFG  |      | 32    | 34    |  | 2      | 6.3%     |
| Allamakee | Soybeans  | NON-IRROT | SSFG  |      | 27    | 27    |  | 0      | 0.0%     |
| Allamakee | Wheat     | I         | S     |      | 31    | 31    |  | 0      | 0.0%     |
| Allamakee | Wheat     | IRR OC    | S     |      | 20    | 20    |  | 0      | 0.0%     |
| Allamakee | Wheat     | IRR OT    | S     |      | 20    | 20    |  | 0      | 0.0%     |
| Allamakee | Wheat     | NI        | S     |      | 31    | 31    |  | 0      | 0.0%     |
| Allamakee | Wheat     | NON-IRROC | S     |      | 20    | 20    |  | 0      | 0.0%     |
| Allamakee | Wheat     | NON-IRROT | S     |      | 20    | 20    |  | 0      | 0.0%     |
| Appanoose | Corn      | I         | GSG   |      | 182   | 182   |  | 0      | 0.0%     |
| Appanoose | Corn      | I         | HAMLS |      | 182   | 182   |  | 0      | 0.0%     |
| Appanoose | Corn      | I         | WAXY  |      | 182   | 182   |  | 0      | 0.0%     |
| Appanoose | Corn      | I         | WHITE |      | 182   | 182   |  | 0      | 0.0%     |
| Appanoose | Corn      | IRR OC    | GSG   |      | 137   | 137   |  | 0      | 0.0%     |
| Appanoose | Corn      | IRR OC    | HAMLS |      | 137   | 137   |  | 0      | 0.0%     |
| Appanoose | Corn      | IRR OC    | WAXY  |      | 137   | 137   |  | 0      | 0.0%     |
| Appanoose | Corn      | IRR OC    | WHITE |      | 137   | 137   |  | 0      | 0.0%     |
| Appanoose | Corn      | IRR OT    | GSG   |      | 137   | 137   |  | 0      | 0.0%     |
| Appanoose | Corn      | IRR OT    | HAMLS |      | 137   | 137   |  | 0      | 0.0%     |
| Appanoose | Corn      | IRR OT    | WAXY  |      | 137   | 137   |  | 0      | 0.0%     |
| Appanoose | Corn      | IRR OT    | WHITE |      | 137   | 137   |  | 0      | 0.0%     |
| Appanoose | Corn      | NI        | GSG   |      | 145   | 145   |  | 0      | 0.0%     |
| Appanoose | Corn      | NI        | HAMLS |      | 145   | 145   |  | 0      | 0.0%     |
| Appanoose | Corn      | NI        | WAXY  |      | 145   | 145   |  | 0      | 0.0%     |
| Appanoose | Corn      | NI        | WHITE |      | 145   | 145   |  | 0      | 0.0%     |
| Appanoose | Corn      | NON-IRROC | GSG   |      | 109   | 109   |  | 0      | 0.0%     |
| Appanoose | Corn      | NON-IRROC | HAMLS |      | 109   | 109   |  | 0      | 0.0%     |
| Appanoose | Corn      | NON-IRROC | WAXY  |      | 109   | 109   |  | 0      | 0.0%     |
| Appanoose | Corn      | NON-IRROC | WHITE |      | 109   | 109   |  | 0      | 0.0%     |
| Appanoose | Corn      | NON-IRROT | GSG   |      | 109   | 109   |  | 0      | 0.0%     |
| Appanoose | Corn      | NON-IRROT | HAMLS |      | 109   | 109   |  | 0      | 0.0%     |
| Appanoose | Corn      | NON-IRROT | WAXY  |      | 109   | 109   |  | 0      | 0.0%     |
| Appanoose | Corn      | NON-IRROT | WHITE |      | 109   | 109   |  | 0      | 0.0%     |
| Appanoose | Oats      | I         | S     |      | 40    | 42    |  | 2      | 5.0%     |
| Appanoose | Oats      | IRR OC    | S     |      | 40    | 38    |  | -2     | -5.0%    |
| Appanoose | Oats      | IRR OT    | S     |      | 40    | 38    |  | -2     | -5.0%    |
| Appanoose | Oats      | NI        | S     |      | 40    | 42    |  | 2      | 5.0%     |
| Appanoose | Oats      | NON-IRROC | S     |      | 40    | 38    |  | -2     | -5.0%    |
| Appanoose | Oats      | NON-IRROT | S     |      | 40    | 38    |  | -2     | -5.0%    |



Sales Closing Dates: 01-01 thru 03-31

| County    | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|           |           |           |            |      | Yield | Yield |        |          |
| Appanoose | Soybeans  | I         | ALLOTHFDGD |      | 40    | 46    | 6      | 15.0%    |
| Appanoose | Soybeans  | I         | COMM       |      | 43    | 46    | 3      | 7.0%     |
| Appanoose | Soybeans  | I         | HP         |      | 40    | 43    | 3      | 7.5%     |
| Appanoose | Soybeans  | I         | LLA        |      | 40    | 43    | 3      | 7.5%     |
| Appanoose | Soybeans  | I         | LSF        |      | 40    | 43    | 3      | 7.5%     |
| Appanoose | Soybeans  | I         | LSFG       |      | 37    | 39    | 2      | 5.4%     |
| Appanoose | Soybeans  | I         | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Appanoose | Soybeans  | IRR OC    | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Appanoose | Soybeans  | IRR OC    | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Appanoose | Soybeans  | IRR OC    | HP         |      | 28    | 30    | 2      | 7.1%     |
| Appanoose | Soybeans  | IRR OC    | LLA        |      | 28    | 30    | 2      | 7.1%     |
| Appanoose | Soybeans  | IRR OC    | LSF        |      | 28    | 30    | 2      | 7.1%     |
| Appanoose | Soybeans  | IRR OC    | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Appanoose | Soybeans  | IRR OC    | SSFG       |      | 21    | 22    | 1      | 4.8%     |
| Appanoose | Soybeans  | IRR OT    | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Appanoose | Soybeans  | IRR OT    | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Appanoose | Soybeans  | IRR OT    | HP         |      | 28    | 30    | 2      | 7.1%     |
| Appanoose | Soybeans  | IRR OT    | LLA        |      | 28    | 30    | 2      | 7.1%     |
| Appanoose | Soybeans  | IRR OT    | LSF        |      | 28    | 30    | 2      | 7.1%     |
| Appanoose | Soybeans  | IRR OT    | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Appanoose | Soybeans  | IRR OT    | SSFG       |      | 21    | 22    | 1      | 4.8%     |
| Appanoose | Soybeans  | NI        | ALLOTHFDGD |      | 40    | 46    | 6      | 15.0%    |
| Appanoose | Soybeans  | NI        | COMM       |      | 43    | 46    | 3      | 7.0%     |
| Appanoose | Soybeans  | NI        | HP         |      | 40    | 43    | 3      | 7.5%     |
| Appanoose | Soybeans  | NI        | LLA        |      | 40    | 43    | 3      | 7.5%     |
| Appanoose | Soybeans  | NI        | LSF        |      | 40    | 43    | 3      | 7.5%     |
| Appanoose | Soybeans  | NI        | LSFG       |      | 37    | 39    | 2      | 5.4%     |
| Appanoose | Soybeans  | NI        | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Appanoose | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Appanoose | Soybeans  | NON-IRROC | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Appanoose | Soybeans  | NON-IRROC | HP         |      | 28    | 30    | 2      | 7.1%     |
| Appanoose | Soybeans  | NON-IRROC | LLA        |      | 28    | 30    | 2      | 7.1%     |
| Appanoose | Soybeans  | NON-IRROC | LSF        |      | 28    | 30    | 2      | 7.1%     |
| Appanoose | Soybeans  | NON-IRROC | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Appanoose | Soybeans  | NON-IRROC | SSFG       |      | 21    | 22    | 1      | 4.8%     |
| Appanoose | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Appanoose | Soybeans  | NON-IRROT | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Appanoose | Soybeans  | NON-IRROT | HP         |      | 28    | 30    | 2      | 7.1%     |
| Appanoose | Soybeans  | NON-IRROT | LLA        |      | 28    | 30    | 2      | 7.1%     |
| Appanoose | Soybeans  | NON-IRROT | LSF        |      | 28    | 30    | 2      | 7.1%     |
| Appanoose | Soybeans  | NON-IRROT | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Appanoose | Soybeans  | NON-IRROT | SSFG       |      | 21    | 22    | 1      | 4.8%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Audubon | Corn      | I         | GSG        |      | 195   | 195   | 0      | 0.0%     |
| Audubon | Corn      | I         | HAMLS      |      | 195   | 195   | 0      | 0.0%     |
| Audubon | Corn      | I         | WAXY       |      | 195   | 195   | 0      | 0.0%     |
| Audubon | Corn      | I         | WHITE      |      | 195   | 195   | 0      | 0.0%     |
| Audubon | Corn      | IRR OC    | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | IRR OC    | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | IRR OC    | WAXY       |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | IRR OC    | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | IRR OT    | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | IRR OT    | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | IRR OT    | WAXY       |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | IRR OT    | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | NI        | GSG        |      | 195   | 195   | 0      | 0.0%     |
| Audubon | Corn      | NI        | HAMLS      |      | 195   | 195   | 0      | 0.0%     |
| Audubon | Corn      | NI        | WAXY       |      | 195   | 195   | 0      | 0.0%     |
| Audubon | Corn      | NI        | WHITE      |      | 195   | 195   | 0      | 0.0%     |
| Audubon | Corn      | NON-IRROC | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | NON-IRROC | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | NON-IRROC | WAXY       |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | NON-IRROC | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | NON-IRROT | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | NON-IRROT | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | NON-IRROT | WAXY       |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Corn      | NON-IRROT | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Audubon | Oats      | I         | S          |      | 79    | 79    | 0      | 0.0%     |
| Audubon | Oats      | IRR OC    | S          |      | 79    | 71    | -8     | -10.1%   |
| Audubon | Oats      | IRR OT    | S          |      | 79    | 71    | -8     | -10.1%   |
| Audubon | Oats      | NI        | S          |      | 79    | 79    | 0      | 0.0%     |
| Audubon | Oats      | NON-IRROC | S          |      | 79    | 71    | -8     | -10.1%   |
| Audubon | Oats      | NON-IRROT | S          |      | 79    | 71    | -8     | -10.1%   |
| Audubon | Soybeans  | I         | ALLOTHFDGD |      | 52    | 59    | 7      | 13.5%    |
| Audubon | Soybeans  | I         | COMM       |      | 56    | 59    | 3      | 5.4%     |
| Audubon | Soybeans  | I         | HP         |      | 52    | 55    | 3      | 5.8%     |
| Audubon | Soybeans  | I         | LLA        |      | 52    | 55    | 3      | 5.8%     |
| Audubon | Soybeans  | I         | LSF        |      | 52    | 55    | 3      | 5.8%     |
| Audubon | Soybeans  | I         | LSFG       |      | 48    | 50    | 2      | 4.2%     |
| Audubon | Soybeans  | I         | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Audubon | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Audubon | Soybeans  | IRR OC    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Audubon | Soybeans  | IRR OC    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Audubon | Soybeans  | IRR OC    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Audubon | Soybeans  | IRR OC    | LSF        |      | 36    | 39    | 3      | 8.3%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Audubon | Soybeans  | IRR OC    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Audubon | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Audubon | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Audubon | Soybeans  | IRR OT    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Audubon | Soybeans  | IRR OT    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Audubon | Soybeans  | IRR OT    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Audubon | Soybeans  | IRR OT    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Audubon | Soybeans  | IRR OT    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Audubon | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Audubon | Soybeans  | NI        | ALLOTHFDGD |      | 52    | 59    | 7      | 13.5%    |
| Audubon | Soybeans  | NI        | COMM       |      | 56    | 59    | 3      | 5.4%     |
| Audubon | Soybeans  | NI        | HP         |      | 52    | 55    | 3      | 5.8%     |
| Audubon | Soybeans  | NI        | LLA        |      | 52    | 55    | 3      | 5.8%     |
| Audubon | Soybeans  | NI        | LSF        |      | 52    | 55    | 3      | 5.8%     |
| Audubon | Soybeans  | NI        | LSFG       |      | 48    | 50    | 2      | 4.2%     |
| Audubon | Soybeans  | NI        | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Audubon | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Audubon | Soybeans  | NON-IRROC | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Audubon | Soybeans  | NON-IRROC | HP         |      | 36    | 39    | 3      | 8.3%     |
| Audubon | Soybeans  | NON-IRROC | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Audubon | Soybeans  | NON-IRROC | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Audubon | Soybeans  | NON-IRROC | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Audubon | Soybeans  | NON-IRROC | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Audubon | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Audubon | Soybeans  | NON-IRROT | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Audubon | Soybeans  | NON-IRROT | HP         |      | 36    | 39    | 3      | 8.3%     |
| Audubon | Soybeans  | NON-IRROT | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Audubon | Soybeans  | NON-IRROT | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Audubon | Soybeans  | NON-IRROT | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Audubon | Soybeans  | NON-IRROT | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Benton  | Corn      | I         | BLUE       |      | 105   | 105   | 0      | 0.0%     |
| Benton  | Corn      | I         | GSG        |      | 191   | 191   | 0      | 0.0%     |
| Benton  | Corn      | I         | HAMLS      |      | 191   | 191   | 0      | 0.0%     |
| Benton  | Corn      | I         | WAXY       |      | 191   | 191   | 0      | 0.0%     |
| Benton  | Corn      | I         | WHITE      |      | 191   | 191   | 0      | 0.0%     |
| Benton  | Corn      | IRR OC    | BLUE       |      | 79    | 79    | 0      | 0.0%     |
| Benton  | Corn      | IRR OC    | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Benton  | Corn      | IRR OC    | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Benton  | Corn      | IRR OC    | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Benton  | Corn      | IRR OC    | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Benton  | Corn      | IRR OT    | BLUE       |      | 79    | 79    | 0      | 0.0%     |
| Benton  | Corn      | IRR OT    | GSG        |      | 143   | 143   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Benton | Corn      | IRR OT    | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Benton | Corn      | IRR OT    | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Benton | Corn      | IRR OT    | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Benton | Corn      | NI        | BLUE       |      | 105   | 105   | 0      | 0.0%     |
| Benton | Corn      | NI        | GSG        |      | 191   | 191   | 0      | 0.0%     |
| Benton | Corn      | NI        | HAMLS      |      | 191   | 191   | 0      | 0.0%     |
| Benton | Corn      | NI        | WAXY       |      | 191   | 191   | 0      | 0.0%     |
| Benton | Corn      | NI        | WHITE      |      | 191   | 191   | 0      | 0.0%     |
| Benton | Corn      | NON-IRROC | BLUE       |      | 79    | 79    | 0      | 0.0%     |
| Benton | Corn      | NON-IRROC | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Benton | Corn      | NON-IRROC | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Benton | Corn      | NON-IRROC | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Benton | Corn      | NON-IRROC | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Benton | Corn      | NON-IRROT | BLUE       |      | 79    | 79    | 0      | 0.0%     |
| Benton | Corn      | NON-IRROT | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Benton | Corn      | NON-IRROT | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Benton | Corn      | NON-IRROT | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Benton | Corn      | NON-IRROT | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Benton | Oats      | I         | S          |      | 66    | 71    | 5      | 7.6%     |
| Benton | Oats      | IRR OC    | S          |      | 66    | 64    | -2     | -3.0%    |
| Benton | Oats      | IRR OT    | S          |      | 66    | 64    | -2     | -3.0%    |
| Benton | Oats      | NI        | S          |      | 66    | 71    | 5      | 7.6%     |
| Benton | Oats      | NON-IRROC | S          |      | 66    | 64    | -2     | -3.0%    |
| Benton | Oats      | NON-IRROT | S          |      | 66    | 64    | -2     | -3.0%    |
| Benton | Popcorn   | I         | NTS        |      | 3977  | 3977  | 0      | 0.0%     |
| Benton | Popcorn   | IRR OC    | NTS        |      | 2784  | 2784  | 0      | 0.0%     |
| Benton | Popcorn   | IRR OT    | NTS        |      | 2784  | 2784  | 0      | 0.0%     |
| Benton | Popcorn   | NI        | NTS        |      | 3977  | 3977  | 0      | 0.0%     |
| Benton | Popcorn   | NON-IRROC | NTS        |      | 2784  | 2784  | 0      | 0.0%     |
| Benton | Popcorn   | NON-IRROT | NTS        |      | 2784  | 2784  | 0      | 0.0%     |
| Benton | Soybeans  | I         | ALLOTHFDGD |      | 53    | 60    | 7      | 13.2%    |
| Benton | Soybeans  | I         | COMM       |      | 57    | 60    | 3      | 5.3%     |
| Benton | Soybeans  | I         | HP         |      | 53    | 56    | 3      | 5.7%     |
| Benton | Soybeans  | I         | LLA        |      | 53    | 56    | 3      | 5.7%     |
| Benton | Soybeans  | I         | LSF        |      | 53    | 56    | 3      | 5.7%     |
| Benton | Soybeans  | I         | LSFG       |      | 48    | 51    | 3      | 6.3%     |
| Benton | Soybeans  | I         | SSFG       |      | 40    | 42    | 2      | 5.0%     |
| Benton | Soybeans  | IRR OC    | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| Benton | Soybeans  | IRR OC    | COMM       |      | 40    | 42    | 2      | 5.0%     |
| Benton | Soybeans  | IRR OC    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Benton | Soybeans  | IRR OC    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Benton | Soybeans  | IRR OC    | LSF        |      | 37    | 39    | 2      | 5.4%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|            |           |           |            |      | Yield | Yield |        |          |
| Benton     | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Benton     | Soybeans  | IRR OC    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Benton     | Soybeans  | IRR OT    | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| Benton     | Soybeans  | IRR OT    | COMM       |      | 40    | 42    | 2      | 5.0%     |
| Benton     | Soybeans  | IRR OT    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Benton     | Soybeans  | IRR OT    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Benton     | Soybeans  | IRR OT    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Benton     | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Benton     | Soybeans  | IRR OT    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Benton     | Soybeans  | NI        | ALLOTHFDGD |      | 53    | 59    | 6      | 11.3%    |
| Benton     | Soybeans  | NI        | COMM       |      | 57    | 59    | 2      | 3.5%     |
| Benton     | Soybeans  | NI        | HP         |      | 53    | 55    | 2      | 3.8%     |
| Benton     | Soybeans  | NI        | LLA        |      | 53    | 55    | 2      | 3.8%     |
| Benton     | Soybeans  | NI        | LSF        |      | 53    | 55    | 2      | 3.8%     |
| Benton     | Soybeans  | NI        | LSFG       |      | 48    | 50    | 2      | 4.2%     |
| Benton     | Soybeans  | NI        | SSFG       |      | 40    | 41    | 1      | 2.5%     |
| Benton     | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 37    | 41    | 4      | 10.8%    |
| Benton     | Soybeans  | NON-IRROC | COMM       |      | 40    | 41    | 1      | 2.5%     |
| Benton     | Soybeans  | NON-IRROC | HP         |      | 37    | 39    | 2      | 5.4%     |
| Benton     | Soybeans  | NON-IRROC | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Benton     | Soybeans  | NON-IRROC | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Benton     | Soybeans  | NON-IRROC | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Benton     | Soybeans  | NON-IRROC | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Benton     | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 37    | 41    | 4      | 10.8%    |
| Benton     | Soybeans  | NON-IRROT | COMM       |      | 40    | 41    | 1      | 2.5%     |
| Benton     | Soybeans  | NON-IRROT | HP         |      | 37    | 39    | 2      | 5.4%     |
| Benton     | Soybeans  | NON-IRROT | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Benton     | Soybeans  | NON-IRROT | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Benton     | Soybeans  | NON-IRROT | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Benton     | Soybeans  | NON-IRROT | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Black Hawk | Corn      | I         | BLUE       |      | 108   | 108   | 0      | 0.0%     |
| Black Hawk | Corn      | I         | GSG        |      | 197   | 197   | 0      | 0.0%     |
| Black Hawk | Corn      | I         | HAMLS      |      | 197   | 197   | 0      | 0.0%     |
| Black Hawk | Corn      | I         | WAXY       |      | 197   | 197   | 0      | 0.0%     |
| Black Hawk | Corn      | I         | WHITE      |      | 197   | 197   | 0      | 0.0%     |
| Black Hawk | Corn      | IRR OC    | BLUE       |      | 81    | 81    | 0      | 0.0%     |
| Black Hawk | Corn      | IRR OC    | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Black Hawk | Corn      | IRR OC    | HAMLS      |      | 148   | 148   | 0      | 0.0%     |
| Black Hawk | Corn      | IRR OC    | WAXY       |      | 148   | 148   | 0      | 0.0%     |
| Black Hawk | Corn      | IRR OC    | WHITE      |      | 148   | 148   | 0      | 0.0%     |
| Black Hawk | Corn      | IRR OT    | BLUE       |      | 81    | 81    | 0      | 0.0%     |
| Black Hawk | Corn      | IRR OT    | GSG        |      | 148   | 148   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|------------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|            |           |           |            | Area | Yield | Yield |  |        |          |
| Black Hawk | Corn      | IRR OT    | HAMLS      |      | 148   | 148   |  | 0      | 0.0%     |
| Black Hawk | Corn      | IRR OT    | WAXY       |      | 148   | 148   |  | 0      | 0.0%     |
| Black Hawk | Corn      | IRR OT    | WHITE      |      | 148   | 148   |  | 0      | 0.0%     |
| Black Hawk | Corn      | NI        | BLUE       |      | 105   | 105   |  | 0      | 0.0%     |
| Black Hawk | Corn      | NI        | GSG        |      | 190   | 190   |  | 0      | 0.0%     |
| Black Hawk | Corn      | NI        | HAMLS      |      | 190   | 190   |  | 0      | 0.0%     |
| Black Hawk | Corn      | NI        | WAXY       |      | 190   | 190   |  | 0      | 0.0%     |
| Black Hawk | Corn      | NI        | WHITE      |      | 190   | 190   |  | 0      | 0.0%     |
| Black Hawk | Corn      | NON-IRROC | BLUE       |      | 79    | 79    |  | 0      | 0.0%     |
| Black Hawk | Corn      | NON-IRROC | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Black Hawk | Corn      | NON-IRROC | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Black Hawk | Corn      | NON-IRROC | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Black Hawk | Corn      | NON-IRROC | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Black Hawk | Corn      | NON-IRROT | BLUE       |      | 79    | 79    |  | 0      | 0.0%     |
| Black Hawk | Corn      | NON-IRROT | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Black Hawk | Corn      | NON-IRROT | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Black Hawk | Corn      | NON-IRROT | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Black Hawk | Corn      | NON-IRROT | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Black Hawk | Oats      | I         | S          |      | 72    | 75    |  | 3      | 4.2%     |
| Black Hawk | Oats      | IRR OC    | S          |      | 72    | 68    |  | -4     | -5.6%    |
| Black Hawk | Oats      | IRR OT    | S          |      | 72    | 68    |  | -4     | -5.6%    |
| Black Hawk | Oats      | NI        | S          |      | 72    | 75    |  | 3      | 4.2%     |
| Black Hawk | Oats      | NON-IRROC | S          |      | 72    | 68    |  | -4     | -5.6%    |
| Black Hawk | Oats      | NON-IRROT | S          |      | 72    | 68    |  | -4     | -5.6%    |
| Black Hawk | Popcorn   | I         | NTS        |      | 3977  | 3977  |  | 0      | 0.0%     |
| Black Hawk | Popcorn   | IRR OC    | NTS        |      | 2784  | 2784  |  | 0      | 0.0%     |
| Black Hawk | Popcorn   | IRR OT    | NTS        |      | 2784  | 2784  |  | 0      | 0.0%     |
| Black Hawk | Popcorn   | NI        | NTS        |      | 3977  | 3977  |  | 0      | 0.0%     |
| Black Hawk | Popcorn   | NON-IRROC | NTS        |      | 2784  | 2784  |  | 0      | 0.0%     |
| Black Hawk | Popcorn   | NON-IRROT | NTS        |      | 2784  | 2784  |  | 0      | 0.0%     |
| Black Hawk | Soybeans  | I         | ALLOTHFDGD |      | 50    | 61    |  | 11     | 22.0%    |
| Black Hawk | Soybeans  | I         | COMM       |      | 54    | 61    |  | 7      | 13.0%    |
| Black Hawk | Soybeans  | I         | HP         |      | 50    | 56    |  | 6      | 12.0%    |
| Black Hawk | Soybeans  | I         | LLA        |      | 50    | 56    |  | 6      | 12.0%    |
| Black Hawk | Soybeans  | I         | LSF        |      | 50    | 56    |  | 6      | 12.0%    |
| Black Hawk | Soybeans  | I         | LSFG       |      | 46    | 52    |  | 6      | 13.0%    |
| Black Hawk | Soybeans  | I         | SSFG       |      | 38    | 43    |  | 5      | 13.2%    |
| Black Hawk | Soybeans  | IRR OC    | ALLOTHFDGD |      | 35    | 43    |  | 8      | 22.9%    |
| Black Hawk | Soybeans  | IRR OC    | COMM       |      | 38    | 43    |  | 5      | 13.2%    |
| Black Hawk | Soybeans  | IRR OC    | HP         |      | 35    | 39    |  | 4      | 11.4%    |
| Black Hawk | Soybeans  | IRR OC    | LLA        |      | 35    | 39    |  | 4      | 11.4%    |
| Black Hawk | Soybeans  | IRR OC    | LSF        |      | 35    | 39    |  | 4      | 11.4%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County     | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|            |           |           |            |      | Yield | Yield |        |          |
| Black Hawk | Soybeans  | IRR OC    | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Black Hawk | Soybeans  | IRR OC    | SSFG       |      | 27    | 30    | 3      | 11.1%    |
| Black Hawk | Soybeans  | IRR OT    | ALLOTHFDGD |      | 35    | 43    | 8      | 22.9%    |
| Black Hawk | Soybeans  | IRR OT    | COMM       |      | 38    | 43    | 5      | 13.2%    |
| Black Hawk | Soybeans  | IRR OT    | HP         |      | 35    | 39    | 4      | 11.4%    |
| Black Hawk | Soybeans  | IRR OT    | LLA        |      | 35    | 39    | 4      | 11.4%    |
| Black Hawk | Soybeans  | IRR OT    | LSF        |      | 35    | 39    | 4      | 11.4%    |
| Black Hawk | Soybeans  | IRR OT    | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Black Hawk | Soybeans  | IRR OT    | SSFG       |      | 27    | 30    | 3      | 11.1%    |
| Black Hawk | Soybeans  | NI        | ALLOTHFDGD |      | 50    | 57    | 7      | 14.0%    |
| Black Hawk | Soybeans  | NI        | COMM       |      | 54    | 57    | 3      | 5.6%     |
| Black Hawk | Soybeans  | NI        | HP         |      | 50    | 53    | 3      | 6.0%     |
| Black Hawk | Soybeans  | NI        | LLA        |      | 50    | 53    | 3      | 6.0%     |
| Black Hawk | Soybeans  | NI        | LSF        |      | 50    | 53    | 3      | 6.0%     |
| Black Hawk | Soybeans  | NI        | LSFG       |      | 46    | 48    | 2      | 4.3%     |
| Black Hawk | Soybeans  | NI        | SSFG       |      | 38    | 40    | 2      | 5.3%     |
| Black Hawk | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Black Hawk | Soybeans  | NON-IRROC | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Black Hawk | Soybeans  | NON-IRROC | HP         |      | 35    | 37    | 2      | 5.7%     |
| Black Hawk | Soybeans  | NON-IRROC | LLA        |      | 35    | 37    | 2      | 5.7%     |
| Black Hawk | Soybeans  | NON-IRROC | LSF        |      | 35    | 37    | 2      | 5.7%     |
| Black Hawk | Soybeans  | NON-IRROC | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Black Hawk | Soybeans  | NON-IRROC | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Black Hawk | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Black Hawk | Soybeans  | NON-IRROT | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Black Hawk | Soybeans  | NON-IRROT | HP         |      | 35    | 37    | 2      | 5.7%     |
| Black Hawk | Soybeans  | NON-IRROT | LLA        |      | 35    | 37    | 2      | 5.7%     |
| Black Hawk | Soybeans  | NON-IRROT | LSF        |      | 35    | 37    | 2      | 5.7%     |
| Black Hawk | Soybeans  | NON-IRROT | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Black Hawk | Soybeans  | NON-IRROT | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Boone      | Corn      | I         | GSG        |      | 187   | 187   | 0      | 0.0%     |
| Boone      | Corn      | I         | HAMLS      |      | 187   | 187   | 0      | 0.0%     |
| Boone      | Corn      | I         | WAXY       |      | 187   | 187   | 0      | 0.0%     |
| Boone      | Corn      | I         | WHITE      |      | 187   | 187   | 0      | 0.0%     |
| Boone      | Corn      | IRR OC    | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Boone      | Corn      | IRR OC    | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Boone      | Corn      | IRR OC    | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Boone      | Corn      | IRR OC    | WHITE      |      | 140   | 140   | 0      | 0.0%     |
| Boone      | Corn      | IRR OT    | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Boone      | Corn      | IRR OT    | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Boone      | Corn      | IRR OT    | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Boone      | Corn      | IRR OT    | WHITE      |      | 140   | 140   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name     | Practice  | Type  | Area | 2023  | 2024  | Change | % Change |
|--------|---------------|-----------|-------|------|-------|-------|--------|----------|
|        |               |           |       |      | Yield | Yield |        |          |
| Boone  | Corn          | NI        | GSG   |      | 187   | 187   | 0      | 0.0%     |
| Boone  | Corn          | NI        | HAMLS |      | 187   | 187   | 0      | 0.0%     |
| Boone  | Corn          | NI        | WAXY  |      | 187   | 187   | 0      | 0.0%     |
| Boone  | Corn          | NI        | WHITE |      | 187   | 187   | 0      | 0.0%     |
| Boone  | Corn          | NON-IRROC | GSG   |      | 140   | 140   | 0      | 0.0%     |
| Boone  | Corn          | NON-IRROC | HAMLS |      | 140   | 140   | 0      | 0.0%     |
| Boone  | Corn          | NON-IRROC | WAXY  |      | 140   | 140   | 0      | 0.0%     |
| Boone  | Corn          | NON-IRROC | WHITE |      | 140   | 140   | 0      | 0.0%     |
| Boone  | Corn          | NON-IRROT | GSG   |      | 140   | 140   | 0      | 0.0%     |
| Boone  | Corn          | NON-IRROT | HAMLS |      | 140   | 140   | 0      | 0.0%     |
| Boone  | Corn          | NON-IRROT | WAXY  |      | 140   | 140   | 0      | 0.0%     |
| Boone  | Corn          | NON-IRROT | WHITE |      | 140   | 140   | 0      | 0.0%     |
| Boone  | Grain Sorghum | I         | NTS   |      | 94    | 94    | 0      | 0.0%     |
| Boone  | Grain Sorghum | IRR OC    | NTS   |      | 61    | 61    | 0      | 0.0%     |
| Boone  | Grain Sorghum | IRR OT    | NTS   |      | 61    | 61    | 0      | 0.0%     |
| Boone  | Grain Sorghum | NI        | NTS   |      | 89    | 89    | 0      | 0.0%     |
| Boone  | Grain Sorghum | NON-IRROC | NTS   |      | 58    | 58    | 0      | 0.0%     |
| Boone  | Grain Sorghum | NON-IRROT | NTS   |      | 58    | 58    | 0      | 0.0%     |
| Boone  | Green Peas    | I         | SESP  |      | 3182  | 3182  | 0      | 0.0%     |
| Boone  | Green Peas    | I         | SLSP  |      | 3380  | 3380  | 0      | 0.0%     |
| Boone  | Green Peas    | I         | SMSP  |      | 3579  | 3579  | 0      | 0.0%     |
| Boone  | Green Peas    | IRR OC    | SESP  |      | 2068  | 2068  | 0      | 0.0%     |
| Boone  | Green Peas    | IRR OC    | SLSP  |      | 2197  | 2197  | 0      | 0.0%     |
| Boone  | Green Peas    | IRR OC    | SMSP  |      | 2326  | 2326  | 0      | 0.0%     |
| Boone  | Green Peas    | IRR OT    | SESP  |      | 2068  | 2068  | 0      | 0.0%     |
| Boone  | Green Peas    | IRR OT    | SLSP  |      | 2197  | 2197  | 0      | 0.0%     |
| Boone  | Green Peas    | IRR OT    | SMSP  |      | 2326  | 2326  | 0      | 0.0%     |
| Boone  | Green Peas    | NI        | SESP  |      | 2743  | 2743  | 0      | 0.0%     |
| Boone  | Green Peas    | NI        | SLSP  |      | 2914  | 2914  | 0      | 0.0%     |
| Boone  | Green Peas    | NI        | SMSP  |      | 3085  | 3085  | 0      | 0.0%     |
| Boone  | Green Peas    | NON-IRROC | SESP  |      | 1783  | 1783  | 0      | 0.0%     |
| Boone  | Green Peas    | NON-IRROC | SLSP  |      | 1894  | 1894  | 0      | 0.0%     |
| Boone  | Green Peas    | NON-IRROC | SMSP  |      | 2005  | 2005  | 0      | 0.0%     |
| Boone  | Green Peas    | NON-IRROT | SESP  |      | 1783  | 1783  | 0      | 0.0%     |
| Boone  | Green Peas    | NON-IRROT | SLSP  |      | 1894  | 1894  | 0      | 0.0%     |
| Boone  | Green Peas    | NON-IRROT | SMSP  |      | 2005  | 2005  | 0      | 0.0%     |
| Boone  | Oats          | I         | S     |      | 73    | 74    | 1      | 1.4%     |
| Boone  | Oats          | IRR OC    | S     |      | 73    | 67    | -6     | -8.2%    |
| Boone  | Oats          | IRR OT    | S     |      | 73    | 67    | -6     | -8.2%    |
| Boone  | Oats          | NI        | S     |      | 73    | 74    | 1      | 1.4%     |
| Boone  | Oats          | NON-IRROC | S     |      | 73    | 67    | -6     | -8.2%    |
| Boone  | Oats          | NON-IRROT | S     |      | 73    | 67    | -6     | -8.2%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Boone  | Soybeans  | I         | ALLOTHFDGD |      | 49    | 56    | 7      | 14.3%    |
| Boone  | Soybeans  | I         | COMM       |      | 53    | 56    | 3      | 5.7%     |
| Boone  | Soybeans  | I         | HP         |      | 49    | 52    | 3      | 6.1%     |
| Boone  | Soybeans  | I         | LLA        |      | 49    | 52    | 3      | 6.1%     |
| Boone  | Soybeans  | I         | LSF        |      | 49    | 52    | 3      | 6.1%     |
| Boone  | Soybeans  | I         | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Boone  | Soybeans  | I         | SSFG       |      | 37    | 39    | 2      | 5.4%     |
| Boone  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Boone  | Soybeans  | IRR OC    | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Boone  | Soybeans  | IRR OC    | HP         |      | 34    | 36    | 2      | 5.9%     |
| Boone  | Soybeans  | IRR OC    | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Boone  | Soybeans  | IRR OC    | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Boone  | Soybeans  | IRR OC    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Boone  | Soybeans  | IRR OC    | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Boone  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Boone  | Soybeans  | IRR OT    | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Boone  | Soybeans  | IRR OT    | HP         |      | 34    | 36    | 2      | 5.9%     |
| Boone  | Soybeans  | IRR OT    | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Boone  | Soybeans  | IRR OT    | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Boone  | Soybeans  | IRR OT    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Boone  | Soybeans  | IRR OT    | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Boone  | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 31    | 34    | 3      | 9.7%     |
| Boone  | Soybeans  | NC IRROC  | COMM       |      | 34    | 34    | 0      | 0.0%     |
| Boone  | Soybeans  | NC IRROC  | HP         |      | 31    | 31    | 0      | 0.0%     |
| Boone  | Soybeans  | NC IRROC  | LLA        |      | 31    | 31    | 0      | 0.0%     |
| Boone  | Soybeans  | NC IRROC  | LSF        |      | 31    | 31    | 0      | 0.0%     |
| Boone  | Soybeans  | NC IRROC  | LSFG       |      | 29    | 29    | 0      | 0.0%     |
| Boone  | Soybeans  | NC IRROC  | SSFG       |      | 24    | 24    | 0      | 0.0%     |
| Boone  | Soybeans  | NC IRRROT | ALLOTHFDGD |      | 31    | 34    | 3      | 9.7%     |
| Boone  | Soybeans  | NC IRRROT | COMM       |      | 34    | 34    | 0      | 0.0%     |
| Boone  | Soybeans  | NC IRRROT | HP         |      | 31    | 31    | 0      | 0.0%     |
| Boone  | Soybeans  | NC IRRROT | LLA        |      | 31    | 31    | 0      | 0.0%     |
| Boone  | Soybeans  | NC IRRROT | LSF        |      | 31    | 31    | 0      | 0.0%     |
| Boone  | Soybeans  | NC IRRROT | LSFG       |      | 29    | 29    | 0      | 0.0%     |
| Boone  | Soybeans  | NC IRRROT | SSFG       |      | 24    | 24    | 0      | 0.0%     |
| Boone  | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 31    | 34    | 3      | 9.7%     |
| Boone  | Soybeans  | NC NIOC   | COMM       |      | 34    | 34    | 0      | 0.0%     |
| Boone  | Soybeans  | NC NIOC   | HP         |      | 31    | 31    | 0      | 0.0%     |
| Boone  | Soybeans  | NC NIOC   | LLA        |      | 31    | 31    | 0      | 0.0%     |
| Boone  | Soybeans  | NC NIOC   | LSF        |      | 31    | 31    | 0      | 0.0%     |
| Boone  | Soybeans  | NC NIOC   | LSFG       |      | 29    | 29    | 0      | 0.0%     |
| Boone  | Soybeans  | NC NIOC   | SSFG       |      | 24    | 24    | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|------------|------------|------|-------|-------|--------|----------|
|        |           |            |            |      | Yield | Yield |        |          |
| Boone  | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 31    | 34    | 3      | 9.7%     |
| Boone  | Soybeans  | NC NIOT    | COMM       |      | 34    | 34    | 0      | 0.0%     |
| Boone  | Soybeans  | NC NIOT    | HP         |      | 31    | 31    | 0      | 0.0%     |
| Boone  | Soybeans  | NC NIOT    | LLA        |      | 31    | 31    | 0      | 0.0%     |
| Boone  | Soybeans  | NC NIOT    | LSF        |      | 31    | 31    | 0      | 0.0%     |
| Boone  | Soybeans  | NC NIOT    | LSFG       |      | 29    | 29    | 0      | 0.0%     |
| Boone  | Soybeans  | NC NIOT    | SSFG       |      | 24    | 24    | 0      | 0.0%     |
| Boone  | Soybeans  | NI         | ALLOTHFDGD |      | 49    | 56    | 7      | 14.3%    |
| Boone  | Soybeans  | NI         | COMM       |      | 53    | 56    | 3      | 5.7%     |
| Boone  | Soybeans  | NI         | HP         |      | 49    | 52    | 3      | 6.1%     |
| Boone  | Soybeans  | NI         | LLA        |      | 49    | 52    | 3      | 6.1%     |
| Boone  | Soybeans  | NI         | LSF        |      | 49    | 52    | 3      | 6.1%     |
| Boone  | Soybeans  | NI         | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Boone  | Soybeans  | NI         | SSFG       |      | 37    | 39    | 2      | 5.4%     |
| Boone  | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Boone  | Soybeans  | NON-IRROC  | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Boone  | Soybeans  | NON-IRROC  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Boone  | Soybeans  | NON-IRROC  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Boone  | Soybeans  | NON-IRROC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Boone  | Soybeans  | NON-IRROC  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Boone  | Soybeans  | NON-IRROC  | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Boone  | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Boone  | Soybeans  | NON-IRROT  | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Boone  | Soybeans  | NON-IRROT  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Boone  | Soybeans  | NON-IRROT  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Boone  | Soybeans  | NON-IRROT  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Boone  | Soybeans  | NON-IRROT  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Boone  | Soybeans  | NON-IRROT  | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Boone  | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 44    | 48    | 4      | 9.1%     |
| Boone  | Soybeans  | NONCON IRR | COMM       |      | 48    | 48    | 0      | 0.0%     |
| Boone  | Soybeans  | NONCON IRR | HP         |      | 44    | 44    | 0      | 0.0%     |
| Boone  | Soybeans  | NONCON IRR | LLA        |      | 44    | 44    | 0      | 0.0%     |
| Boone  | Soybeans  | NONCON IRR | LSF        |      | 44    | 44    | 0      | 0.0%     |
| Boone  | Soybeans  | NONCON IRR | LSFG       |      | 41    | 41    | 0      | 0.0%     |
| Boone  | Soybeans  | NONCON IRR | SSFG       |      | 34    | 34    | 0      | 0.0%     |
| Boone  | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 44    | 48    | 4      | 9.1%     |
| Boone  | Soybeans  | NONCON NI  | COMM       |      | 48    | 48    | 0      | 0.0%     |
| Boone  | Soybeans  | NONCON NI  | HP         |      | 44    | 44    | 0      | 0.0%     |
| Boone  | Soybeans  | NONCON NI  | LLA        |      | 44    | 44    | 0      | 0.0%     |
| Boone  | Soybeans  | NONCON NI  | LSF        |      | 44    | 44    | 0      | 0.0%     |
| Boone  | Soybeans  | NONCON NI  | LSFG       |      | 41    | 41    | 0      | 0.0%     |
| Boone  | Soybeans  | NONCON NI  | SSFG       |      | 34    | 34    | 0      | 0.0%     |



Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name  | Practice  | Type  | 2023 |       | 2024  |       | Change | % Change |
|--------|------------|-----------|-------|------|-------|-------|-------|--------|----------|
|        |            |           |       | Area | Yield | Yield | Yield |        |          |
| Boone  | Sweet Corn | I         | EGW   |      | 6.7   | 6.7   |       | 0      | 0.0%     |
| Boone  | Sweet Corn | I         | OG    |      | 6.7   | 6.7   |       | 0      | 0.0%     |
| Boone  | Sweet Corn | IRR OC    | EGW   |      | 4.4   | 4.4   |       | 0      | 0.0%     |
| Boone  | Sweet Corn | IRR OC    | OG    |      | 4.4   | 4.4   |       | 0      | 0.0%     |
| Boone  | Sweet Corn | IRR OT    | EGW   |      | 4.4   | 4.4   |       | 0      | 0.0%     |
| Boone  | Sweet Corn | IRR OT    | OG    |      | 4.4   | 4.4   |       | 0      | 0.0%     |
| Boone  | Sweet Corn | NI        | EGW   |      | 6.7   | 6.7   |       | 0      | 0.0%     |
| Boone  | Sweet Corn | NI        | OG    |      | 6.7   | 6.7   |       | 0      | 0.0%     |
| Boone  | Sweet Corn | NON-IRROC | EGW   |      | 4.4   | 4.4   |       | 0      | 0.0%     |
| Boone  | Sweet Corn | NON-IRROC | OG    |      | 4.4   | 4.4   |       | 0      | 0.0%     |
| Boone  | Sweet Corn | NON-IRROT | EGW   |      | 4.4   | 4.4   |       | 0      | 0.0%     |
| Boone  | Sweet Corn | NON-IRROT | OG    |      | 4.4   | 4.4   |       | 0      | 0.0%     |
| Bremer | Corn       | I         | GSG   |      | 204   | 204   |       | 0      | 0.0%     |
| Bremer | Corn       | I         | GSS   |      | 27.8  | 27.8  |       | 0      | 0.0%     |
| Bremer | Corn       | I         | HAMLS |      | 204   | 204   |       | 0      | 0.0%     |
| Bremer | Corn       | I         | WAXY  |      | 204   | 204   |       | 0      | 0.0%     |
| Bremer | Corn       | I         | WHITE |      | 204   | 204   |       | 0      | 0.0%     |
| Bremer | Corn       | IRR OC    | GSG   |      | 153   | 153   |       | 0      | 0.0%     |
| Bremer | Corn       | IRR OC    | GSS   |      | 20.9  | 20.9  |       | 0      | 0.0%     |
| Bremer | Corn       | IRR OC    | HAMLS |      | 153   | 153   |       | 0      | 0.0%     |
| Bremer | Corn       | IRR OC    | WAXY  |      | 153   | 153   |       | 0      | 0.0%     |
| Bremer | Corn       | IRR OC    | WHITE |      | 153   | 153   |       | 0      | 0.0%     |
| Bremer | Corn       | IRR OT    | GSG   |      | 153   | 153   |       | 0      | 0.0%     |
| Bremer | Corn       | IRR OT    | GSS   |      | 20.9  | 20.9  |       | 0      | 0.0%     |
| Bremer | Corn       | IRR OT    | HAMLS |      | 153   | 153   |       | 0      | 0.0%     |
| Bremer | Corn       | IRR OT    | WAXY  |      | 153   | 153   |       | 0      | 0.0%     |
| Bremer | Corn       | IRR OT    | WHITE |      | 153   | 153   |       | 0      | 0.0%     |
| Bremer | Corn       | NI        | GSG   |      | 196   | 196   |       | 0      | 0.0%     |
| Bremer | Corn       | NI        | GSS   |      | 27.8  | 27.8  |       | 0      | 0.0%     |
| Bremer | Corn       | NI        | HAMLS |      | 196   | 196   |       | 0      | 0.0%     |
| Bremer | Corn       | NI        | WAXY  |      | 196   | 196   |       | 0      | 0.0%     |
| Bremer | Corn       | NI        | WHITE |      | 196   | 196   |       | 0      | 0.0%     |
| Bremer | Corn       | NON-IRROC | GSG   |      | 147   | 147   |       | 0      | 0.0%     |
| Bremer | Corn       | NON-IRROC | GSS   |      | 20.9  | 20.9  |       | 0      | 0.0%     |
| Bremer | Corn       | NON-IRROC | HAMLS |      | 147   | 147   |       | 0      | 0.0%     |
| Bremer | Corn       | NON-IRROC | WAXY  |      | 147   | 147   |       | 0      | 0.0%     |
| Bremer | Corn       | NON-IRROC | WHITE |      | 147   | 147   |       | 0      | 0.0%     |
| Bremer | Corn       | NON-IRROT | GSG   |      | 147   | 147   |       | 0      | 0.0%     |
| Bremer | Corn       | NON-IRROT | GSS   |      | 20.9  | 20.9  |       | 0      | 0.0%     |
| Bremer | Corn       | NON-IRROT | HAMLS |      | 147   | 147   |       | 0      | 0.0%     |
| Bremer | Corn       | NON-IRROT | WAXY  |      | 147   | 147   |       | 0      | 0.0%     |
| Bremer | Corn       | NON-IRROT | WHITE |      | 147   | 147   |       | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Bremer | Oats      | I         | S          |      | 72    | 72    | 0      | 0.0%     |
| Bremer | Oats      | IRR OC    | S          |      | 72    | 65    | -7     | -9.7%    |
| Bremer | Oats      | IRR OT    | S          |      | 72    | 65    | -7     | -9.7%    |
| Bremer | Oats      | NI        | S          |      | 72    | 72    | 0      | 0.0%     |
| Bremer | Oats      | NON-IRROC | S          |      | 72    | 65    | -7     | -9.7%    |
| Bremer | Oats      | NON-IRROT | S          |      | 72    | 65    | -7     | -9.7%    |
| Bremer | Soybeans  | I         | ALLOTHFDGD |      | 53    | 61    | 8      | 15.1%    |
| Bremer | Soybeans  | I         | COMM       |      | 57    | 61    | 4      | 7.0%     |
| Bremer | Soybeans  | I         | HP         |      | 53    | 56    | 3      | 5.7%     |
| Bremer | Soybeans  | I         | LLA        |      | 53    | 56    | 3      | 5.7%     |
| Bremer | Soybeans  | I         | LSF        |      | 53    | 56    | 3      | 5.7%     |
| Bremer | Soybeans  | I         | LSFG       |      | 48    | 52    | 4      | 8.3%     |
| Bremer | Soybeans  | I         | SSFG       |      | 40    | 43    | 3      | 7.5%     |
| Bremer | Soybeans  | IRR OC    | ALLOTHFDGD |      | 37    | 43    | 6      | 16.2%    |
| Bremer | Soybeans  | IRR OC    | COMM       |      | 40    | 43    | 3      | 7.5%     |
| Bremer | Soybeans  | IRR OC    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Bremer | Soybeans  | IRR OC    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Bremer | Soybeans  | IRR OC    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Bremer | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Bremer | Soybeans  | IRR OC    | SSFG       |      | 28    | 30    | 2      | 7.1%     |
| Bremer | Soybeans  | IRR OT    | ALLOTHFDGD |      | 37    | 43    | 6      | 16.2%    |
| Bremer | Soybeans  | IRR OT    | COMM       |      | 40    | 43    | 3      | 7.5%     |
| Bremer | Soybeans  | IRR OT    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Bremer | Soybeans  | IRR OT    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Bremer | Soybeans  | IRR OT    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Bremer | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Bremer | Soybeans  | IRR OT    | SSFG       |      | 28    | 30    | 2      | 7.1%     |
| Bremer | Soybeans  | NI        | ALLOTHFDGD |      | 52    | 59    | 7      | 13.5%    |
| Bremer | Soybeans  | NI        | COMM       |      | 56    | 59    | 3      | 5.4%     |
| Bremer | Soybeans  | NI        | HP         |      | 52    | 55    | 3      | 5.8%     |
| Bremer | Soybeans  | NI        | LLA        |      | 52    | 55    | 3      | 5.8%     |
| Bremer | Soybeans  | NI        | LSF        |      | 52    | 55    | 3      | 5.8%     |
| Bremer | Soybeans  | NI        | LSFG       |      | 48    | 50    | 2      | 4.2%     |
| Bremer | Soybeans  | NI        | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Bremer | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Bremer | Soybeans  | NON-IRROC | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Bremer | Soybeans  | NON-IRROC | HP         |      | 36    | 39    | 3      | 8.3%     |
| Bremer | Soybeans  | NON-IRROC | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Bremer | Soybeans  | NON-IRROC | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Bremer | Soybeans  | NON-IRROC | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Bremer | Soybeans  | NON-IRROC | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Bremer | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|          |           |           |            | Area | Yield | Yield |  |        |          |
| Bremer   | Soybeans  | NON-IRROT | COMM       |      | 39    | 41    |  | 2      | 5.1%     |
| Bremer   | Soybeans  | NON-IRROT | HP         |      | 36    | 39    |  | 3      | 8.3%     |
| Bremer   | Soybeans  | NON-IRROT | LLA        |      | 36    | 39    |  | 3      | 8.3%     |
| Bremer   | Soybeans  | NON-IRROT | LSF        |      | 36    | 39    |  | 3      | 8.3%     |
| Bremer   | Soybeans  | NON-IRROT | LSFG       |      | 34    | 35    |  | 1      | 2.9%     |
| Bremer   | Soybeans  | NON-IRROT | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Buchanan | Corn      | I         | GSG        |      | 198   | 198   |  | 0      | 0.0%     |
| Buchanan | Corn      | I         | HAMLS      |      | 198   | 198   |  | 0      | 0.0%     |
| Buchanan | Corn      | I         | WAXY       |      | 198   | 198   |  | 0      | 0.0%     |
| Buchanan | Corn      | I         | WHITE      |      | 198   | 198   |  | 0      | 0.0%     |
| Buchanan | Corn      | IRR OC    | GSG        |      | 149   | 149   |  | 0      | 0.0%     |
| Buchanan | Corn      | IRR OC    | HAMLS      |      | 149   | 149   |  | 0      | 0.0%     |
| Buchanan | Corn      | IRR OC    | WAXY       |      | 149   | 149   |  | 0      | 0.0%     |
| Buchanan | Corn      | IRR OC    | WHITE      |      | 149   | 149   |  | 0      | 0.0%     |
| Buchanan | Corn      | IRR OT    | GSG        |      | 149   | 149   |  | 0      | 0.0%     |
| Buchanan | Corn      | IRR OT    | HAMLS      |      | 149   | 149   |  | 0      | 0.0%     |
| Buchanan | Corn      | IRR OT    | WAXY       |      | 149   | 149   |  | 0      | 0.0%     |
| Buchanan | Corn      | IRR OT    | WHITE      |      | 149   | 149   |  | 0      | 0.0%     |
| Buchanan | Corn      | NI        | GSG        |      | 195   | 195   |  | 0      | 0.0%     |
| Buchanan | Corn      | NI        | HAMLS      |      | 195   | 195   |  | 0      | 0.0%     |
| Buchanan | Corn      | NI        | WAXY       |      | 195   | 195   |  | 0      | 0.0%     |
| Buchanan | Corn      | NI        | WHITE      |      | 195   | 195   |  | 0      | 0.0%     |
| Buchanan | Corn      | NON-IRROC | GSG        |      | 146   | 146   |  | 0      | 0.0%     |
| Buchanan | Corn      | NON-IRROC | HAMLS      |      | 146   | 146   |  | 0      | 0.0%     |
| Buchanan | Corn      | NON-IRROC | WAXY       |      | 146   | 146   |  | 0      | 0.0%     |
| Buchanan | Corn      | NON-IRROC | WHITE      |      | 146   | 146   |  | 0      | 0.0%     |
| Buchanan | Corn      | NON-IRROT | GSG        |      | 146   | 146   |  | 0      | 0.0%     |
| Buchanan | Corn      | NON-IRROT | HAMLS      |      | 146   | 146   |  | 0      | 0.0%     |
| Buchanan | Corn      | NON-IRROT | WAXY       |      | 146   | 146   |  | 0      | 0.0%     |
| Buchanan | Corn      | NON-IRROT | WHITE      |      | 146   | 146   |  | 0      | 0.0%     |
| Buchanan | Oats      | I         | S          |      | 72    | 72    |  | 0      | 0.0%     |
| Buchanan | Oats      | IRR OC    | S          |      | 72    | 65    |  | -7     | -9.7%    |
| Buchanan | Oats      | IRR OT    | S          |      | 72    | 65    |  | -7     | -9.7%    |
| Buchanan | Oats      | NI        | S          |      | 72    | 72    |  | 0      | 0.0%     |
| Buchanan | Oats      | NON-IRROC | S          |      | 72    | 65    |  | -7     | -9.7%    |
| Buchanan | Oats      | NON-IRROT | S          |      | 72    | 65    |  | -7     | -9.7%    |
| Buchanan | Soybeans  | I         | ALLOTHFDGD |      | 51    | 58    |  | 7      | 13.7%    |
| Buchanan | Soybeans  | I         | COMM       |      | 55    | 58    |  | 3      | 5.5%     |
| Buchanan | Soybeans  | I         | HP         |      | 51    | 54    |  | 3      | 5.9%     |
| Buchanan | Soybeans  | I         | LLA        |      | 51    | 54    |  | 3      | 5.9%     |
| Buchanan | Soybeans  | I         | LSF        |      | 51    | 54    |  | 3      | 5.9%     |
| Buchanan | Soybeans  | I         | LSFG       |      | 47    | 49    |  | 2      | 4.3%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County      | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|             |           |           |            |      | Yield | Yield |        |          |
| Buchanan    | Soybeans  | I         | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Buchanan    | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Buchanan    | Soybeans  | IRR OC    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Buchanan    | Soybeans  | IRR OC    | HP         |      | 36    | 38    | 2      | 5.6%     |
| Buchanan    | Soybeans  | IRR OC    | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Buchanan    | Soybeans  | IRR OC    | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Buchanan    | Soybeans  | IRR OC    | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Buchanan    | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Buchanan    | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Buchanan    | Soybeans  | IRR OT    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Buchanan    | Soybeans  | IRR OT    | HP         |      | 36    | 38    | 2      | 5.6%     |
| Buchanan    | Soybeans  | IRR OT    | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Buchanan    | Soybeans  | IRR OT    | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Buchanan    | Soybeans  | IRR OT    | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Buchanan    | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Buchanan    | Soybeans  | NI        | ALLOTHFDGD |      | 51    | 58    | 7      | 13.7%    |
| Buchanan    | Soybeans  | NI        | COMM       |      | 55    | 58    | 3      | 5.5%     |
| Buchanan    | Soybeans  | NI        | HP         |      | 51    | 54    | 3      | 5.9%     |
| Buchanan    | Soybeans  | NI        | LLA        |      | 51    | 54    | 3      | 5.9%     |
| Buchanan    | Soybeans  | NI        | LSF        |      | 51    | 54    | 3      | 5.9%     |
| Buchanan    | Soybeans  | NI        | LSFG       |      | 47    | 49    | 2      | 4.3%     |
| Buchanan    | Soybeans  | NI        | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Buchanan    | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Buchanan    | Soybeans  | NON-IRROC | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Buchanan    | Soybeans  | NON-IRROC | HP         |      | 36    | 38    | 2      | 5.6%     |
| Buchanan    | Soybeans  | NON-IRROC | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Buchanan    | Soybeans  | NON-IRROC | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Buchanan    | Soybeans  | NON-IRROC | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Buchanan    | Soybeans  | NON-IRROC | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Buchanan    | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Buchanan    | Soybeans  | NON-IRROT | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Buchanan    | Soybeans  | NON-IRROT | HP         |      | 36    | 38    | 2      | 5.6%     |
| Buchanan    | Soybeans  | NON-IRROT | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Buchanan    | Soybeans  | NON-IRROT | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Buchanan    | Soybeans  | NON-IRROT | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Buchanan    | Soybeans  | NON-IRROT | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Buena Vista | Corn      | I         | BLUE       |      | 104   | 104   | 0      | 0.0%     |
| Buena Vista | Corn      | I         | GSG        |      | 189   | 189   | 0      | 0.0%     |
| Buena Vista | Corn      | I         | HAMLS      |      | 189   | 189   | 0      | 0.0%     |
| Buena Vista | Corn      | I         | WAXY       |      | 189   | 189   | 0      | 0.0%     |
| Buena Vista | Corn      | I         | WHITE      |      | 189   | 189   | 0      | 0.0%     |
| Buena Vista | Corn      | IRR OC    | BLUE       |      | 78    | 78    | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County      | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|             |           |           |            |      | Yield | Yield |        |          |
| Buena Vista | Corn      | IRR OC    | GSG        |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | IRR OC    | HAMLS      |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | IRR OC    | WAXY       |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | IRR OC    | WHITE      |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | IRR OT    | BLUE       |      | 78    | 78    | 0      | 0.0%     |
| Buena Vista | Corn      | IRR OT    | GSG        |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | IRR OT    | HAMLS      |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | IRR OT    | WAXY       |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | IRR OT    | WHITE      |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | NI        | BLUE       |      | 104   | 104   | 0      | 0.0%     |
| Buena Vista | Corn      | NI        | GSG        |      | 189   | 189   | 0      | 0.0%     |
| Buena Vista | Corn      | NI        | HAMLS      |      | 189   | 189   | 0      | 0.0%     |
| Buena Vista | Corn      | NI        | WAXY       |      | 189   | 189   | 0      | 0.0%     |
| Buena Vista | Corn      | NI        | WHITE      |      | 189   | 189   | 0      | 0.0%     |
| Buena Vista | Corn      | NON-IRROC | BLUE       |      | 78    | 78    | 0      | 0.0%     |
| Buena Vista | Corn      | NON-IRROC | GSG        |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | NON-IRROC | HAMLS      |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | NON-IRROC | WAXY       |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | NON-IRROC | WHITE      |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | NON-IRROT | BLUE       |      | 78    | 78    | 0      | 0.0%     |
| Buena Vista | Corn      | NON-IRROT | GSG        |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | NON-IRROT | HAMLS      |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | NON-IRROT | WAXY       |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Corn      | NON-IRROT | WHITE      |      | 142   | 142   | 0      | 0.0%     |
| Buena Vista | Oats      | I         | S          |      | 79    | 75    | -4     | -5.1%    |
| Buena Vista | Oats      | IRR OC    | S          |      | 79    | 68    | -11    | -13.9%   |
| Buena Vista | Oats      | IRR OT    | S          |      | 79    | 68    | -11    | -13.9%   |
| Buena Vista | Oats      | NI        | S          |      | 75    | 75    | 0      | 0.0%     |
| Buena Vista | Oats      | NON-IRROC | S          |      | 75    | 68    | -7     | -9.3%    |
| Buena Vista | Oats      | NON-IRROT | S          |      | 75    | 68    | -7     | -9.3%    |
| Buena Vista | Popcorn   | I         | NTS        |      | 4966  | 4966  | 0      | 0.0%     |
| Buena Vista | Popcorn   | IRR OC    | NTS        |      | 3476  | 3476  | 0      | 0.0%     |
| Buena Vista | Popcorn   | IRR OT    | NTS        |      | 3476  | 3476  | 0      | 0.0%     |
| Buena Vista | Popcorn   | NI        | NTS        |      | 4966  | 4966  | 0      | 0.0%     |
| Buena Vista | Popcorn   | NON-IRROC | NTS        |      | 3476  | 3476  | 0      | 0.0%     |
| Buena Vista | Popcorn   | NON-IRROT | NTS        |      | 3476  | 3476  | 0      | 0.0%     |
| Buena Vista | Soybeans  | I         | ALLOTHFDGD |      | 50    | 57    | 7      | 14.0%    |
| Buena Vista | Soybeans  | I         | COMM       |      | 54    | 57    | 3      | 5.6%     |
| Buena Vista | Soybeans  | I         | HP         |      | 50    | 53    | 3      | 6.0%     |
| Buena Vista | Soybeans  | I         | LLA        |      | 50    | 53    | 3      | 6.0%     |
| Buena Vista | Soybeans  | I         | LSF        |      | 50    | 53    | 3      | 6.0%     |
| Buena Vista | Soybeans  | I         | LSFG       |      | 46    | 48    | 2      | 4.3%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County      | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|             |           |           |            |      | Yield | Yield |        |          |
| Buena Vista | Soybeans  | I         | SSFG       |      | 38    | 40    | 2      | 5.3%     |
| Buena Vista | Soybeans  | IRR OC    | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Buena Vista | Soybeans  | IRR OC    | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Buena Vista | Soybeans  | IRR OC    | HP         |      | 35    | 37    | 2      | 5.7%     |
| Buena Vista | Soybeans  | IRR OC    | LLA        |      | 35    | 37    | 2      | 5.7%     |
| Buena Vista | Soybeans  | IRR OC    | LSF        |      | 35    | 37    | 2      | 5.7%     |
| Buena Vista | Soybeans  | IRR OC    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Buena Vista | Soybeans  | IRR OC    | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Buena Vista | Soybeans  | IRR OT    | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Buena Vista | Soybeans  | IRR OT    | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Buena Vista | Soybeans  | IRR OT    | HP         |      | 35    | 37    | 2      | 5.7%     |
| Buena Vista | Soybeans  | IRR OT    | LLA        |      | 35    | 37    | 2      | 5.7%     |
| Buena Vista | Soybeans  | IRR OT    | LSF        |      | 35    | 37    | 2      | 5.7%     |
| Buena Vista | Soybeans  | IRR OT    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Buena Vista | Soybeans  | IRR OT    | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Buena Vista | Soybeans  | NC IRR OC | ALLOTHFDGD |      | 35    | 42    | 7      | 20.0%    |
| Buena Vista | Soybeans  | NC IRR OC | COMM       |      | 38    | 42    | 4      | 10.5%    |
| Buena Vista | Soybeans  | NC IRR OC | HP         |      | 35    | 39    | 4      | 11.4%    |
| Buena Vista | Soybeans  | NC IRR OC | LLA        |      | 35    | 39    | 4      | 11.4%    |
| Buena Vista | Soybeans  | NC IRR OC | LSF        |      | 35    | 39    | 4      | 11.4%    |
| Buena Vista | Soybeans  | NC IRR OC | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Buena Vista | Soybeans  | NC IRR OC | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Buena Vista | Soybeans  | NC IRR OT | ALLOTHFDGD |      | 35    | 42    | 7      | 20.0%    |
| Buena Vista | Soybeans  | NC IRR OT | COMM       |      | 38    | 42    | 4      | 10.5%    |
| Buena Vista | Soybeans  | NC IRR OT | HP         |      | 35    | 39    | 4      | 11.4%    |
| Buena Vista | Soybeans  | NC IRR OT | LLA        |      | 35    | 39    | 4      | 11.4%    |
| Buena Vista | Soybeans  | NC IRR OT | LSF        |      | 35    | 39    | 4      | 11.4%    |
| Buena Vista | Soybeans  | NC IRR OT | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Buena Vista | Soybeans  | NC IRR OT | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Buena Vista | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 35    | 42    | 7      | 20.0%    |
| Buena Vista | Soybeans  | NC NIOC   | COMM       |      | 38    | 42    | 4      | 10.5%    |
| Buena Vista | Soybeans  | NC NIOC   | HP         |      | 35    | 39    | 4      | 11.4%    |
| Buena Vista | Soybeans  | NC NIOC   | LLA        |      | 35    | 39    | 4      | 11.4%    |
| Buena Vista | Soybeans  | NC NIOC   | LSF        |      | 35    | 39    | 4      | 11.4%    |
| Buena Vista | Soybeans  | NC NIOC   | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Buena Vista | Soybeans  | NC NIOC   | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Buena Vista | Soybeans  | NC NIOT   | ALLOTHFDGD |      | 35    | 42    | 7      | 20.0%    |
| Buena Vista | Soybeans  | NC NIOT   | COMM       |      | 38    | 42    | 4      | 10.5%    |
| Buena Vista | Soybeans  | NC NIOT   | HP         |      | 35    | 39    | 4      | 11.4%    |
| Buena Vista | Soybeans  | NC NIOT   | LLA        |      | 35    | 39    | 4      | 11.4%    |
| Buena Vista | Soybeans  | NC NIOT   | LSF        |      | 35    | 39    | 4      | 11.4%    |
| Buena Vista | Soybeans  | NC NIOT   | LSFG       |      | 32    | 36    | 4      | 12.5%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County      | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|-------------|-----------|------------|------------|------|-------|-------|--------|----------|
|             |           |            |            |      | Yield | Yield |        |          |
| Buena Vista | Soybeans  | NC NIOT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Buena Vista | Soybeans  | NI         | ALLOTHFDGD |      | 50    | 57    | 7      | 14.0%    |
| Buena Vista | Soybeans  | NI         | COMM       |      | 54    | 57    | 3      | 5.6%     |
| Buena Vista | Soybeans  | NI         | HP         |      | 50    | 53    | 3      | 6.0%     |
| Buena Vista | Soybeans  | NI         | LLA        |      | 50    | 53    | 3      | 6.0%     |
| Buena Vista | Soybeans  | NI         | LSF        |      | 50    | 53    | 3      | 6.0%     |
| Buena Vista | Soybeans  | NI         | LSFG       |      | 46    | 48    | 2      | 4.3%     |
| Buena Vista | Soybeans  | NI         | SSFG       |      | 38    | 40    | 2      | 5.3%     |
| Buena Vista | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Buena Vista | Soybeans  | NON-IRROC  | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Buena Vista | Soybeans  | NON-IRROC  | HP         |      | 35    | 37    | 2      | 5.7%     |
| Buena Vista | Soybeans  | NON-IRROC  | LLA        |      | 35    | 37    | 2      | 5.7%     |
| Buena Vista | Soybeans  | NON-IRROC  | LSF        |      | 35    | 37    | 2      | 5.7%     |
| Buena Vista | Soybeans  | NON-IRROC  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Buena Vista | Soybeans  | NON-IRROC  | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Buena Vista | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Buena Vista | Soybeans  | NON-IRROT  | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Buena Vista | Soybeans  | NON-IRROT  | HP         |      | 35    | 37    | 2      | 5.7%     |
| Buena Vista | Soybeans  | NON-IRROT  | LLA        |      | 35    | 37    | 2      | 5.7%     |
| Buena Vista | Soybeans  | NON-IRROT  | LSF        |      | 35    | 37    | 2      | 5.7%     |
| Buena Vista | Soybeans  | NON-IRROT  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Buena Vista | Soybeans  | NON-IRROT  | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Buena Vista | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 50    | 60    | 10     | 20.0%    |
| Buena Vista | Soybeans  | NONCON IRR | COMM       |      | 54    | 60    | 6      | 11.1%    |
| Buena Vista | Soybeans  | NONCON IRR | HP         |      | 50    | 56    | 6      | 12.0%    |
| Buena Vista | Soybeans  | NONCON IRR | LLA        |      | 50    | 56    | 6      | 12.0%    |
| Buena Vista | Soybeans  | NONCON IRR | LSF        |      | 50    | 56    | 6      | 12.0%    |
| Buena Vista | Soybeans  | NONCON IRR | LSFG       |      | 46    | 51    | 5      | 10.9%    |
| Buena Vista | Soybeans  | NONCON IRR | SSFG       |      | 38    | 42    | 4      | 10.5%    |
| Buena Vista | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 50    | 60    | 10     | 20.0%    |
| Buena Vista | Soybeans  | NONCON NI  | COMM       |      | 54    | 60    | 6      | 11.1%    |
| Buena Vista | Soybeans  | NONCON NI  | HP         |      | 50    | 56    | 6      | 12.0%    |
| Buena Vista | Soybeans  | NONCON NI  | LLA        |      | 50    | 56    | 6      | 12.0%    |
| Buena Vista | Soybeans  | NONCON NI  | LSF        |      | 50    | 56    | 6      | 12.0%    |
| Buena Vista | Soybeans  | NONCON NI  | LSFG       |      | 46    | 51    | 5      | 10.9%    |
| Buena Vista | Soybeans  | NONCON NI  | SSFG       |      | 38    | 42    | 4      | 10.5%    |
| Butler      | Corn      | I          | GSG        |      | 195   | 195   | 0      | 0.0%     |
| Butler      | Corn      | I          | HAMLS      |      | 195   | 195   | 0      | 0.0%     |
| Butler      | Corn      | I          | WAXY       |      | 195   | 195   | 0      | 0.0%     |
| Butler      | Corn      | I          | WHITE      |      | 195   | 195   | 0      | 0.0%     |
| Butler      | Corn      | IRR OC     | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Butler      | Corn      | IRR OC     | HAMLS      |      | 146   | 146   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Butler | Corn      | IRR OC    | WAXY       |      | 146   | 146   |  | 0      | 0.0%     |
| Butler | Corn      | IRR OC    | WHITE      |      | 146   | 146   |  | 0      | 0.0%     |
| Butler | Corn      | IRR OT    | GSG        |      | 146   | 146   |  | 0      | 0.0%     |
| Butler | Corn      | IRR OT    | HAMLS      |      | 146   | 146   |  | 0      | 0.0%     |
| Butler | Corn      | IRR OT    | WAXY       |      | 146   | 146   |  | 0      | 0.0%     |
| Butler | Corn      | IRR OT    | WHITE      |      | 146   | 146   |  | 0      | 0.0%     |
| Butler | Corn      | NI        | GSG        |      | 190   | 190   |  | 0      | 0.0%     |
| Butler | Corn      | NI        | HAMLS      |      | 190   | 190   |  | 0      | 0.0%     |
| Butler | Corn      | NI        | WAXY       |      | 190   | 190   |  | 0      | 0.0%     |
| Butler | Corn      | NI        | WHITE      |      | 190   | 190   |  | 0      | 0.0%     |
| Butler | Corn      | NON-IRROC | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Butler | Corn      | NON-IRROC | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Butler | Corn      | NON-IRROC | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Butler | Corn      | NON-IRROC | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Butler | Corn      | NON-IRROT | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Butler | Corn      | NON-IRROT | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Butler | Corn      | NON-IRROT | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Butler | Corn      | NON-IRROT | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Butler | Oats      | I         | S          |      | 76    | 72    |  | -4     | -5.3%    |
| Butler | Oats      | IRR OC    | S          |      | 76    | 65    |  | -11    | -14.5%   |
| Butler | Oats      | IRR OT    | S          |      | 76    | 65    |  | -11    | -14.5%   |
| Butler | Oats      | NI        | S          |      | 76    | 72    |  | -4     | -5.3%    |
| Butler | Oats      | NON-IRROC | S          |      | 76    | 65    |  | -11    | -14.5%   |
| Butler | Oats      | NON-IRROT | S          |      | 76    | 65    |  | -11    | -14.5%   |
| Butler | Soybeans  | I         | ALLOTHFDGD |      | 52    | 60    |  | 8      | 15.4%    |
| Butler | Soybeans  | I         | COMM       |      | 56    | 60    |  | 4      | 7.1%     |
| Butler | Soybeans  | I         | HP         |      | 52    | 56    |  | 4      | 7.7%     |
| Butler | Soybeans  | I         | LLA        |      | 52    | 56    |  | 4      | 7.7%     |
| Butler | Soybeans  | I         | LSF        |      | 52    | 56    |  | 4      | 7.7%     |
| Butler | Soybeans  | I         | LSFG       |      | 48    | 51    |  | 3      | 6.3%     |
| Butler | Soybeans  | I         | SSFG       |      | 39    | 42    |  | 3      | 7.7%     |
| Butler | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 42    |  | 6      | 16.7%    |
| Butler | Soybeans  | IRR OC    | COMM       |      | 39    | 42    |  | 3      | 7.7%     |
| Butler | Soybeans  | IRR OC    | HP         |      | 36    | 39    |  | 3      | 8.3%     |
| Butler | Soybeans  | IRR OC    | LLA        |      | 36    | 39    |  | 3      | 8.3%     |
| Butler | Soybeans  | IRR OC    | LSF        |      | 36    | 39    |  | 3      | 8.3%     |
| Butler | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    |  | 2      | 5.9%     |
| Butler | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Butler | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 42    |  | 6      | 16.7%    |
| Butler | Soybeans  | IRR OT    | COMM       |      | 39    | 42    |  | 3      | 7.7%     |
| Butler | Soybeans  | IRR OT    | HP         |      | 36    | 39    |  | 3      | 8.3%     |
| Butler | Soybeans  | IRR OT    | LLA        |      | 36    | 39    |  | 3      | 8.3%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Butler | Soybeans  | IRR OT    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Butler | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Butler | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Butler | Soybeans  | NC IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Butler | Soybeans  | NC IRROC  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | NC IRROC  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | NC IRROC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | NC IRROC  | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Butler | Soybeans  | NC IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Butler | Soybeans  | NC IRRROT | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Butler | Soybeans  | NC IRRROT | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Butler | Soybeans  | NC IRRROT | HP         |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | NC IRRROT | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | NC IRRROT | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | NC IRRROT | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Butler | Soybeans  | NC IRRROT | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Butler | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Butler | Soybeans  | NC NIOC   | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Butler | Soybeans  | NC NIOC   | HP         |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | NC NIOC   | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | NC NIOC   | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | NC NIOC   | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Butler | Soybeans  | NC NIOC   | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Butler | Soybeans  | NC NIOT   | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Butler | Soybeans  | NC NIOT   | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Butler | Soybeans  | NC NIOT   | HP         |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | NC NIOT   | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | NC NIOT   | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | NC NIOT   | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Butler | Soybeans  | NC NIOT   | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Butler | Soybeans  | NI        | ALLOTHFDGD |      | 49    | 56    | 7      | 14.3%    |
| Butler | Soybeans  | NI        | COMM       |      | 53    | 56    | 3      | 5.7%     |
| Butler | Soybeans  | NI        | HP         |      | 49    | 52    | 3      | 6.1%     |
| Butler | Soybeans  | NI        | LLA        |      | 49    | 52    | 3      | 6.1%     |
| Butler | Soybeans  | NI        | LSF        |      | 49    | 52    | 3      | 6.1%     |
| Butler | Soybeans  | NI        | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Butler | Soybeans  | NI        | SSFG       |      | 37    | 39    | 2      | 5.4%     |
| Butler | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Butler | Soybeans  | NON-IRROC | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Butler | Soybeans  | NON-IRROC | HP         |      | 34    | 36    | 2      | 5.9%     |
| Butler | Soybeans  | NON-IRROC | LLA        |      | 34    | 36    | 2      | 5.9%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name  | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|------------|------------|------------|------|-------|-------|--------|----------|
|         |            |            |            |      | Yield | Yield |        |          |
| Butler  | Soybeans   | NON-IRROC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Butler  | Soybeans   | NON-IRROC  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Butler  | Soybeans   | NON-IRROC  | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Butler  | Soybeans   | NON-IRROT  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Butler  | Soybeans   | NON-IRROT  | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Butler  | Soybeans   | NON-IRROT  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Butler  | Soybeans   | NON-IRROT  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Butler  | Soybeans   | NON-IRROT  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Butler  | Soybeans   | NON-IRROT  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Butler  | Soybeans   | NON-IRROT  | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Butler  | Soybeans   | NONCON IRR | ALLOTHFDGD |      | 48    | 55    | 7      | 14.6%    |
| Butler  | Soybeans   | NONCON IRR | COMM       |      | 52    | 55    | 3      | 5.8%     |
| Butler  | Soybeans   | NONCON IRR | HP         |      | 48    | 51    | 3      | 6.3%     |
| Butler  | Soybeans   | NONCON IRR | LLA        |      | 48    | 51    | 3      | 6.3%     |
| Butler  | Soybeans   | NONCON IRR | LSF        |      | 48    | 51    | 3      | 6.3%     |
| Butler  | Soybeans   | NONCON IRR | LSFG       |      | 44    | 47    | 3      | 6.8%     |
| Butler  | Soybeans   | NONCON IRR | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Butler  | Soybeans   | NONCON NI  | ALLOTHFDGD |      | 48    | 55    | 7      | 14.6%    |
| Butler  | Soybeans   | NONCON NI  | COMM       |      | 52    | 55    | 3      | 5.8%     |
| Butler  | Soybeans   | NONCON NI  | HP         |      | 48    | 51    | 3      | 6.3%     |
| Butler  | Soybeans   | NONCON NI  | LLA        |      | 48    | 51    | 3      | 6.3%     |
| Butler  | Soybeans   | NONCON NI  | LSF        |      | 48    | 51    | 3      | 6.3%     |
| Butler  | Soybeans   | NONCON NI  | LSFG       |      | 44    | 47    | 3      | 6.8%     |
| Butler  | Soybeans   | NONCON NI  | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Butler  | Sweet Corn | I          | EGW        |      | 7.2   | 7.2   | 0      | 0.0%     |
| Butler  | Sweet Corn | I          | OG         |      | 7.2   | 7.2   | 0      | 0.0%     |
| Butler  | Sweet Corn | IRR OC     | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Butler  | Sweet Corn | IRR OC     | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Butler  | Sweet Corn | IRR OT     | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Butler  | Sweet Corn | IRR OT     | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Butler  | Sweet Corn | NI         | EGW        |      | 7.2   | 7.2   | 0      | 0.0%     |
| Butler  | Sweet Corn | NI         | OG         |      | 7.2   | 7.2   | 0      | 0.0%     |
| Butler  | Sweet Corn | NON-IRROC  | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Butler  | Sweet Corn | NON-IRROC  | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Butler  | Sweet Corn | NON-IRROT  | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Butler  | Sweet Corn | NON-IRROT  | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Calhoun | Corn       | I          | GSG        |      | 187   | 187   | 0      | 0.0%     |
| Calhoun | Corn       | I          | HAMLS      |      | 187   | 187   | 0      | 0.0%     |
| Calhoun | Corn       | I          | WAXY       |      | 187   | 187   | 0      | 0.0%     |
| Calhoun | Corn       | I          | WHITE      |      | 187   | 187   | 0      | 0.0%     |
| Calhoun | Corn       | IRR OC     | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Calhoun | Corn       | IRR OC     | HAMLS      |      | 140   | 140   | 0      | 0.0%     |



Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|         |           |           |            | Area | Yield | Yield |  |        |          |
| Calhoun | Corn      | IRR OC    | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Corn      | IRR OC    | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Corn      | IRR OT    | GSG        |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Corn      | IRR OT    | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Corn      | IRR OT    | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Corn      | IRR OT    | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Corn      | NI        | GSG        |      | 187   | 187   |  | 0      | 0.0%     |
| Calhoun | Corn      | NI        | HAMLS      |      | 187   | 187   |  | 0      | 0.0%     |
| Calhoun | Corn      | NI        | WAXY       |      | 187   | 187   |  | 0      | 0.0%     |
| Calhoun | Corn      | NI        | WHITE      |      | 187   | 187   |  | 0      | 0.0%     |
| Calhoun | Corn      | NON-IRROC | GSG        |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Corn      | NON-IRROC | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Corn      | NON-IRROC | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Corn      | NON-IRROC | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Corn      | NON-IRROT | GSG        |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Corn      | NON-IRROT | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Corn      | NON-IRROT | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Corn      | NON-IRROT | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Calhoun | Oats      | I         | S          |      | 79    | 79    |  | 0      | 0.0%     |
| Calhoun | Oats      | IRR OC    | S          |      | 79    | 71    |  | -8     | -10.1%   |
| Calhoun | Oats      | IRR OT    | S          |      | 79    | 71    |  | -8     | -10.1%   |
| Calhoun | Oats      | NI        | S          |      | 79    | 79    |  | 0      | 0.0%     |
| Calhoun | Oats      | NON-IRROC | S          |      | 79    | 71    |  | -8     | -10.1%   |
| Calhoun | Oats      | NON-IRROT | S          |      | 79    | 71    |  | -8     | -10.1%   |
| Calhoun | Popcorn   | I         | NTS        |      | 5325  | 5325  |  | 0      | 0.0%     |
| Calhoun | Popcorn   | IRR OC    | NTS        |      | 3728  | 3728  |  | 0      | 0.0%     |
| Calhoun | Popcorn   | IRR OT    | NTS        |      | 3728  | 3728  |  | 0      | 0.0%     |
| Calhoun | Popcorn   | NI        | NTS        |      | 4461  | 4461  |  | 0      | 0.0%     |
| Calhoun | Popcorn   | NON-IRROC | NTS        |      | 3123  | 3123  |  | 0      | 0.0%     |
| Calhoun | Popcorn   | NON-IRROT | NTS        |      | 3123  | 3123  |  | 0      | 0.0%     |
| Calhoun | Soybeans  | I         | ALLOTHFDGD |      | 48    | 56    |  | 8      | 16.7%    |
| Calhoun | Soybeans  | I         | COMM       |      | 52    | 56    |  | 4      | 7.7%     |
| Calhoun | Soybeans  | I         | HP         |      | 48    | 52    |  | 4      | 8.3%     |
| Calhoun | Soybeans  | I         | LLA        |      | 48    | 52    |  | 4      | 8.3%     |
| Calhoun | Soybeans  | I         | LSF        |      | 48    | 52    |  | 4      | 8.3%     |
| Calhoun | Soybeans  | I         | LSFG       |      | 44    | 48    |  | 4      | 9.1%     |
| Calhoun | Soybeans  | I         | SSFG       |      | 36    | 39    |  | 3      | 8.3%     |
| Calhoun | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Calhoun | Soybeans  | IRR OC    | COMM       |      | 36    | 39    |  | 3      | 8.3%     |
| Calhoun | Soybeans  | IRR OC    | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Calhoun | Soybeans  | IRR OC    | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Calhoun | Soybeans  | IRR OC    | LSF        |      | 34    | 36    |  | 2      | 5.9%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name | Practice | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|----------|------------|------|-------|-------|--------|----------|
|         |           |          |            |      | Yield | Yield |        |          |
| Calhoun | Soybeans  | IRR OC   | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Calhoun | Soybeans  | IRR OC   | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Calhoun | Soybeans  | IRR OT   | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Calhoun | Soybeans  | IRR OT   | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Calhoun | Soybeans  | IRR OT   | HP         |      | 34    | 36    | 2      | 5.9%     |
| Calhoun | Soybeans  | IRR OT   | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Calhoun | Soybeans  | IRR OT   | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Calhoun | Soybeans  | IRR OT   | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Calhoun | Soybeans  | IRR OT   | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Calhoun | Soybeans  | NC IRROC | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Calhoun | Soybeans  | NC IRROC | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Calhoun | Soybeans  | NC IRROC | HP         |      | 33    | 34    | 1      | 3.0%     |
| Calhoun | Soybeans  | NC IRROC | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Calhoun | Soybeans  | NC IRROC | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Calhoun | Soybeans  | NC IRROC | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Calhoun | Soybeans  | NC IRROC | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Calhoun | Soybeans  | NC IRROT | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Calhoun | Soybeans  | NC IRROT | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Calhoun | Soybeans  | NC IRROT | HP         |      | 33    | 34    | 1      | 3.0%     |
| Calhoun | Soybeans  | NC IRROT | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Calhoun | Soybeans  | NC IRROT | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Calhoun | Soybeans  | NC IRROT | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Calhoun | Soybeans  | NC IRROT | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Calhoun | Soybeans  | NC NIOC  | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Calhoun | Soybeans  | NC NIOC  | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Calhoun | Soybeans  | NC NIOC  | HP         |      | 33    | 34    | 1      | 3.0%     |
| Calhoun | Soybeans  | NC NIOC  | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Calhoun | Soybeans  | NC NIOC  | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Calhoun | Soybeans  | NC NIOC  | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Calhoun | Soybeans  | NC NIOC  | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Calhoun | Soybeans  | NC NIOT  | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Calhoun | Soybeans  | NC NIOT  | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Calhoun | Soybeans  | NC NIOT  | HP         |      | 33    | 34    | 1      | 3.0%     |
| Calhoun | Soybeans  | NC NIOT  | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Calhoun | Soybeans  | NC NIOT  | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Calhoun | Soybeans  | NC NIOT  | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Calhoun | Soybeans  | NC NIOT  | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Calhoun | Soybeans  | NI       | ALLOTHFDGD |      | 48    | 56    | 8      | 16.7%    |
| Calhoun | Soybeans  | NI       | COMM       |      | 52    | 56    | 4      | 7.7%     |
| Calhoun | Soybeans  | NI       | HP         |      | 48    | 52    | 4      | 8.3%     |
| Calhoun | Soybeans  | NI       | LLA        |      | 48    | 52    | 4      | 8.3%     |
| Calhoun | Soybeans  | NI       | LSF        |      | 48    | 52    | 4      | 8.3%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|------------|------------|------|-------|-------|--------|----------|
|         |           |            |            |      | Yield | Yield |        |          |
| Calhoun | Soybeans  | NI         | LSFG       |      | 44    | 48    | 4      | 9.1%     |
| Calhoun | Soybeans  | NI         | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Calhoun | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Calhoun | Soybeans  | NON-IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Calhoun | Soybeans  | NON-IRROC  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Calhoun | Soybeans  | NON-IRROC  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Calhoun | Soybeans  | NON-IRROC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Calhoun | Soybeans  | NON-IRROC  | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Calhoun | Soybeans  | NON-IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Calhoun | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Calhoun | Soybeans  | NON-IRROT  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Calhoun | Soybeans  | NON-IRROT  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Calhoun | Soybeans  | NON-IRROT  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Calhoun | Soybeans  | NON-IRROT  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Calhoun | Soybeans  | NON-IRROT  | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Calhoun | Soybeans  | NON-IRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Calhoun | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 47    | 53    | 6      | 12.8%    |
| Calhoun | Soybeans  | NONCON IRR | COMM       |      | 51    | 53    | 2      | 3.9%     |
| Calhoun | Soybeans  | NONCON IRR | HP         |      | 47    | 49    | 2      | 4.3%     |
| Calhoun | Soybeans  | NONCON IRR | LLA        |      | 47    | 49    | 2      | 4.3%     |
| Calhoun | Soybeans  | NONCON IRR | LSF        |      | 47    | 49    | 2      | 4.3%     |
| Calhoun | Soybeans  | NONCON IRR | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Calhoun | Soybeans  | NONCON IRR | SSFG       |      | 36    | 37    | 1      | 2.8%     |
| Calhoun | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 47    | 53    | 6      | 12.8%    |
| Calhoun | Soybeans  | NONCON NI  | COMM       |      | 51    | 53    | 2      | 3.9%     |
| Calhoun | Soybeans  | NONCON NI  | HP         |      | 47    | 49    | 2      | 4.3%     |
| Calhoun | Soybeans  | NONCON NI  | LLA        |      | 47    | 49    | 2      | 4.3%     |
| Calhoun | Soybeans  | NONCON NI  | LSF        |      | 47    | 49    | 2      | 4.3%     |
| Calhoun | Soybeans  | NONCON NI  | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Calhoun | Soybeans  | NONCON NI  | SSFG       |      | 36    | 37    | 1      | 2.8%     |
| Carroll | Corn      | I          | GSG        |      | 192   | 192   | 0      | 0.0%     |
| Carroll | Corn      | I          | HAMLS      |      | 192   | 192   | 0      | 0.0%     |
| Carroll | Corn      | I          | WAXY       |      | 192   | 192   | 0      | 0.0%     |
| Carroll | Corn      | I          | WHITE      |      | 192   | 192   | 0      | 0.0%     |
| Carroll | Corn      | IRR OC     | GSG        |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | IRR OC     | HAMLS      |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | IRR OC     | WAXY       |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | IRR OC     | WHITE      |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | IRR OT     | GSG        |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | IRR OT     | HAMLS      |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | IRR OT     | WAXY       |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | IRR OT     | WHITE      |      | 144   | 144   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Carroll | Corn      | NI        | GSG        |      | 192   | 192   | 0      | 0.0%     |
| Carroll | Corn      | NI        | HAMLS      |      | 192   | 192   | 0      | 0.0%     |
| Carroll | Corn      | NI        | WAXY       |      | 192   | 192   | 0      | 0.0%     |
| Carroll | Corn      | NI        | WHITE      |      | 192   | 192   | 0      | 0.0%     |
| Carroll | Corn      | NON-IRROC | GSG        |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | NON-IRROC | HAMLS      |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | NON-IRROC | WAXY       |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | NON-IRROC | WHITE      |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | NON-IRROT | GSG        |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | NON-IRROT | HAMLS      |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | NON-IRROT | WAXY       |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Corn      | NON-IRROT | WHITE      |      | 144   | 144   | 0      | 0.0%     |
| Carroll | Oats      | I         | S          |      | 80    | 80    | 0      | 0.0%     |
| Carroll | Oats      | IRR OC    | S          |      | 80    | 72    | -8     | -10.0%   |
| Carroll | Oats      | IRR OT    | S          |      | 80    | 72    | -8     | -10.0%   |
| Carroll | Oats      | NI        | S          |      | 80    | 80    | 0      | 0.0%     |
| Carroll | Oats      | NON-IRROC | S          |      | 80    | 72    | -8     | -10.0%   |
| Carroll | Oats      | NON-IRROT | S          |      | 80    | 72    | -8     | -10.0%   |
| Carroll | Popcorn   | I         | NTS        |      | 5159  | 5159  | 0      | 0.0%     |
| Carroll | Popcorn   | IRR OC    | NTS        |      | 3611  | 3611  | 0      | 0.0%     |
| Carroll | Popcorn   | IRR OT    | NTS        |      | 3611  | 3611  | 0      | 0.0%     |
| Carroll | Popcorn   | NI        | NTS        |      | 4688  | 4688  | 0      | 0.0%     |
| Carroll | Popcorn   | NON-IRROC | NTS        |      | 3282  | 3282  | 0      | 0.0%     |
| Carroll | Popcorn   | NON-IRROT | NTS        |      | 3282  | 3282  | 0      | 0.0%     |
| Carroll | Soybeans  | I         | ALLOTHFDGD |      | 52    | 59    | 7      | 13.5%    |
| Carroll | Soybeans  | I         | COMM       |      | 56    | 59    | 3      | 5.4%     |
| Carroll | Soybeans  | I         | HP         |      | 52    | 55    | 3      | 5.8%     |
| Carroll | Soybeans  | I         | LLA        |      | 52    | 55    | 3      | 5.8%     |
| Carroll | Soybeans  | I         | LSF        |      | 52    | 55    | 3      | 5.8%     |
| Carroll | Soybeans  | I         | LSFG       |      | 48    | 50    | 2      | 4.2%     |
| Carroll | Soybeans  | I         | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Carroll | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Carroll | Soybeans  | IRR OC    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Carroll | Soybeans  | IRR OC    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Carroll | Soybeans  | IRR OC    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Carroll | Soybeans  | IRR OC    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Carroll | Soybeans  | IRR OC    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Carroll | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Carroll | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Carroll | Soybeans  | IRR OT    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Carroll | Soybeans  | IRR OT    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Carroll | Soybeans  | IRR OT    | LLA        |      | 36    | 39    | 3      | 8.3%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Carroll | Soybeans  | IRR OT    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Carroll | Soybeans  | IRR OT    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Carroll | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Carroll | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Carroll | Soybeans  | NC IRROC  | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Carroll | Soybeans  | NC IRROC  | HP         |      | 33    | 34    | 1      | 3.0%     |
| Carroll | Soybeans  | NC IRROC  | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Carroll | Soybeans  | NC IRROC  | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Carroll | Soybeans  | NC IRROC  | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Carroll | Soybeans  | NC IRROC  | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Carroll | Soybeans  | NC IRRROT | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Carroll | Soybeans  | NC IRRROT | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Carroll | Soybeans  | NC IRRROT | HP         |      | 33    | 34    | 1      | 3.0%     |
| Carroll | Soybeans  | NC IRRROT | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Carroll | Soybeans  | NC IRRROT | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Carroll | Soybeans  | NC IRRROT | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Carroll | Soybeans  | NC IRRROT | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Carroll | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Carroll | Soybeans  | NC NIOC   | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Carroll | Soybeans  | NC NIOC   | HP         |      | 33    | 34    | 1      | 3.0%     |
| Carroll | Soybeans  | NC NIOC   | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Carroll | Soybeans  | NC NIOC   | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Carroll | Soybeans  | NC NIOC   | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Carroll | Soybeans  | NC NIOC   | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Carroll | Soybeans  | NC NIOT   | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Carroll | Soybeans  | NC NIOT   | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Carroll | Soybeans  | NC NIOT   | HP         |      | 33    | 34    | 1      | 3.0%     |
| Carroll | Soybeans  | NC NIOT   | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Carroll | Soybeans  | NC NIOT   | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Carroll | Soybeans  | NC NIOT   | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Carroll | Soybeans  | NC NIOT   | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Carroll | Soybeans  | NI        | ALLOTHFDGD |      | 52    | 59    | 7      | 13.5%    |
| Carroll | Soybeans  | NI        | COMM       |      | 56    | 59    | 3      | 5.4%     |
| Carroll | Soybeans  | NI        | HP         |      | 52    | 55    | 3      | 5.8%     |
| Carroll | Soybeans  | NI        | LLA        |      | 52    | 55    | 3      | 5.8%     |
| Carroll | Soybeans  | NI        | LSF        |      | 52    | 55    | 3      | 5.8%     |
| Carroll | Soybeans  | NI        | LSFG       |      | 48    | 50    | 2      | 4.2%     |
| Carroll | Soybeans  | NI        | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Carroll | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Carroll | Soybeans  | NON-IRROC | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Carroll | Soybeans  | NON-IRROC | HP         |      | 36    | 39    | 3      | 8.3%     |
| Carroll | Soybeans  | NON-IRROC | LLA        |      | 36    | 39    | 3      | 8.3%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|------------|------------|------|-------|-------|--------|----------|
|         |           |            |            |      | Yield | Yield |        |          |
| Carroll | Soybeans  | NON-IRROC  | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Carroll | Soybeans  | NON-IRROC  | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Carroll | Soybeans  | NON-IRROC  | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Carroll | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Carroll | Soybeans  | NON-IRROT  | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Carroll | Soybeans  | NON-IRROT  | HP         |      | 36    | 39    | 3      | 8.3%     |
| Carroll | Soybeans  | NON-IRROT  | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Carroll | Soybeans  | NON-IRROT  | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Carroll | Soybeans  | NON-IRROT  | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Carroll | Soybeans  | NON-IRROT  | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Carroll | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 47    | 53    | 6      | 12.8%    |
| Carroll | Soybeans  | NONCON IRR | COMM       |      | 51    | 53    | 2      | 3.9%     |
| Carroll | Soybeans  | NONCON IRR | HP         |      | 47    | 49    | 2      | 4.3%     |
| Carroll | Soybeans  | NONCON IRR | LLA        |      | 47    | 49    | 2      | 4.3%     |
| Carroll | Soybeans  | NONCON IRR | LSF        |      | 47    | 49    | 2      | 4.3%     |
| Carroll | Soybeans  | NONCON IRR | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Carroll | Soybeans  | NONCON IRR | SSFG       |      | 36    | 37    | 1      | 2.8%     |
| Carroll | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 47    | 53    | 6      | 12.8%    |
| Carroll | Soybeans  | NONCON NI  | COMM       |      | 51    | 53    | 2      | 3.9%     |
| Carroll | Soybeans  | NONCON NI  | HP         |      | 47    | 49    | 2      | 4.3%     |
| Carroll | Soybeans  | NONCON NI  | LLA        |      | 47    | 49    | 2      | 4.3%     |
| Carroll | Soybeans  | NONCON NI  | LSF        |      | 47    | 49    | 2      | 4.3%     |
| Carroll | Soybeans  | NONCON NI  | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Carroll | Soybeans  | NONCON NI  | SSFG       |      | 36    | 37    | 1      | 2.8%     |
| Cass    | Corn      | I          | GSG        |      | 184   | 184   | 0      | 0.0%     |
| Cass    | Corn      | I          | HAMLS      |      | 184   | 184   | 0      | 0.0%     |
| Cass    | Corn      | I          | WAXY       |      | 184   | 184   | 0      | 0.0%     |
| Cass    | Corn      | I          | WHITE      |      | 184   | 184   | 0      | 0.0%     |
| Cass    | Corn      | IRR OC     | GSG        |      | 138   | 138   | 0      | 0.0%     |
| Cass    | Corn      | IRR OC     | HAMLS      |      | 138   | 138   | 0      | 0.0%     |
| Cass    | Corn      | IRR OC     | WAXY       |      | 138   | 138   | 0      | 0.0%     |
| Cass    | Corn      | IRR OC     | WHITE      |      | 138   | 138   | 0      | 0.0%     |
| Cass    | Corn      | IRR OT     | GSG        |      | 138   | 138   | 0      | 0.0%     |
| Cass    | Corn      | IRR OT     | HAMLS      |      | 138   | 138   | 0      | 0.0%     |
| Cass    | Corn      | IRR OT     | WAXY       |      | 138   | 138   | 0      | 0.0%     |
| Cass    | Corn      | IRR OT     | WHITE      |      | 138   | 138   | 0      | 0.0%     |
| Cass    | Corn      | NI         | GSG        |      | 183   | 183   | 0      | 0.0%     |
| Cass    | Corn      | NI         | HAMLS      |      | 183   | 183   | 0      | 0.0%     |
| Cass    | Corn      | NI         | WAXY       |      | 183   | 183   | 0      | 0.0%     |
| Cass    | Corn      | NI         | WHITE      |      | 183   | 183   | 0      | 0.0%     |
| Cass    | Corn      | NON-IRROC  | GSG        |      | 137   | 137   | 0      | 0.0%     |
| Cass    | Corn      | NON-IRROC  | HAMLS      |      | 137   | 137   | 0      | 0.0%     |



Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Cass   | Corn      | NON-IRROC | WAXY       |      | 137   | 137   |  | 0      | 0.0%     |
| Cass   | Corn      | NON-IRROC | WHITE      |      | 137   | 137   |  | 0      | 0.0%     |
| Cass   | Corn      | NON-IRROT | GSG        |      | 137   | 137   |  | 0      | 0.0%     |
| Cass   | Corn      | NON-IRROT | HAMLS      |      | 137   | 137   |  | 0      | 0.0%     |
| Cass   | Corn      | NON-IRROT | WAXY       |      | 137   | 137   |  | 0      | 0.0%     |
| Cass   | Corn      | NON-IRROT | WHITE      |      | 137   | 137   |  | 0      | 0.0%     |
| Cass   | Oats      | I         | S          |      | 64    | 64    |  | 0      | 0.0%     |
| Cass   | Oats      | IRR OC    | S          |      | 64    | 58    |  | -6     | -9.4%    |
| Cass   | Oats      | IRR OT    | S          |      | 64    | 58    |  | -6     | -9.4%    |
| Cass   | Oats      | NI        | S          |      | 64    | 64    |  | 0      | 0.0%     |
| Cass   | Oats      | NON-IRROC | S          |      | 64    | 58    |  | -6     | -9.4%    |
| Cass   | Oats      | NON-IRROT | S          |      | 64    | 58    |  | -6     | -9.4%    |
| Cass   | Soybeans  | I         | ALLOTHFDGD |      | 50    | 58    |  | 8      | 16.0%    |
| Cass   | Soybeans  | I         | COMM       |      | 54    | 58    |  | 4      | 7.4%     |
| Cass   | Soybeans  | I         | HP         |      | 50    | 54    |  | 4      | 8.0%     |
| Cass   | Soybeans  | I         | LLA        |      | 50    | 54    |  | 4      | 8.0%     |
| Cass   | Soybeans  | I         | LSF        |      | 50    | 54    |  | 4      | 8.0%     |
| Cass   | Soybeans  | I         | LSFG       |      | 46    | 49    |  | 3      | 6.5%     |
| Cass   | Soybeans  | I         | SSFG       |      | 38    | 41    |  | 3      | 7.9%     |
| Cass   | Soybeans  | IRR OC    | ALLOTHFDGD |      | 35    | 41    |  | 6      | 17.1%    |
| Cass   | Soybeans  | IRR OC    | COMM       |      | 38    | 41    |  | 3      | 7.9%     |
| Cass   | Soybeans  | IRR OC    | HP         |      | 35    | 38    |  | 3      | 8.6%     |
| Cass   | Soybeans  | IRR OC    | LLA        |      | 35    | 38    |  | 3      | 8.6%     |
| Cass   | Soybeans  | IRR OC    | LSF        |      | 35    | 38    |  | 3      | 8.6%     |
| Cass   | Soybeans  | IRR OC    | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Cass   | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Cass   | Soybeans  | IRR OT    | ALLOTHFDGD |      | 35    | 41    |  | 6      | 17.1%    |
| Cass   | Soybeans  | IRR OT    | COMM       |      | 38    | 41    |  | 3      | 7.9%     |
| Cass   | Soybeans  | IRR OT    | HP         |      | 35    | 38    |  | 3      | 8.6%     |
| Cass   | Soybeans  | IRR OT    | LLA        |      | 35    | 38    |  | 3      | 8.6%     |
| Cass   | Soybeans  | IRR OT    | LSF        |      | 35    | 38    |  | 3      | 8.6%     |
| Cass   | Soybeans  | IRR OT    | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Cass   | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Cass   | Soybeans  | NI        | ALLOTHFDGD |      | 50    | 55    |  | 5      | 10.0%    |
| Cass   | Soybeans  | NI        | COMM       |      | 54    | 55    |  | 1      | 1.9%     |
| Cass   | Soybeans  | NI        | HP         |      | 50    | 51    |  | 1      | 2.0%     |
| Cass   | Soybeans  | NI        | LLA        |      | 50    | 51    |  | 1      | 2.0%     |
| Cass   | Soybeans  | NI        | LSF        |      | 50    | 51    |  | 1      | 2.0%     |
| Cass   | Soybeans  | NI        | LSFG       |      | 46    | 47    |  | 1      | 2.2%     |
| Cass   | Soybeans  | NI        | SSFG       |      | 38    | 39    |  | 1      | 2.6%     |
| Cass   | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 35    | 39    |  | 4      | 11.4%    |
| Cass   | Soybeans  | NON-IRROC | COMM       |      | 38    | 39    |  | 1      | 2.6%     |



## Iowa

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Cass   | Soybeans  | NON-IRROC | HP         |      | 35    | 36    | 1      | 2.9%     |
| Cass   | Soybeans  | NON-IRROC | LLA        |      | 35    | 36    | 1      | 2.9%     |
| Cass   | Soybeans  | NON-IRROC | LSF        |      | 35    | 36    | 1      | 2.9%     |
| Cass   | Soybeans  | NON-IRROC | LSFG       |      | 32    | 33    | 1      | 3.1%     |
| Cass   | Soybeans  | NON-IRROC | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Cass   | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 35    | 39    | 4      | 11.4%    |
| Cass   | Soybeans  | NON-IRROT | COMM       |      | 38    | 39    | 1      | 2.6%     |
| Cass   | Soybeans  | NON-IRROT | HP         |      | 35    | 36    | 1      | 2.9%     |
| Cass   | Soybeans  | NON-IRROT | LLA        |      | 35    | 36    | 1      | 2.9%     |
| Cass   | Soybeans  | NON-IRROT | LSF        |      | 35    | 36    | 1      | 2.9%     |
| Cass   | Soybeans  | NON-IRROT | LSFG       |      | 32    | 33    | 1      | 3.1%     |
| Cass   | Soybeans  | NON-IRROT | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Cedar  | Corn      | I         | GSG        |      | 200   | 200   | 0      | 0.0%     |
| Cedar  | Corn      | I         | HAMLS      |      | 200   | 200   | 0      | 0.0%     |
| Cedar  | Corn      | I         | WAXY       |      | 200   | 200   | 0      | 0.0%     |
| Cedar  | Corn      | I         | WHITE      |      | 200   | 200   | 0      | 0.0%     |
| Cedar  | Corn      | IRR OC    | GSG        |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | IRR OC    | HAMLS      |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | IRR OC    | WAXY       |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | IRR OC    | WHITE      |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | IRR OT    | GSG        |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | IRR OT    | HAMLS      |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | IRR OT    | WAXY       |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | IRR OT    | WHITE      |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | NI        | GSG        |      | 200   | 200   | 0      | 0.0%     |
| Cedar  | Corn      | NI        | HAMLS      |      | 200   | 200   | 0      | 0.0%     |
| Cedar  | Corn      | NI        | WAXY       |      | 200   | 200   | 0      | 0.0%     |
| Cedar  | Corn      | NI        | WHITE      |      | 200   | 200   | 0      | 0.0%     |
| Cedar  | Corn      | NON-IRROC | GSG        |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | NON-IRROC | HAMLS      |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | NON-IRROC | WAXY       |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | NON-IRROC | WHITE      |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | NON-IRROT | GSG        |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | NON-IRROT | HAMLS      |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | NON-IRROT | WAXY       |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Corn      | NON-IRROT | WHITE      |      | 150   | 150   | 0      | 0.0%     |
| Cedar  | Oats      | I         | S          |      | 64    | 65    | 1      | 1.6%     |
| Cedar  | Oats      | IRR OC    | S          |      | 64    | 59    | -5     | -7.8%    |
| Cedar  | Oats      | IRR OT    | S          |      | 64    | 59    | -5     | -7.8%    |
| Cedar  | Oats      | NI        | S          |      | 64    | 65    | 1      | 1.6%     |
| Cedar  | Oats      | NON-IRROC | S          |      | 64    | 59    | -5     | -7.8%    |
| Cedar  | Oats      | NON-IRROT | S          |      | 64    | 59    | -5     | -7.8%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Cedar  | Soybeans  | I         | ALLOTHFDGD |      | 56    | 62    | 6      | 10.7%    |
| Cedar  | Soybeans  | I         | COMM       |      | 60    | 62    | 2      | 3.3%     |
| Cedar  | Soybeans  | I         | HP         |      | 56    | 57    | 1      | 1.8%     |
| Cedar  | Soybeans  | I         | LLA        |      | 56    | 57    | 1      | 1.8%     |
| Cedar  | Soybeans  | I         | LSF        |      | 56    | 57    | 1      | 1.8%     |
| Cedar  | Soybeans  | I         | LSFG       |      | 51    | 53    | 2      | 3.9%     |
| Cedar  | Soybeans  | I         | SSFG       |      | 42    | 43    | 1      | 2.4%     |
| Cedar  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Cedar  | Soybeans  | IRR OC    | COMM       |      | 42    | 43    | 1      | 2.4%     |
| Cedar  | Soybeans  | IRR OC    | HP         |      | 39    | 40    | 1      | 2.6%     |
| Cedar  | Soybeans  | IRR OC    | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Cedar  | Soybeans  | IRR OC    | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Cedar  | Soybeans  | IRR OC    | LSFG       |      | 36    | 37    | 1      | 2.8%     |
| Cedar  | Soybeans  | IRR OC    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Cedar  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Cedar  | Soybeans  | IRR OT    | COMM       |      | 42    | 43    | 1      | 2.4%     |
| Cedar  | Soybeans  | IRR OT    | HP         |      | 39    | 40    | 1      | 2.6%     |
| Cedar  | Soybeans  | IRR OT    | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Cedar  | Soybeans  | IRR OT    | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Cedar  | Soybeans  | IRR OT    | LSFG       |      | 36    | 37    | 1      | 2.8%     |
| Cedar  | Soybeans  | IRR OT    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Cedar  | Soybeans  | NI        | ALLOTHFDGD |      | 56    | 62    | 6      | 10.7%    |
| Cedar  | Soybeans  | NI        | COMM       |      | 60    | 62    | 2      | 3.3%     |
| Cedar  | Soybeans  | NI        | HP         |      | 56    | 57    | 1      | 1.8%     |
| Cedar  | Soybeans  | NI        | LLA        |      | 56    | 57    | 1      | 1.8%     |
| Cedar  | Soybeans  | NI        | LSF        |      | 56    | 57    | 1      | 1.8%     |
| Cedar  | Soybeans  | NI        | LSFG       |      | 51    | 53    | 2      | 3.9%     |
| Cedar  | Soybeans  | NI        | SSFG       |      | 42    | 43    | 1      | 2.4%     |
| Cedar  | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Cedar  | Soybeans  | NON-IRROC | COMM       |      | 42    | 43    | 1      | 2.4%     |
| Cedar  | Soybeans  | NON-IRROC | HP         |      | 39    | 40    | 1      | 2.6%     |
| Cedar  | Soybeans  | NON-IRROC | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Cedar  | Soybeans  | NON-IRROC | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Cedar  | Soybeans  | NON-IRROC | LSFG       |      | 36    | 37    | 1      | 2.8%     |
| Cedar  | Soybeans  | NON-IRROC | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Cedar  | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Cedar  | Soybeans  | NON-IRROT | COMM       |      | 42    | 43    | 1      | 2.4%     |
| Cedar  | Soybeans  | NON-IRROT | HP         |      | 39    | 40    | 1      | 2.6%     |
| Cedar  | Soybeans  | NON-IRROT | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Cedar  | Soybeans  | NON-IRROT | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Cedar  | Soybeans  | NON-IRROT | LSFG       |      | 36    | 37    | 1      | 2.8%     |
| Cedar  | Soybeans  | NON-IRROT | SSFG       |      | 29    | 30    | 1      | 3.4%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County      | Crop Name | Practice  | Type  | Area | 2023  | 2024  | Change | % Change |
|-------------|-----------|-----------|-------|------|-------|-------|--------|----------|
|             |           |           |       |      | Yield | Yield |        |          |
| Cerro Gordo | Corn      | I         | GSG   |      | 203   | 203   | 0      | 0.0%     |
| Cerro Gordo | Corn      | I         | HAMLS |      | 203   | 203   | 0      | 0.0%     |
| Cerro Gordo | Corn      | I         | WAXY  |      | 203   | 203   | 0      | 0.0%     |
| Cerro Gordo | Corn      | I         | WHITE |      | 203   | 203   | 0      | 0.0%     |
| Cerro Gordo | Corn      | IRR OC    | GSG   |      | 152   | 152   | 0      | 0.0%     |
| Cerro Gordo | Corn      | IRR OC    | HAMLS |      | 152   | 152   | 0      | 0.0%     |
| Cerro Gordo | Corn      | IRR OC    | WAXY  |      | 152   | 152   | 0      | 0.0%     |
| Cerro Gordo | Corn      | IRR OC    | WHITE |      | 152   | 152   | 0      | 0.0%     |
| Cerro Gordo | Corn      | IRR OT    | GSG   |      | 152   | 152   | 0      | 0.0%     |
| Cerro Gordo | Corn      | IRR OT    | HAMLS |      | 152   | 152   | 0      | 0.0%     |
| Cerro Gordo | Corn      | IRR OT    | WAXY  |      | 152   | 152   | 0      | 0.0%     |
| Cerro Gordo | Corn      | IRR OT    | WHITE |      | 152   | 152   | 0      | 0.0%     |
| Cerro Gordo | Corn      | NI        | GSG   |      | 185   | 185   | 0      | 0.0%     |
| Cerro Gordo | Corn      | NI        | HAMLS |      | 185   | 185   | 0      | 0.0%     |
| Cerro Gordo | Corn      | NI        | WAXY  |      | 185   | 185   | 0      | 0.0%     |
| Cerro Gordo | Corn      | NI        | WHITE |      | 185   | 185   | 0      | 0.0%     |
| Cerro Gordo | Corn      | NON-IRROC | GSG   |      | 139   | 139   | 0      | 0.0%     |
| Cerro Gordo | Corn      | NON-IRROC | HAMLS |      | 139   | 139   | 0      | 0.0%     |
| Cerro Gordo | Corn      | NON-IRROC | WAXY  |      | 139   | 139   | 0      | 0.0%     |
| Cerro Gordo | Corn      | NON-IRROC | WHITE |      | 139   | 139   | 0      | 0.0%     |
| Cerro Gordo | Corn      | NON-IRROT | GSG   |      | 139   | 139   | 0      | 0.0%     |
| Cerro Gordo | Corn      | NON-IRROT | HAMLS |      | 139   | 139   | 0      | 0.0%     |
| Cerro Gordo | Corn      | NON-IRROT | WAXY  |      | 139   | 139   | 0      | 0.0%     |
| Cerro Gordo | Corn      | NON-IRROT | WHITE |      | 139   | 139   | 0      | 0.0%     |
| Cerro Gordo | Oats      | I         | S     |      | 74    | 72    | -2     | -2.7%    |
| Cerro Gordo | Oats      | IRR OC    | S     |      | 74    | 65    | -9     | -12.2%   |
| Cerro Gordo | Oats      | IRR OT    | S     |      | 74    | 65    | -9     | -12.2%   |
| Cerro Gordo | Oats      | NI        | S     |      | 74    | 72    | -2     | -2.7%    |
| Cerro Gordo | Oats      | NON-IRROC | S     |      | 74    | 65    | -9     | -12.2%   |
| Cerro Gordo | Oats      | NON-IRROT | S     |      | 74    | 65    | -9     | -12.2%   |
| Cerro Gordo | Potatoes  | I         | R     |      | 242   | 242   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | I         | RU    |      | 242   | 242   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | I         | W     |      | 242   | 242   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | IRR OC    | R     |      | 206   | 206   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | IRR OC    | RU    |      | 206   | 206   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | IRR OC    | W     |      | 206   | 206   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | IRR OT    | R     |      | 206   | 206   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | IRR OT    | RU    |      | 206   | 206   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | IRR OT    | W     |      | 206   | 206   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | NI        | R     |      | 227   | 227   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | NI        | RU    |      | 227   | 227   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | NI        | W     |      | 227   | 227   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County      | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|             |           |           |            |      | Yield | Yield |        |          |
| Cerro Gordo | Potatoes  | NON-IRROC | R          |      | 193   | 193   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | NON-IRROC | RU         |      | 193   | 193   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | NON-IRROC | W          |      | 193   | 193   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | NON-IRROT | R          |      | 193   | 193   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | NON-IRROT | RU         |      | 193   | 193   | 0      | 0.0%     |
| Cerro Gordo | Potatoes  | NON-IRROT | W          |      | 193   | 193   | 0      | 0.0%     |
| Cerro Gordo | Soybeans  | I         | ALLOTHFDGD |      | 52    | 62    | 10     | 19.2%    |
| Cerro Gordo | Soybeans  | I         | COMM       |      | 56    | 62    | 6      | 10.7%    |
| Cerro Gordo | Soybeans  | I         | HP         |      | 52    | 57    | 5      | 9.6%     |
| Cerro Gordo | Soybeans  | I         | LLA        |      | 52    | 57    | 5      | 9.6%     |
| Cerro Gordo | Soybeans  | I         | LSF        |      | 52    | 57    | 5      | 9.6%     |
| Cerro Gordo | Soybeans  | I         | LSFG       |      | 48    | 53    | 5      | 10.4%    |
| Cerro Gordo | Soybeans  | I         | SSFG       |      | 39    | 43    | 4      | 10.3%    |
| Cerro Gordo | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 43    | 7      | 19.4%    |
| Cerro Gordo | Soybeans  | IRR OC    | COMM       |      | 39    | 43    | 4      | 10.3%    |
| Cerro Gordo | Soybeans  | IRR OC    | HP         |      | 36    | 40    | 4      | 11.1%    |
| Cerro Gordo | Soybeans  | IRR OC    | LLA        |      | 36    | 40    | 4      | 11.1%    |
| Cerro Gordo | Soybeans  | IRR OC    | LSF        |      | 36    | 40    | 4      | 11.1%    |
| Cerro Gordo | Soybeans  | IRR OC    | LSFG       |      | 34    | 37    | 3      | 8.8%     |
| Cerro Gordo | Soybeans  | IRR OC    | SSFG       |      | 27    | 30    | 3      | 11.1%    |
| Cerro Gordo | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 43    | 7      | 19.4%    |
| Cerro Gordo | Soybeans  | IRR OT    | COMM       |      | 39    | 43    | 4      | 10.3%    |
| Cerro Gordo | Soybeans  | IRR OT    | HP         |      | 36    | 40    | 4      | 11.1%    |
| Cerro Gordo | Soybeans  | IRR OT    | LLA        |      | 36    | 40    | 4      | 11.1%    |
| Cerro Gordo | Soybeans  | IRR OT    | LSF        |      | 36    | 40    | 4      | 11.1%    |
| Cerro Gordo | Soybeans  | IRR OT    | LSFG       |      | 34    | 37    | 3      | 8.8%     |
| Cerro Gordo | Soybeans  | IRR OT    | SSFG       |      | 27    | 30    | 3      | 11.1%    |
| Cerro Gordo | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Cerro Gordo | Soybeans  | NC IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Cerro Gordo | Soybeans  | NC IRROC  | HP         |      | 33    | 36    | 3      | 9.1%     |
| Cerro Gordo | Soybeans  | NC IRROC  | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Cerro Gordo | Soybeans  | NC IRROC  | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Cerro Gordo | Soybeans  | NC IRROC  | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Cerro Gordo | Soybeans  | NC IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Cerro Gordo | Soybeans  | NC IRROT  | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Cerro Gordo | Soybeans  | NC IRROT  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Cerro Gordo | Soybeans  | NC IRROT  | HP         |      | 33    | 36    | 3      | 9.1%     |
| Cerro Gordo | Soybeans  | NC IRROT  | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Cerro Gordo | Soybeans  | NC IRROT  | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Cerro Gordo | Soybeans  | NC IRROT  | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Cerro Gordo | Soybeans  | NC IRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Cerro Gordo | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County      | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|-------------|-----------|------------|------------|------|-------|-------|--------|----------|
|             |           |            |            |      | Yield | Yield |        |          |
| Cerro Gordo | Soybeans  | NC NIOC    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Cerro Gordo | Soybeans  | NC NIOC    | HP         |      | 33    | 36    | 3      | 9.1%     |
| Cerro Gordo | Soybeans  | NC NIOC    | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Cerro Gordo | Soybeans  | NC NIOC    | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Cerro Gordo | Soybeans  | NC NIOC    | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Cerro Gordo | Soybeans  | NC NIOC    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Cerro Gordo | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Cerro Gordo | Soybeans  | NC NIOT    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Cerro Gordo | Soybeans  | NC NIOT    | HP         |      | 33    | 36    | 3      | 9.1%     |
| Cerro Gordo | Soybeans  | NC NIOT    | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Cerro Gordo | Soybeans  | NC NIOT    | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Cerro Gordo | Soybeans  | NC NIOT    | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Cerro Gordo | Soybeans  | NC NIOT    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Cerro Gordo | Soybeans  | NI         | ALLOTHFDGD |      | 49    | 57    | 8      | 16.3%    |
| Cerro Gordo | Soybeans  | NI         | COMM       |      | 53    | 57    | 4      | 7.5%     |
| Cerro Gordo | Soybeans  | NI         | HP         |      | 49    | 53    | 4      | 8.2%     |
| Cerro Gordo | Soybeans  | NI         | LLA        |      | 49    | 53    | 4      | 8.2%     |
| Cerro Gordo | Soybeans  | NI         | LSF        |      | 49    | 53    | 4      | 8.2%     |
| Cerro Gordo | Soybeans  | NI         | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Cerro Gordo | Soybeans  | NI         | SSFG       |      | 37    | 40    | 3      | 8.1%     |
| Cerro Gordo | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 34    | 40    | 6      | 17.6%    |
| Cerro Gordo | Soybeans  | NON-IRROC  | COMM       |      | 37    | 40    | 3      | 8.1%     |
| Cerro Gordo | Soybeans  | NON-IRROC  | HP         |      | 34    | 37    | 3      | 8.8%     |
| Cerro Gordo | Soybeans  | NON-IRROC  | LLA        |      | 34    | 37    | 3      | 8.8%     |
| Cerro Gordo | Soybeans  | NON-IRROC  | LSF        |      | 34    | 37    | 3      | 8.8%     |
| Cerro Gordo | Soybeans  | NON-IRROC  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Cerro Gordo | Soybeans  | NON-IRROC  | SSFG       |      | 26    | 28    | 2      | 7.7%     |
| Cerro Gordo | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 34    | 40    | 6      | 17.6%    |
| Cerro Gordo | Soybeans  | NON-IRROT  | COMM       |      | 37    | 40    | 3      | 8.1%     |
| Cerro Gordo | Soybeans  | NON-IRROT  | HP         |      | 34    | 37    | 3      | 8.8%     |
| Cerro Gordo | Soybeans  | NON-IRROT  | LLA        |      | 34    | 37    | 3      | 8.8%     |
| Cerro Gordo | Soybeans  | NON-IRROT  | LSF        |      | 34    | 37    | 3      | 8.8%     |
| Cerro Gordo | Soybeans  | NON-IRROT  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Cerro Gordo | Soybeans  | NON-IRROT  | SSFG       |      | 26    | 28    | 2      | 7.7%     |
| Cerro Gordo | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 47    | 55    | 8      | 17.0%    |
| Cerro Gordo | Soybeans  | NONCON IRR | COMM       |      | 51    | 55    | 4      | 7.8%     |
| Cerro Gordo | Soybeans  | NONCON IRR | HP         |      | 47    | 51    | 4      | 8.5%     |
| Cerro Gordo | Soybeans  | NONCON IRR | LLA        |      | 47    | 51    | 4      | 8.5%     |
| Cerro Gordo | Soybeans  | NONCON IRR | LSF        |      | 47    | 51    | 4      | 8.5%     |
| Cerro Gordo | Soybeans  | NONCON IRR | LSFG       |      | 43    | 47    | 4      | 9.3%     |
| Cerro Gordo | Soybeans  | NONCON IRR | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Cerro Gordo | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 47    | 55    | 8      | 17.0%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County      | Crop Name  | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|-------------|------------|-----------|-------|------|-------|-------|--|--------|----------|
|             |            |           |       | Area | Yield | Yield |  |        |          |
| Cerro Gordo | Soybeans   | NONCON NI | COMM  |      | 51    | 55    |  | 4      | 7.8%     |
| Cerro Gordo | Soybeans   | NONCON NI | HP    |      | 47    | 51    |  | 4      | 8.5%     |
| Cerro Gordo | Soybeans   | NONCON NI | LLA   |      | 47    | 51    |  | 4      | 8.5%     |
| Cerro Gordo | Soybeans   | NONCON NI | LSF   |      | 47    | 51    |  | 4      | 8.5%     |
| Cerro Gordo | Soybeans   | NONCON NI | LSFG  |      | 43    | 47    |  | 4      | 9.3%     |
| Cerro Gordo | Soybeans   | NONCON NI | SSFG  |      | 36    | 39    |  | 3      | 8.3%     |
| Cerro Gordo | Sweet Corn | I         | EGW   |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Cerro Gordo | Sweet Corn | I         | OG    |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Cerro Gordo | Sweet Corn | IRR OC    | EGW   |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Cerro Gordo | Sweet Corn | IRR OC    | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Cerro Gordo | Sweet Corn | IRR OT    | EGW   |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Cerro Gordo | Sweet Corn | IRR OT    | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Cerro Gordo | Sweet Corn | NI        | EGW   |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Cerro Gordo | Sweet Corn | NI        | OG    |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Cerro Gordo | Sweet Corn | NON-IRROC | EGW   |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Cerro Gordo | Sweet Corn | NON-IRROC | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Cerro Gordo | Sweet Corn | NON-IRROT | EGW   |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Cerro Gordo | Sweet Corn | NON-IRROT | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Cherokee    | Corn       | I         | BLUE  |      | 112   | 112   |  | 0      | 0.0%     |
| Cherokee    | Corn       | I         | GSG   |      | 204   | 204   |  | 0      | 0.0%     |
| Cherokee    | Corn       | I         | GSS   |      | 23.7  | 23.7  |  | 0      | 0.0%     |
| Cherokee    | Corn       | I         | HAMLS |      | 204   | 204   |  | 0      | 0.0%     |
| Cherokee    | Corn       | I         | WAXY  |      | 204   | 204   |  | 0      | 0.0%     |
| Cherokee    | Corn       | I         | WHITE |      | 204   | 204   |  | 0      | 0.0%     |
| Cherokee    | Corn       | IRR OC    | BLUE  |      | 84    | 84    |  | 0      | 0.0%     |
| Cherokee    | Corn       | IRR OC    | GSG   |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee    | Corn       | IRR OC    | GSS   |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Cherokee    | Corn       | IRR OC    | HAMLS |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee    | Corn       | IRR OC    | WAXY  |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee    | Corn       | IRR OC    | WHITE |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee    | Corn       | IRR OT    | BLUE  |      | 84    | 84    |  | 0      | 0.0%     |
| Cherokee    | Corn       | IRR OT    | GSG   |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee    | Corn       | IRR OT    | GSS   |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Cherokee    | Corn       | IRR OT    | HAMLS |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee    | Corn       | IRR OT    | WAXY  |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee    | Corn       | IRR OT    | WHITE |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee    | Corn       | NI        | BLUE  |      | 112   | 112   |  | 0      | 0.0%     |
| Cherokee    | Corn       | NI        | GSG   |      | 204   | 204   |  | 0      | 0.0%     |
| Cherokee    | Corn       | NI        | GSS   |      | 23.7  | 23.7  |  | 0      | 0.0%     |
| Cherokee    | Corn       | NI        | HAMLS |      | 204   | 204   |  | 0      | 0.0%     |
| Cherokee    | Corn       | NI        | WAXY  |      | 204   | 204   |  | 0      | 0.0%     |
| Cherokee    | Corn       | NI        | WHITE |      | 204   | 204   |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|          |           |           |            | Area | Yield | Yield |  |        |          |
| Cherokee | Corn      | NON-IRROC | BLUE       |      | 84    | 84    |  | 0      | 0.0%     |
| Cherokee | Corn      | NON-IRROC | GSG        |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee | Corn      | NON-IRROC | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Cherokee | Corn      | NON-IRROC | HAMLS      |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee | Corn      | NON-IRROC | WAXY       |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee | Corn      | NON-IRROC | WHITE      |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee | Corn      | NON-IRROT | BLUE       |      | 84    | 84    |  | 0      | 0.0%     |
| Cherokee | Corn      | NON-IRROT | GSG        |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee | Corn      | NON-IRROT | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Cherokee | Corn      | NON-IRROT | HAMLS      |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee | Corn      | NON-IRROT | WAXY       |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee | Corn      | NON-IRROT | WHITE      |      | 153   | 153   |  | 0      | 0.0%     |
| Cherokee | Oats      | I         | S          |      | 79    | 73    |  | -6     | -7.6%    |
| Cherokee | Oats      | IRR OC    | S          |      | 79    | 66    |  | -13    | -16.5%   |
| Cherokee | Oats      | IRR OT    | S          |      | 79    | 66    |  | -13    | -16.5%   |
| Cherokee | Oats      | NI        | S          |      | 76    | 73    |  | -3     | -3.9%    |
| Cherokee | Oats      | NON-IRROC | S          |      | 76    | 66    |  | -10    | -13.2%   |
| Cherokee | Oats      | NON-IRROT | S          |      | 76    | 66    |  | -10    | -13.2%   |
| Cherokee | Soybeans  | I         | ALLOTHFDGD |      | 56    | 62    |  | 6      | 10.7%    |
| Cherokee | Soybeans  | I         | COMM       |      | 60    | 62    |  | 2      | 3.3%     |
| Cherokee | Soybeans  | I         | HP         |      | 56    | 57    |  | 1      | 1.8%     |
| Cherokee | Soybeans  | I         | LLA        |      | 56    | 57    |  | 1      | 1.8%     |
| Cherokee | Soybeans  | I         | LSF        |      | 56    | 57    |  | 1      | 1.8%     |
| Cherokee | Soybeans  | I         | LSFG       |      | 51    | 53    |  | 2      | 3.9%     |
| Cherokee | Soybeans  | I         | SSFG       |      | 42    | 43    |  | 1      | 2.4%     |
| Cherokee | Soybeans  | IRR OC    | ALLOTHFDGD |      | 39    | 43    |  | 4      | 10.3%    |
| Cherokee | Soybeans  | IRR OC    | COMM       |      | 42    | 43    |  | 1      | 2.4%     |
| Cherokee | Soybeans  | IRR OC    | HP         |      | 39    | 40    |  | 1      | 2.6%     |
| Cherokee | Soybeans  | IRR OC    | LLA        |      | 39    | 40    |  | 1      | 2.6%     |
| Cherokee | Soybeans  | IRR OC    | LSF        |      | 39    | 40    |  | 1      | 2.6%     |
| Cherokee | Soybeans  | IRR OC    | LSFG       |      | 36    | 37    |  | 1      | 2.8%     |
| Cherokee | Soybeans  | IRR OC    | SSFG       |      | 29    | 30    |  | 1      | 3.4%     |
| Cherokee | Soybeans  | IRR OT    | ALLOTHFDGD |      | 39    | 43    |  | 4      | 10.3%    |
| Cherokee | Soybeans  | IRR OT    | COMM       |      | 42    | 43    |  | 1      | 2.4%     |
| Cherokee | Soybeans  | IRR OT    | HP         |      | 39    | 40    |  | 1      | 2.6%     |
| Cherokee | Soybeans  | IRR OT    | LLA        |      | 39    | 40    |  | 1      | 2.6%     |
| Cherokee | Soybeans  | IRR OT    | LSF        |      | 39    | 40    |  | 1      | 2.6%     |
| Cherokee | Soybeans  | IRR OT    | LSFG       |      | 36    | 37    |  | 1      | 2.8%     |
| Cherokee | Soybeans  | IRR OT    | SSFG       |      | 29    | 30    |  | 1      | 3.4%     |
| Cherokee | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 39    | 43    |  | 4      | 10.3%    |
| Cherokee | Soybeans  | NC IRROC  | COMM       |      | 42    | 43    |  | 1      | 2.4%     |
| Cherokee | Soybeans  | NC IRROC  | HP         |      | 39    | 40    |  | 1      | 2.6%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|------------|------------|------|-------|-------|--------|----------|
|          |           |            |            |      | Yield | Yield |        |          |
| Cherokee | Soybeans  | NC IRROC   | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NC IRROC   | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NC IRROC   | LSFG       |      | 36    | 37    | 1      | 2.8%     |
| Cherokee | Soybeans  | NC IRROC   | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Cherokee | Soybeans  | NC IRRROT  | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Cherokee | Soybeans  | NC IRRROT  | COMM       |      | 42    | 43    | 1      | 2.4%     |
| Cherokee | Soybeans  | NC IRRROT  | HP         |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NC IRRROT  | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NC IRRROT  | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NC IRRROT  | LSFG       |      | 36    | 37    | 1      | 2.8%     |
| Cherokee | Soybeans  | NC IRRROT  | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Cherokee | Soybeans  | NC NIOC    | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Cherokee | Soybeans  | NC NIOC    | COMM       |      | 42    | 43    | 1      | 2.4%     |
| Cherokee | Soybeans  | NC NIOC    | HP         |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NC NIOC    | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NC NIOC    | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NC NIOC    | LSFG       |      | 36    | 37    | 1      | 2.8%     |
| Cherokee | Soybeans  | NC NIOC    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Cherokee | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Cherokee | Soybeans  | NC NIOT    | COMM       |      | 42    | 43    | 1      | 2.4%     |
| Cherokee | Soybeans  | NC NIOT    | HP         |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NC NIOT    | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NC NIOT    | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NC NIOT    | LSFG       |      | 36    | 37    | 1      | 2.8%     |
| Cherokee | Soybeans  | NC NIOT    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Cherokee | Soybeans  | NI         | ALLOTHFDGD |      | 56    | 62    | 6      | 10.7%    |
| Cherokee | Soybeans  | NI         | COMM       |      | 60    | 62    | 2      | 3.3%     |
| Cherokee | Soybeans  | NI         | HP         |      | 56    | 57    | 1      | 1.8%     |
| Cherokee | Soybeans  | NI         | LLA        |      | 56    | 57    | 1      | 1.8%     |
| Cherokee | Soybeans  | NI         | LSF        |      | 56    | 57    | 1      | 1.8%     |
| Cherokee | Soybeans  | NI         | LSFG       |      | 51    | 53    | 2      | 3.9%     |
| Cherokee | Soybeans  | NI         | SSFG       |      | 42    | 43    | 1      | 2.4%     |
| Cherokee | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Cherokee | Soybeans  | NON-IRROC  | COMM       |      | 42    | 43    | 1      | 2.4%     |
| Cherokee | Soybeans  | NON-IRROC  | HP         |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NON-IRROC  | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NON-IRROC  | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Cherokee | Soybeans  | NON-IRROC  | LSFG       |      | 36    | 37    | 1      | 2.8%     |
| Cherokee | Soybeans  | NON-IRROC  | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Cherokee | Soybeans  | NON-IRRROT | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Cherokee | Soybeans  | NON-IRRROT | COMM       |      | 42    | 43    | 1      | 2.4%     |
| Cherokee | Soybeans  | NON-IRRROT | HP         |      | 39    | 40    | 1      | 2.6%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County    | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|------------|------------|------|-------|-------|--------|----------|
|           |           |            |            |      | Yield | Yield |        |          |
| Cherokee  | Soybeans  | NON-IRROT  | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Cherokee  | Soybeans  | NON-IRROT  | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Cherokee  | Soybeans  | NON-IRROT  | LSFG       |      | 36    | 37    | 1      | 2.8%     |
| Cherokee  | Soybeans  | NON-IRROT  | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Cherokee  | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 56    | 62    | 6      | 10.7%    |
| Cherokee  | Soybeans  | NONCON IRR | COMM       |      | 60    | 62    | 2      | 3.3%     |
| Cherokee  | Soybeans  | NONCON IRR | HP         |      | 56    | 57    | 1      | 1.8%     |
| Cherokee  | Soybeans  | NONCON IRR | LLA        |      | 56    | 57    | 1      | 1.8%     |
| Cherokee  | Soybeans  | NONCON IRR | LSF        |      | 56    | 57    | 1      | 1.8%     |
| Cherokee  | Soybeans  | NONCON IRR | LSFG       |      | 51    | 53    | 2      | 3.9%     |
| Cherokee  | Soybeans  | NONCON IRR | SSFG       |      | 42    | 43    | 1      | 2.4%     |
| Cherokee  | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 56    | 62    | 6      | 10.7%    |
| Cherokee  | Soybeans  | NONCON NI  | COMM       |      | 60    | 62    | 2      | 3.3%     |
| Cherokee  | Soybeans  | NONCON NI  | HP         |      | 56    | 57    | 1      | 1.8%     |
| Cherokee  | Soybeans  | NONCON NI  | LLA        |      | 56    | 57    | 1      | 1.8%     |
| Cherokee  | Soybeans  | NONCON NI  | LSF        |      | 56    | 57    | 1      | 1.8%     |
| Cherokee  | Soybeans  | NONCON NI  | LSFG       |      | 51    | 53    | 2      | 3.9%     |
| Cherokee  | Soybeans  | NONCON NI  | SSFG       |      | 42    | 43    | 1      | 2.4%     |
| Chickasaw | Corn      | I          | GSG        |      | 193   | 193   | 0      | 0.0%     |
| Chickasaw | Corn      | I          | HAMLS      |      | 193   | 193   | 0      | 0.0%     |
| Chickasaw | Corn      | I          | HAMOS      |      | 135   | 135   | 0      | 0.0%     |
| Chickasaw | Corn      | I          | WAXY       |      | 193   | 193   | 0      | 0.0%     |
| Chickasaw | Corn      | I          | WHITE      |      | 193   | 193   | 0      | 0.0%     |
| Chickasaw | Corn      | IRR OC     | GSG        |      | 145   | 145   | 0      | 0.0%     |
| Chickasaw | Corn      | IRR OC     | HAMLS      |      | 145   | 145   | 0      | 0.0%     |
| Chickasaw | Corn      | IRR OC     | HAMOS      |      | 101   | 101   | 0      | 0.0%     |
| Chickasaw | Corn      | IRR OC     | WAXY       |      | 145   | 145   | 0      | 0.0%     |
| Chickasaw | Corn      | IRR OC     | WHITE      |      | 145   | 145   | 0      | 0.0%     |
| Chickasaw | Corn      | IRR OT     | GSG        |      | 145   | 145   | 0      | 0.0%     |
| Chickasaw | Corn      | IRR OT     | HAMLS      |      | 145   | 145   | 0      | 0.0%     |
| Chickasaw | Corn      | IRR OT     | HAMOS      |      | 101   | 101   | 0      | 0.0%     |
| Chickasaw | Corn      | IRR OT     | WAXY       |      | 145   | 145   | 0      | 0.0%     |
| Chickasaw | Corn      | IRR OT     | WHITE      |      | 145   | 145   | 0      | 0.0%     |
| Chickasaw | Corn      | NI         | GSG        |      | 188   | 188   | 0      | 0.0%     |
| Chickasaw | Corn      | NI         | HAMLS      |      | 188   | 188   | 0      | 0.0%     |
| Chickasaw | Corn      | NI         | HAMOS      |      | 132   | 132   | 0      | 0.0%     |
| Chickasaw | Corn      | NI         | WAXY       |      | 188   | 188   | 0      | 0.0%     |
| Chickasaw | Corn      | NI         | WHITE      |      | 188   | 188   | 0      | 0.0%     |
| Chickasaw | Corn      | NON-IRROC  | GSG        |      | 141   | 141   | 0      | 0.0%     |
| Chickasaw | Corn      | NON-IRROC  | HAMLS      |      | 141   | 141   | 0      | 0.0%     |
| Chickasaw | Corn      | NON-IRROC  | HAMOS      |      | 99    | 99    | 0      | 0.0%     |
| Chickasaw | Corn      | NON-IRROC  | WAXY       |      | 141   | 141   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|           |           |           |            | Area | Yield | Yield |  |        |          |
| Chickasaw | Corn      | NON-IRROC | WHITE      |      | 141   | 141   |  | 0      | 0.0%     |
| Chickasaw | Corn      | NON-IRROT | GSG        |      | 141   | 141   |  | 0      | 0.0%     |
| Chickasaw | Corn      | NON-IRROT | HAMLS      |      | 141   | 141   |  | 0      | 0.0%     |
| Chickasaw | Corn      | NON-IRROT | HAMOS      |      | 99    | 99    |  | 0      | 0.0%     |
| Chickasaw | Corn      | NON-IRROT | WAXY       |      | 141   | 141   |  | 0      | 0.0%     |
| Chickasaw | Corn      | NON-IRROT | WHITE      |      | 141   | 141   |  | 0      | 0.0%     |
| Chickasaw | Oats      | I         | S          |      | 72    | 73    |  | 1      | 1.4%     |
| Chickasaw | Oats      | IRR OC    | S          |      | 72    | 66    |  | -6     | -8.3%    |
| Chickasaw | Oats      | IRR OT    | S          |      | 72    | 66    |  | -6     | -8.3%    |
| Chickasaw | Oats      | NI        | S          |      | 72    | 73    |  | 1      | 1.4%     |
| Chickasaw | Oats      | NON-IRROC | S          |      | 72    | 66    |  | -6     | -8.3%    |
| Chickasaw | Oats      | NON-IRROT | S          |      | 72    | 66    |  | -6     | -8.3%    |
| Chickasaw | Soybeans  | I         | ALLOTHFDGD |      | 49    | 56    |  | 7      | 14.3%    |
| Chickasaw | Soybeans  | I         | COMM       |      | 53    | 56    |  | 3      | 5.7%     |
| Chickasaw | Soybeans  | I         | HP         |      | 49    | 52    |  | 3      | 6.1%     |
| Chickasaw | Soybeans  | I         | LLA        |      | 49    | 52    |  | 3      | 6.1%     |
| Chickasaw | Soybeans  | I         | LSF        |      | 49    | 52    |  | 3      | 6.1%     |
| Chickasaw | Soybeans  | I         | LSFG       |      | 45    | 48    |  | 3      | 6.7%     |
| Chickasaw | Soybeans  | I         | SSFG       |      | 37    | 39    |  | 2      | 5.4%     |
| Chickasaw | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Chickasaw | Soybeans  | IRR OC    | COMM       |      | 37    | 39    |  | 2      | 5.4%     |
| Chickasaw | Soybeans  | IRR OC    | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Chickasaw | Soybeans  | IRR OC    | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Chickasaw | Soybeans  | IRR OC    | LSF        |      | 34    | 36    |  | 2      | 5.9%     |
| Chickasaw | Soybeans  | IRR OC    | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Chickasaw | Soybeans  | IRR OC    | SSFG       |      | 26    | 27    |  | 1      | 3.8%     |
| Chickasaw | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Chickasaw | Soybeans  | IRR OT    | COMM       |      | 37    | 39    |  | 2      | 5.4%     |
| Chickasaw | Soybeans  | IRR OT    | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Chickasaw | Soybeans  | IRR OT    | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Chickasaw | Soybeans  | IRR OT    | LSF        |      | 34    | 36    |  | 2      | 5.9%     |
| Chickasaw | Soybeans  | IRR OT    | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Chickasaw | Soybeans  | IRR OT    | SSFG       |      | 26    | 27    |  | 1      | 3.8%     |
| Chickasaw | Soybeans  | NI        | ALLOTHFDGD |      | 49    | 56    |  | 7      | 14.3%    |
| Chickasaw | Soybeans  | NI        | COMM       |      | 53    | 56    |  | 3      | 5.7%     |
| Chickasaw | Soybeans  | NI        | HP         |      | 49    | 52    |  | 3      | 6.1%     |
| Chickasaw | Soybeans  | NI        | LLA        |      | 49    | 52    |  | 3      | 6.1%     |
| Chickasaw | Soybeans  | NI        | LSF        |      | 49    | 52    |  | 3      | 6.1%     |
| Chickasaw | Soybeans  | NI        | LSFG       |      | 45    | 48    |  | 3      | 6.7%     |
| Chickasaw | Soybeans  | NI        | SSFG       |      | 37    | 39    |  | 2      | 5.4%     |
| Chickasaw | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Chickasaw | Soybeans  | NON-IRROC | COMM       |      | 37    | 39    |  | 2      | 5.4%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County    | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|           |           |           |            | Area | Yield | Yield |  |        |          |
| Chickasaw | Soybeans  | NON-IRROC | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Chickasaw | Soybeans  | NON-IRROC | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Chickasaw | Soybeans  | NON-IRROC | LSF        |      | 34    | 36    |  | 2      | 5.9%     |
| Chickasaw | Soybeans  | NON-IRROC | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Chickasaw | Soybeans  | NON-IRROC | SSFG       |      | 26    | 27    |  | 1      | 3.8%     |
| Chickasaw | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Chickasaw | Soybeans  | NON-IRROT | COMM       |      | 37    | 39    |  | 2      | 5.4%     |
| Chickasaw | Soybeans  | NON-IRROT | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Chickasaw | Soybeans  | NON-IRROT | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Chickasaw | Soybeans  | NON-IRROT | LSF        |      | 34    | 36    |  | 2      | 5.9%     |
| Chickasaw | Soybeans  | NON-IRROT | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Chickasaw | Soybeans  | NON-IRROT | SSFG       |      | 26    | 27    |  | 1      | 3.8%     |
| Clarke    | Corn      | I         | GSG        |      | 190   | 190   |  | 0      | 0.0%     |
| Clarke    | Corn      | I         | HAMLS      |      | 190   | 190   |  | 0      | 0.0%     |
| Clarke    | Corn      | I         | WAXY       |      | 190   | 190   |  | 0      | 0.0%     |
| Clarke    | Corn      | I         | WHITE      |      | 190   | 190   |  | 0      | 0.0%     |
| Clarke    | Corn      | IRR OC    | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Clarke    | Corn      | IRR OC    | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Clarke    | Corn      | IRR OC    | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Clarke    | Corn      | IRR OC    | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Clarke    | Corn      | IRR OT    | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Clarke    | Corn      | IRR OT    | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Clarke    | Corn      | IRR OT    | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Clarke    | Corn      | IRR OT    | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Clarke    | Corn      | NI        | GSG        |      | 140   | 140   |  | 0      | 0.0%     |
| Clarke    | Corn      | NI        | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Clarke    | Corn      | NI        | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Clarke    | Corn      | NI        | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Clarke    | Corn      | NON-IRROC | GSG        |      | 105   | 105   |  | 0      | 0.0%     |
| Clarke    | Corn      | NON-IRROC | HAMLS      |      | 105   | 105   |  | 0      | 0.0%     |
| Clarke    | Corn      | NON-IRROC | WAXY       |      | 105   | 105   |  | 0      | 0.0%     |
| Clarke    | Corn      | NON-IRROC | WHITE      |      | 105   | 105   |  | 0      | 0.0%     |
| Clarke    | Corn      | NON-IRROT | GSG        |      | 105   | 105   |  | 0      | 0.0%     |
| Clarke    | Corn      | NON-IRROT | HAMLS      |      | 105   | 105   |  | 0      | 0.0%     |
| Clarke    | Corn      | NON-IRROT | WAXY       |      | 105   | 105   |  | 0      | 0.0%     |
| Clarke    | Corn      | NON-IRROT | WHITE      |      | 105   | 105   |  | 0      | 0.0%     |
| Clarke    | Oats      | I         | S          |      | 47    | 41    |  | -6     | -12.8%   |
| Clarke    | Oats      | IRR OC    | S          |      | 47    | 37    |  | -10    | -21.3%   |
| Clarke    | Oats      | IRR OT    | S          |      | 47    | 37    |  | -10    | -21.3%   |
| Clarke    | Oats      | NI        | S          |      | 47    | 41    |  | -6     | -12.8%   |
| Clarke    | Oats      | NON-IRROC | S          |      | 47    | 37    |  | -10    | -21.3%   |
| Clarke    | Oats      | NON-IRROT | S          |      | 47    | 37    |  | -10    | -21.3%   |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Clarke | Soybeans  | I         | ALLOTHFDGD |      | 40    | 45    | 5      | 12.5%    |
| Clarke | Soybeans  | I         | COMM       |      | 43    | 45    | 2      | 4.7%     |
| Clarke | Soybeans  | I         | HP         |      | 40    | 42    | 2      | 5.0%     |
| Clarke | Soybeans  | I         | LLA        |      | 40    | 42    | 2      | 5.0%     |
| Clarke | Soybeans  | I         | LSF        |      | 40    | 42    | 2      | 5.0%     |
| Clarke | Soybeans  | I         | LSFG       |      | 37    | 38    | 1      | 2.7%     |
| Clarke | Soybeans  | I         | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Clarke | Soybeans  | IRR OC    | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Clarke | Soybeans  | IRR OC    | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Clarke | Soybeans  | IRR OC    | HP         |      | 28    | 29    | 1      | 3.6%     |
| Clarke | Soybeans  | IRR OC    | LLA        |      | 28    | 29    | 1      | 3.6%     |
| Clarke | Soybeans  | IRR OC    | LSF        |      | 28    | 29    | 1      | 3.6%     |
| Clarke | Soybeans  | IRR OC    | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Clarke | Soybeans  | IRR OC    | SSFG       |      | 21    | 22    | 1      | 4.8%     |
| Clarke | Soybeans  | IRR OT    | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Clarke | Soybeans  | IRR OT    | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Clarke | Soybeans  | IRR OT    | HP         |      | 28    | 29    | 1      | 3.6%     |
| Clarke | Soybeans  | IRR OT    | LLA        |      | 28    | 29    | 1      | 3.6%     |
| Clarke | Soybeans  | IRR OT    | LSF        |      | 28    | 29    | 1      | 3.6%     |
| Clarke | Soybeans  | IRR OT    | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Clarke | Soybeans  | IRR OT    | SSFG       |      | 21    | 22    | 1      | 4.8%     |
| Clarke | Soybeans  | NI        | ALLOTHFDGD |      | 40    | 45    | 5      | 12.5%    |
| Clarke | Soybeans  | NI        | COMM       |      | 43    | 45    | 2      | 4.7%     |
| Clarke | Soybeans  | NI        | HP         |      | 40    | 42    | 2      | 5.0%     |
| Clarke | Soybeans  | NI        | LLA        |      | 40    | 42    | 2      | 5.0%     |
| Clarke | Soybeans  | NI        | LSF        |      | 40    | 42    | 2      | 5.0%     |
| Clarke | Soybeans  | NI        | LSFG       |      | 37    | 38    | 1      | 2.7%     |
| Clarke | Soybeans  | NI        | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Clarke | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Clarke | Soybeans  | NON-IRROC | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Clarke | Soybeans  | NON-IRROC | HP         |      | 28    | 29    | 1      | 3.6%     |
| Clarke | Soybeans  | NON-IRROC | LLA        |      | 28    | 29    | 1      | 3.6%     |
| Clarke | Soybeans  | NON-IRROC | LSF        |      | 28    | 29    | 1      | 3.6%     |
| Clarke | Soybeans  | NON-IRROC | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Clarke | Soybeans  | NON-IRROC | SSFG       |      | 21    | 22    | 1      | 4.8%     |
| Clarke | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Clarke | Soybeans  | NON-IRROT | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Clarke | Soybeans  | NON-IRROT | HP         |      | 28    | 29    | 1      | 3.6%     |
| Clarke | Soybeans  | NON-IRROT | LLA        |      | 28    | 29    | 1      | 3.6%     |
| Clarke | Soybeans  | NON-IRROT | LSF        |      | 28    | 29    | 1      | 3.6%     |
| Clarke | Soybeans  | NON-IRROT | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Clarke | Soybeans  | NON-IRROT | SSFG       |      | 21    | 22    | 1      | 4.8%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Clay   | Corn      | I         | BLUE       |      | 106   | 106   |  | 0      | 0.0%     |
| Clay   | Corn      | I         | GSG        |      | 192   | 192   |  | 0      | 0.0%     |
| Clay   | Corn      | I         | HAMLS      |      | 192   | 192   |  | 0      | 0.0%     |
| Clay   | Corn      | I         | WAXY       |      | 192   | 192   |  | 0      | 0.0%     |
| Clay   | Corn      | I         | WHITE      |      | 192   | 192   |  | 0      | 0.0%     |
| Clay   | Corn      | IRR OC    | BLUE       |      | 80    | 80    |  | 0      | 0.0%     |
| Clay   | Corn      | IRR OC    | GSG        |      | 144   | 144   |  | 0      | 0.0%     |
| Clay   | Corn      | IRR OC    | HAMLS      |      | 144   | 144   |  | 0      | 0.0%     |
| Clay   | Corn      | IRR OC    | WAXY       |      | 144   | 144   |  | 0      | 0.0%     |
| Clay   | Corn      | IRR OC    | WHITE      |      | 144   | 144   |  | 0      | 0.0%     |
| Clay   | Corn      | IRR OT    | BLUE       |      | 80    | 80    |  | 0      | 0.0%     |
| Clay   | Corn      | IRR OT    | GSG        |      | 144   | 144   |  | 0      | 0.0%     |
| Clay   | Corn      | IRR OT    | HAMLS      |      | 144   | 144   |  | 0      | 0.0%     |
| Clay   | Corn      | IRR OT    | WAXY       |      | 144   | 144   |  | 0      | 0.0%     |
| Clay   | Corn      | IRR OT    | WHITE      |      | 144   | 144   |  | 0      | 0.0%     |
| Clay   | Corn      | NI        | BLUE       |      | 101   | 101   |  | 0      | 0.0%     |
| Clay   | Corn      | NI        | GSG        |      | 184   | 184   |  | 0      | 0.0%     |
| Clay   | Corn      | NI        | HAMLS      |      | 184   | 184   |  | 0      | 0.0%     |
| Clay   | Corn      | NI        | WAXY       |      | 184   | 184   |  | 0      | 0.0%     |
| Clay   | Corn      | NI        | WHITE      |      | 184   | 184   |  | 0      | 0.0%     |
| Clay   | Corn      | NON-IRROC | BLUE       |      | 76    | 76    |  | 0      | 0.0%     |
| Clay   | Corn      | NON-IRROC | GSG        |      | 138   | 138   |  | 0      | 0.0%     |
| Clay   | Corn      | NON-IRROC | HAMLS      |      | 138   | 138   |  | 0      | 0.0%     |
| Clay   | Corn      | NON-IRROC | WAXY       |      | 138   | 138   |  | 0      | 0.0%     |
| Clay   | Corn      | NON-IRROC | WHITE      |      | 138   | 138   |  | 0      | 0.0%     |
| Clay   | Corn      | NON-IRROT | BLUE       |      | 76    | 76    |  | 0      | 0.0%     |
| Clay   | Corn      | NON-IRROT | GSG        |      | 138   | 138   |  | 0      | 0.0%     |
| Clay   | Corn      | NON-IRROT | HAMLS      |      | 138   | 138   |  | 0      | 0.0%     |
| Clay   | Corn      | NON-IRROT | WAXY       |      | 138   | 138   |  | 0      | 0.0%     |
| Clay   | Corn      | NON-IRROT | WHITE      |      | 138   | 138   |  | 0      | 0.0%     |
| Clay   | Oats      | I         | S          |      | 79    | 71    |  | -8     | -10.1%   |
| Clay   | Oats      | IRR OC    | S          |      | 79    | 64    |  | -15    | -19.0%   |
| Clay   | Oats      | IRR OT    | S          |      | 79    | 64    |  | -15    | -19.0%   |
| Clay   | Oats      | NI        | S          |      | 74    | 71    |  | -3     | -4.1%    |
| Clay   | Oats      | NON-IRROC | S          |      | 74    | 64    |  | -10    | -13.5%   |
| Clay   | Oats      | NON-IRROT | S          |      | 74    | 64    |  | -10    | -13.5%   |
| Clay   | Soybeans  | I         | ALLOTHFDGD |      | 50    | 56    |  | 6      | 12.0%    |
| Clay   | Soybeans  | I         | COMM       |      | 54    | 56    |  | 2      | 3.7%     |
| Clay   | Soybeans  | I         | HP         |      | 50    | 52    |  | 2      | 4.0%     |
| Clay   | Soybeans  | I         | LLA        |      | 50    | 52    |  | 2      | 4.0%     |
| Clay   | Soybeans  | I         | LSF        |      | 50    | 52    |  | 2      | 4.0%     |
| Clay   | Soybeans  | I         | LSFG       |      | 46    | 48    |  | 2      | 4.3%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|----------|------------|------|-------|-------|--------|----------|
|        |           |          |            |      | Yield | Yield |        |          |
| Clay   | Soybeans  | I        | SSFG       |      | 38    | 39    | 1      | 2.6%     |
| Clay   | Soybeans  | IRR OC   | ALLOTHFDGD |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | IRR OC   | COMM       |      | 38    | 39    | 1      | 2.6%     |
| Clay   | Soybeans  | IRR OC   | HP         |      | 35    | 36    | 1      | 2.9%     |
| Clay   | Soybeans  | IRR OC   | LLA        |      | 35    | 36    | 1      | 2.9%     |
| Clay   | Soybeans  | IRR OC   | LSF        |      | 35    | 36    | 1      | 2.9%     |
| Clay   | Soybeans  | IRR OC   | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Clay   | Soybeans  | IRR OC   | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Clay   | Soybeans  | IRR OT   | ALLOTHFDGD |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | IRR OT   | COMM       |      | 38    | 39    | 1      | 2.6%     |
| Clay   | Soybeans  | IRR OT   | HP         |      | 35    | 36    | 1      | 2.9%     |
| Clay   | Soybeans  | IRR OT   | LLA        |      | 35    | 36    | 1      | 2.9%     |
| Clay   | Soybeans  | IRR OT   | LSF        |      | 35    | 36    | 1      | 2.9%     |
| Clay   | Soybeans  | IRR OT   | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Clay   | Soybeans  | IRR OT   | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Clay   | Soybeans  | NC IRROC | ALLOTHFDGD |      | 35    | 42    | 7      | 20.0%    |
| Clay   | Soybeans  | NC IRROC | COMM       |      | 38    | 42    | 4      | 10.5%    |
| Clay   | Soybeans  | NC IRROC | HP         |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | NC IRROC | LLA        |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | NC IRROC | LSF        |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | NC IRROC | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Clay   | Soybeans  | NC IRROC | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Clay   | Soybeans  | NC IRROT | ALLOTHFDGD |      | 35    | 42    | 7      | 20.0%    |
| Clay   | Soybeans  | NC IRROT | COMM       |      | 38    | 42    | 4      | 10.5%    |
| Clay   | Soybeans  | NC IRROT | HP         |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | NC IRROT | LLA        |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | NC IRROT | LSF        |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | NC IRROT | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Clay   | Soybeans  | NC IRROT | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Clay   | Soybeans  | NC NIOC  | ALLOTHFDGD |      | 35    | 42    | 7      | 20.0%    |
| Clay   | Soybeans  | NC NIOC  | COMM       |      | 38    | 42    | 4      | 10.5%    |
| Clay   | Soybeans  | NC NIOC  | HP         |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | NC NIOC  | LLA        |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | NC NIOC  | LSF        |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | NC NIOC  | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Clay   | Soybeans  | NC NIOC  | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Clay   | Soybeans  | NC NIOT  | ALLOTHFDGD |      | 35    | 42    | 7      | 20.0%    |
| Clay   | Soybeans  | NC NIOT  | COMM       |      | 38    | 42    | 4      | 10.5%    |
| Clay   | Soybeans  | NC NIOT  | HP         |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | NC NIOT  | LLA        |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | NC NIOT  | LSF        |      | 35    | 39    | 4      | 11.4%    |
| Clay   | Soybeans  | NC NIOT  | LSFG       |      | 32    | 36    | 4      | 12.5%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|------------|------------|------|-------|-------|--------|----------|
|         |           |            |            |      | Yield | Yield |        |          |
| Clay    | Soybeans  | NC NIOT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Clay    | Soybeans  | NI         | ALLOTHFDGD |      | 50    | 56    | 6      | 12.0%    |
| Clay    | Soybeans  | NI         | COMM       |      | 54    | 56    | 2      | 3.7%     |
| Clay    | Soybeans  | NI         | HP         |      | 50    | 52    | 2      | 4.0%     |
| Clay    | Soybeans  | NI         | LLA        |      | 50    | 52    | 2      | 4.0%     |
| Clay    | Soybeans  | NI         | LSF        |      | 50    | 52    | 2      | 4.0%     |
| Clay    | Soybeans  | NI         | LSFG       |      | 46    | 48    | 2      | 4.3%     |
| Clay    | Soybeans  | NI         | SSFG       |      | 38    | 39    | 1      | 2.6%     |
| Clay    | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 35    | 39    | 4      | 11.4%    |
| Clay    | Soybeans  | NON-IRROC  | COMM       |      | 38    | 39    | 1      | 2.6%     |
| Clay    | Soybeans  | NON-IRROC  | HP         |      | 35    | 36    | 1      | 2.9%     |
| Clay    | Soybeans  | NON-IRROC  | LLA        |      | 35    | 36    | 1      | 2.9%     |
| Clay    | Soybeans  | NON-IRROC  | LSF        |      | 35    | 36    | 1      | 2.9%     |
| Clay    | Soybeans  | NON-IRROC  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Clay    | Soybeans  | NON-IRROC  | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Clay    | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 35    | 39    | 4      | 11.4%    |
| Clay    | Soybeans  | NON-IRROT  | COMM       |      | 38    | 39    | 1      | 2.6%     |
| Clay    | Soybeans  | NON-IRROT  | HP         |      | 35    | 36    | 1      | 2.9%     |
| Clay    | Soybeans  | NON-IRROT  | LLA        |      | 35    | 36    | 1      | 2.9%     |
| Clay    | Soybeans  | NON-IRROT  | LSF        |      | 35    | 36    | 1      | 2.9%     |
| Clay    | Soybeans  | NON-IRROT  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Clay    | Soybeans  | NON-IRROT  | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Clay    | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 50    | 60    | 10     | 20.0%    |
| Clay    | Soybeans  | NONCON IRR | COMM       |      | 54    | 60    | 6      | 11.1%    |
| Clay    | Soybeans  | NONCON IRR | HP         |      | 50    | 56    | 6      | 12.0%    |
| Clay    | Soybeans  | NONCON IRR | LLA        |      | 50    | 56    | 6      | 12.0%    |
| Clay    | Soybeans  | NONCON IRR | LSF        |      | 50    | 56    | 6      | 12.0%    |
| Clay    | Soybeans  | NONCON IRR | LSFG       |      | 46    | 51    | 5      | 10.9%    |
| Clay    | Soybeans  | NONCON IRR | SSFG       |      | 38    | 42    | 4      | 10.5%    |
| Clay    | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 50    | 60    | 10     | 20.0%    |
| Clay    | Soybeans  | NONCON NI  | COMM       |      | 54    | 60    | 6      | 11.1%    |
| Clay    | Soybeans  | NONCON NI  | HP         |      | 50    | 56    | 6      | 12.0%    |
| Clay    | Soybeans  | NONCON NI  | LLA        |      | 50    | 56    | 6      | 12.0%    |
| Clay    | Soybeans  | NONCON NI  | LSF        |      | 50    | 56    | 6      | 12.0%    |
| Clay    | Soybeans  | NONCON NI  | LSFG       |      | 46    | 51    | 5      | 10.9%    |
| Clay    | Soybeans  | NONCON NI  | SSFG       |      | 38    | 42    | 4      | 10.5%    |
| Clayton | Barley    | IRR OC     | S          |      | 41    | 41    | 0      | 0.0%     |
| Clayton | Barley    | IRR OT     | S          |      | 41    | 41    | 0      | 0.0%     |
| Clayton | Barley    | IRRIGATED  | S          |      | 55    | 55    | 0      | 0.0%     |
| Clayton | Barley    | NON IRR    | S          |      | 55    | 55    | 0      | 0.0%     |
| Clayton | Barley    | NON-IRROC  | S          |      | 41    | 41    | 0      | 0.0%     |
| Clayton | Barley    | NON-IRROT  | S          |      | 41    | 41    | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Clayton | Corn      | I         | GSG        |      | 197   | 197   | 0      | 0.0%     |
| Clayton | Corn      | I         | GSS        |      | 29    | 29    | 0      | 0.0%     |
| Clayton | Corn      | I         | HAMLS      |      | 197   | 197   | 0      | 0.0%     |
| Clayton | Corn      | I         | WAXY       |      | 197   | 197   | 0      | 0.0%     |
| Clayton | Corn      | I         | WHITE      |      | 197   | 197   | 0      | 0.0%     |
| Clayton | Corn      | IRR OC    | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Clayton | Corn      | IRR OC    | GSS        |      | 21.8  | 21.8  | 0      | 0.0%     |
| Clayton | Corn      | IRR OC    | HAMLS      |      | 148   | 148   | 0      | 0.0%     |
| Clayton | Corn      | IRR OC    | WAXY       |      | 148   | 148   | 0      | 0.0%     |
| Clayton | Corn      | IRR OC    | WHITE      |      | 148   | 148   | 0      | 0.0%     |
| Clayton | Corn      | IRR OT    | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Clayton | Corn      | IRR OT    | GSS        |      | 21.8  | 21.8  | 0      | 0.0%     |
| Clayton | Corn      | IRR OT    | HAMLS      |      | 148   | 148   | 0      | 0.0%     |
| Clayton | Corn      | IRR OT    | WAXY       |      | 148   | 148   | 0      | 0.0%     |
| Clayton | Corn      | IRR OT    | WHITE      |      | 148   | 148   | 0      | 0.0%     |
| Clayton | Corn      | NI        | GSG        |      | 195   | 195   | 0      | 0.0%     |
| Clayton | Corn      | NI        | GSS        |      | 29    | 29    | 0      | 0.0%     |
| Clayton | Corn      | NI        | HAMLS      |      | 195   | 195   | 0      | 0.0%     |
| Clayton | Corn      | NI        | WAXY       |      | 195   | 195   | 0      | 0.0%     |
| Clayton | Corn      | NI        | WHITE      |      | 195   | 195   | 0      | 0.0%     |
| Clayton | Corn      | NON-IRROC | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Clayton | Corn      | NON-IRROC | GSS        |      | 21.8  | 21.8  | 0      | 0.0%     |
| Clayton | Corn      | NON-IRROC | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Clayton | Corn      | NON-IRROC | WAXY       |      | 146   | 146   | 0      | 0.0%     |
| Clayton | Corn      | NON-IRROC | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Clayton | Corn      | NON-IRROT | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Clayton | Corn      | NON-IRROT | GSS        |      | 21.8  | 21.8  | 0      | 0.0%     |
| Clayton | Corn      | NON-IRROT | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Clayton | Corn      | NON-IRROT | WAXY       |      | 146   | 146   | 0      | 0.0%     |
| Clayton | Corn      | NON-IRROT | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Clayton | Oats      | I         | S          |      | 72    | 72    | 0      | 0.0%     |
| Clayton | Oats      | IRR OC    | S          |      | 72    | 65    | -7     | -9.7%    |
| Clayton | Oats      | IRR OT    | S          |      | 72    | 65    | -7     | -9.7%    |
| Clayton | Oats      | NI        | S          |      | 72    | 72    | 0      | 0.0%     |
| Clayton | Oats      | NON-IRROC | S          |      | 72    | 65    | -7     | -9.7%    |
| Clayton | Oats      | NON-IRROT | S          |      | 72    | 65    | -7     | -9.7%    |
| Clayton | Soybeans  | I         | ALLOTHFDGD |      | 55    | 61    | 6      | 10.9%    |
| Clayton | Soybeans  | I         | COMM       |      | 59    | 61    | 2      | 3.4%     |
| Clayton | Soybeans  | I         | HP         |      | 55    | 56    | 1      | 1.8%     |
| Clayton | Soybeans  | I         | LLA        |      | 55    | 56    | 1      | 1.8%     |
| Clayton | Soybeans  | I         | LSF        |      | 55    | 56    | 1      | 1.8%     |
| Clayton | Soybeans  | I         | LSFG       |      | 50    | 52    | 2      | 4.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Clayton | Soybeans  | I         | SSFG       |      | 41    | 43    | 2      | 4.9%     |
| Clayton | Soybeans  | IRR OC    | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Clayton | Soybeans  | IRR OC    | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Clayton | Soybeans  | IRR OC    | HP         |      | 39    | 39    | 0      | 0.0%     |
| Clayton | Soybeans  | IRR OC    | LLA        |      | 39    | 39    | 0      | 0.0%     |
| Clayton | Soybeans  | IRR OC    | LSF        |      | 39    | 39    | 0      | 0.0%     |
| Clayton | Soybeans  | IRR OC    | LSFG       |      | 35    | 36    | 1      | 2.9%     |
| Clayton | Soybeans  | IRR OC    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Clayton | Soybeans  | IRR OT    | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Clayton | Soybeans  | IRR OT    | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Clayton | Soybeans  | IRR OT    | HP         |      | 39    | 39    | 0      | 0.0%     |
| Clayton | Soybeans  | IRR OT    | LLA        |      | 39    | 39    | 0      | 0.0%     |
| Clayton | Soybeans  | IRR OT    | LSF        |      | 39    | 39    | 0      | 0.0%     |
| Clayton | Soybeans  | IRR OT    | LSFG       |      | 35    | 36    | 1      | 2.9%     |
| Clayton | Soybeans  | IRR OT    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Clayton | Soybeans  | NI        | ALLOTHFDGD |      | 55    | 61    | 6      | 10.9%    |
| Clayton | Soybeans  | NI        | COMM       |      | 59    | 61    | 2      | 3.4%     |
| Clayton | Soybeans  | NI        | HP         |      | 55    | 56    | 1      | 1.8%     |
| Clayton | Soybeans  | NI        | LLA        |      | 55    | 56    | 1      | 1.8%     |
| Clayton | Soybeans  | NI        | LSF        |      | 55    | 56    | 1      | 1.8%     |
| Clayton | Soybeans  | NI        | LSFG       |      | 50    | 52    | 2      | 4.0%     |
| Clayton | Soybeans  | NI        | SSFG       |      | 41    | 43    | 2      | 4.9%     |
| Clayton | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Clayton | Soybeans  | NON-IRROC | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Clayton | Soybeans  | NON-IRROC | HP         |      | 39    | 39    | 0      | 0.0%     |
| Clayton | Soybeans  | NON-IRROC | LLA        |      | 39    | 39    | 0      | 0.0%     |
| Clayton | Soybeans  | NON-IRROC | LSF        |      | 39    | 39    | 0      | 0.0%     |
| Clayton | Soybeans  | NON-IRROC | LSFG       |      | 35    | 36    | 1      | 2.9%     |
| Clayton | Soybeans  | NON-IRROC | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Clayton | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Clayton | Soybeans  | NON-IRROT | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Clayton | Soybeans  | NON-IRROT | HP         |      | 39    | 39    | 0      | 0.0%     |
| Clayton | Soybeans  | NON-IRROT | LLA        |      | 39    | 39    | 0      | 0.0%     |
| Clayton | Soybeans  | NON-IRROT | LSF        |      | 39    | 39    | 0      | 0.0%     |
| Clayton | Soybeans  | NON-IRROT | LSFG       |      | 35    | 36    | 1      | 2.9%     |
| Clayton | Soybeans  | NON-IRROT | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Clayton | Wheat     | I         | S          |      | 31    | 31    | 0      | 0.0%     |
| Clayton | Wheat     | IRR OC    | S          |      | 20    | 20    | 0      | 0.0%     |
| Clayton | Wheat     | IRR OT    | S          |      | 20    | 20    | 0      | 0.0%     |
| Clayton | Wheat     | NI        | S          |      | 31    | 31    | 0      | 0.0%     |
| Clayton | Wheat     | NON-IRROC | S          |      | 20    | 20    | 0      | 0.0%     |
| Clayton | Wheat     | NON-IRROT | S          |      | 20    | 20    | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Clinton | Corn      | I         | GSG        |      | 197   | 197   | 0      | 0.0%     |
| Clinton | Corn      | I         | HAMLS      |      | 197   | 197   | 0      | 0.0%     |
| Clinton | Corn      | I         | WAXY       |      | 197   | 197   | 0      | 0.0%     |
| Clinton | Corn      | I         | WHITE      |      | 197   | 197   | 0      | 0.0%     |
| Clinton | Corn      | IRR OC    | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | IRR OC    | HAMLS      |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | IRR OC    | WAXY       |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | IRR OC    | WHITE      |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | IRR OT    | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | IRR OT    | HAMLS      |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | IRR OT    | WAXY       |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | IRR OT    | WHITE      |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | NI        | GSG        |      | 197   | 197   | 0      | 0.0%     |
| Clinton | Corn      | NI        | HAMLS      |      | 197   | 197   | 0      | 0.0%     |
| Clinton | Corn      | NI        | WAXY       |      | 197   | 197   | 0      | 0.0%     |
| Clinton | Corn      | NI        | WHITE      |      | 197   | 197   | 0      | 0.0%     |
| Clinton | Corn      | NON-IRROC | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | NON-IRROC | HAMLS      |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | NON-IRROC | WAXY       |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | NON-IRROC | WHITE      |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | NON-IRROT | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | NON-IRROT | HAMLS      |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | NON-IRROT | WAXY       |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Corn      | NON-IRROT | WHITE      |      | 148   | 148   | 0      | 0.0%     |
| Clinton | Oats      | I         | S          |      | 64    | 65    | 1      | 1.6%     |
| Clinton | Oats      | IRR OC    | S          |      | 64    | 59    | -5     | -7.8%    |
| Clinton | Oats      | IRR OT    | S          |      | 64    | 59    | -5     | -7.8%    |
| Clinton | Oats      | NI        | S          |      | 64    | 65    | 1      | 1.6%     |
| Clinton | Oats      | NON-IRROC | S          |      | 64    | 59    | -5     | -7.8%    |
| Clinton | Oats      | NON-IRROT | S          |      | 64    | 59    | -5     | -7.8%    |
| Clinton | Soybeans  | I         | ALLOTHFDGD |      | 54    | 61    | 7      | 13.0%    |
| Clinton | Soybeans  | I         | COMM       |      | 58    | 61    | 3      | 5.2%     |
| Clinton | Soybeans  | I         | HP         |      | 54    | 56    | 2      | 3.7%     |
| Clinton | Soybeans  | I         | LLA        |      | 54    | 56    | 2      | 3.7%     |
| Clinton | Soybeans  | I         | LSF        |      | 54    | 56    | 2      | 3.7%     |
| Clinton | Soybeans  | I         | LSFG       |      | 49    | 52    | 3      | 6.1%     |
| Clinton | Soybeans  | I         | SSFG       |      | 41    | 43    | 2      | 4.9%     |
| Clinton | Soybeans  | IRR OC    | ALLOTHFDGD |      | 38    | 43    | 5      | 13.2%    |
| Clinton | Soybeans  | IRR OC    | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Clinton | Soybeans  | IRR OC    | HP         |      | 38    | 39    | 1      | 2.6%     |
| Clinton | Soybeans  | IRR OC    | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Clinton | Soybeans  | IRR OC    | LSF        |      | 38    | 39    | 1      | 2.6%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Clinton  | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Clinton  | Soybeans  | IRR OC    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Clinton  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 38    | 43    | 5      | 13.2%    |
| Clinton  | Soybeans  | IRR OT    | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Clinton  | Soybeans  | IRR OT    | HP         |      | 38    | 39    | 1      | 2.6%     |
| Clinton  | Soybeans  | IRR OT    | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Clinton  | Soybeans  | IRR OT    | LSF        |      | 38    | 39    | 1      | 2.6%     |
| Clinton  | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Clinton  | Soybeans  | IRR OT    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Clinton  | Soybeans  | NI        | ALLOTHFDGD |      | 54    | 61    | 7      | 13.0%    |
| Clinton  | Soybeans  | NI        | COMM       |      | 58    | 61    | 3      | 5.2%     |
| Clinton  | Soybeans  | NI        | HP         |      | 54    | 56    | 2      | 3.7%     |
| Clinton  | Soybeans  | NI        | LLA        |      | 54    | 56    | 2      | 3.7%     |
| Clinton  | Soybeans  | NI        | LSF        |      | 54    | 56    | 2      | 3.7%     |
| Clinton  | Soybeans  | NI        | LSFG       |      | 49    | 52    | 3      | 6.1%     |
| Clinton  | Soybeans  | NI        | SSFG       |      | 41    | 43    | 2      | 4.9%     |
| Clinton  | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 38    | 43    | 5      | 13.2%    |
| Clinton  | Soybeans  | NON-IRROC | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Clinton  | Soybeans  | NON-IRROC | HP         |      | 38    | 39    | 1      | 2.6%     |
| Clinton  | Soybeans  | NON-IRROC | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Clinton  | Soybeans  | NON-IRROC | LSF        |      | 38    | 39    | 1      | 2.6%     |
| Clinton  | Soybeans  | NON-IRROC | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Clinton  | Soybeans  | NON-IRROC | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Clinton  | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 38    | 43    | 5      | 13.2%    |
| Clinton  | Soybeans  | NON-IRROT | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Clinton  | Soybeans  | NON-IRROT | HP         |      | 38    | 39    | 1      | 2.6%     |
| Clinton  | Soybeans  | NON-IRROT | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Clinton  | Soybeans  | NON-IRROT | LSF        |      | 38    | 39    | 1      | 2.6%     |
| Clinton  | Soybeans  | NON-IRROT | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Clinton  | Soybeans  | NON-IRROT | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Crawford | Corn      | I         | GSG        |      | 234   | 234   | 0      | 0.0%     |
| Crawford | Corn      | I         | HAMLS      |      | 234   | 234   | 0      | 0.0%     |
| Crawford | Corn      | I         | HAMOS      |      | 164   | 164   | 0      | 0.0%     |
| Crawford | Corn      | I         | WAXY       |      | 234   | 234   | 0      | 0.0%     |
| Crawford | Corn      | I         | WHITE      |      | 234   | 234   | 0      | 0.0%     |
| Crawford | Corn      | IRR OC    | GSG        |      | 176   | 176   | 0      | 0.0%     |
| Crawford | Corn      | IRR OC    | HAMLS      |      | 176   | 176   | 0      | 0.0%     |
| Crawford | Corn      | IRR OC    | HAMOS      |      | 123   | 123   | 0      | 0.0%     |
| Crawford | Corn      | IRR OC    | WAXY       |      | 176   | 176   | 0      | 0.0%     |
| Crawford | Corn      | IRR OC    | WHITE      |      | 176   | 176   | 0      | 0.0%     |
| Crawford | Corn      | IRR OT    | GSG        |      | 176   | 176   | 0      | 0.0%     |
| Crawford | Corn      | IRR OT    | HAMLS      |      | 176   | 176   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Crawford | Corn      | IRR OT    | HAMOS      |      | 123   | 123   | 0      | 0.0%     |
| Crawford | Corn      | IRR OT    | WAXY       |      | 176   | 176   | 0      | 0.0%     |
| Crawford | Corn      | IRR OT    | WHITE      |      | 176   | 176   | 0      | 0.0%     |
| Crawford | Corn      | NI        | GSG        |      | 199   | 199   | 0      | 0.0%     |
| Crawford | Corn      | NI        | HAMLS      |      | 199   | 199   | 0      | 0.0%     |
| Crawford | Corn      | NI        | HAMOS      |      | 139   | 139   | 0      | 0.0%     |
| Crawford | Corn      | NI        | WAXY       |      | 199   | 199   | 0      | 0.0%     |
| Crawford | Corn      | NI        | WHITE      |      | 199   | 199   | 0      | 0.0%     |
| Crawford | Corn      | NON-IRROC | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Crawford | Corn      | NON-IRROC | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Crawford | Corn      | NON-IRROC | HAMOS      |      | 104   | 104   | 0      | 0.0%     |
| Crawford | Corn      | NON-IRROC | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Crawford | Corn      | NON-IRROC | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Crawford | Corn      | NON-IRROT | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Crawford | Corn      | NON-IRROT | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Crawford | Corn      | NON-IRROT | HAMOS      |      | 104   | 104   | 0      | 0.0%     |
| Crawford | Corn      | NON-IRROT | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Crawford | Corn      | NON-IRROT | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Crawford | Oats      | I         | S          |      | 79    | 79    | 0      | 0.0%     |
| Crawford | Oats      | IRR OC    | S          |      | 79    | 71    | -8     | -10.1%   |
| Crawford | Oats      | IRR OT    | S          |      | 79    | 71    | -8     | -10.1%   |
| Crawford | Oats      | NI        | S          |      | 79    | 79    | 0      | 0.0%     |
| Crawford | Oats      | NON-IRROC | S          |      | 79    | 71    | -8     | -10.1%   |
| Crawford | Oats      | NON-IRROT | S          |      | 79    | 71    | -8     | -10.1%   |
| Crawford | Popcorn   | I         | NTS        |      | 5249  | 5249  | 0      | 0.0%     |
| Crawford | Popcorn   | IRR OC    | NTS        |      | 3674  | 3674  | 0      | 0.0%     |
| Crawford | Popcorn   | IRR OT    | NTS        |      | 3674  | 3674  | 0      | 0.0%     |
| Crawford | Popcorn   | NI        | NTS        |      | 4677  | 4677  | 0      | 0.0%     |
| Crawford | Popcorn   | NON-IRROC | NTS        |      | 3274  | 3274  | 0      | 0.0%     |
| Crawford | Popcorn   | NON-IRROT | NTS        |      | 3274  | 3274  | 0      | 0.0%     |
| Crawford | Soybeans  | I         | ALLOTHFDGD |      | 53    | 60    | 7      | 13.2%    |
| Crawford | Soybeans  | I         | COMM       |      | 57    | 60    | 3      | 5.3%     |
| Crawford | Soybeans  | I         | HP         |      | 53    | 56    | 3      | 5.7%     |
| Crawford | Soybeans  | I         | LLA        |      | 53    | 56    | 3      | 5.7%     |
| Crawford | Soybeans  | I         | LSF        |      | 53    | 56    | 3      | 5.7%     |
| Crawford | Soybeans  | I         | LSFG       |      | 48    | 51    | 3      | 6.3%     |
| Crawford | Soybeans  | I         | SSFG       |      | 40    | 42    | 2      | 5.0%     |
| Crawford | Soybeans  | IRR OC    | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| Crawford | Soybeans  | IRR OC    | COMM       |      | 40    | 42    | 2      | 5.0%     |
| Crawford | Soybeans  | IRR OC    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Crawford | Soybeans  | IRR OC    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Crawford | Soybeans  | IRR OC    | LSF        |      | 37    | 39    | 2      | 5.4%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Crawford | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Crawford | Soybeans  | IRR OC    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Crawford | Soybeans  | IRR OT    | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| Crawford | Soybeans  | IRR OT    | COMM       |      | 40    | 42    | 2      | 5.0%     |
| Crawford | Soybeans  | IRR OT    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Crawford | Soybeans  | IRR OT    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Crawford | Soybeans  | IRR OT    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Crawford | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Crawford | Soybeans  | IRR OT    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Crawford | Soybeans  | NI        | ALLOTHFDGD |      | 53    | 60    | 7      | 13.2%    |
| Crawford | Soybeans  | NI        | COMM       |      | 57    | 60    | 3      | 5.3%     |
| Crawford | Soybeans  | NI        | HP         |      | 53    | 56    | 3      | 5.7%     |
| Crawford | Soybeans  | NI        | LLA        |      | 53    | 56    | 3      | 5.7%     |
| Crawford | Soybeans  | NI        | LSF        |      | 53    | 56    | 3      | 5.7%     |
| Crawford | Soybeans  | NI        | LSFG       |      | 48    | 51    | 3      | 6.3%     |
| Crawford | Soybeans  | NI        | SSFG       |      | 40    | 42    | 2      | 5.0%     |
| Crawford | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| Crawford | Soybeans  | NON-IRROC | COMM       |      | 40    | 42    | 2      | 5.0%     |
| Crawford | Soybeans  | NON-IRROC | HP         |      | 37    | 39    | 2      | 5.4%     |
| Crawford | Soybeans  | NON-IRROC | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Crawford | Soybeans  | NON-IRROC | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Crawford | Soybeans  | NON-IRROC | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Crawford | Soybeans  | NON-IRROC | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Crawford | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| Crawford | Soybeans  | NON-IRROT | COMM       |      | 40    | 42    | 2      | 5.0%     |
| Crawford | Soybeans  | NON-IRROT | HP         |      | 37    | 39    | 2      | 5.4%     |
| Crawford | Soybeans  | NON-IRROT | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Crawford | Soybeans  | NON-IRROT | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Crawford | Soybeans  | NON-IRROT | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Crawford | Soybeans  | NON-IRROT | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Dallas   | Corn      | I         | GSG        |      | 190   | 190   | 0      | 0.0%     |
| Dallas   | Corn      | I         | HAMLS      |      | 190   | 190   | 0      | 0.0%     |
| Dallas   | Corn      | I         | WAXY       |      | 190   | 190   | 0      | 0.0%     |
| Dallas   | Corn      | I         | WHITE      |      | 190   | 190   | 0      | 0.0%     |
| Dallas   | Corn      | IRR OC    | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Dallas   | Corn      | IRR OC    | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Dallas   | Corn      | IRR OC    | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Dallas   | Corn      | IRR OC    | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Dallas   | Corn      | IRR OT    | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Dallas   | Corn      | IRR OT    | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Dallas   | Corn      | IRR OT    | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Dallas   | Corn      | IRR OT    | WHITE      |      | 143   | 143   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Dallas | Corn      | NI        | GSG        |      | 181   | 181   | 0      | 0.0%     |
| Dallas | Corn      | NI        | HAMLS      |      | 181   | 181   | 0      | 0.0%     |
| Dallas | Corn      | NI        | WAXY       |      | 181   | 181   | 0      | 0.0%     |
| Dallas | Corn      | NI        | WHITE      |      | 181   | 181   | 0      | 0.0%     |
| Dallas | Corn      | NON-IRROC | GSG        |      | 136   | 136   | 0      | 0.0%     |
| Dallas | Corn      | NON-IRROC | HAMLS      |      | 136   | 136   | 0      | 0.0%     |
| Dallas | Corn      | NON-IRROC | WAXY       |      | 136   | 136   | 0      | 0.0%     |
| Dallas | Corn      | NON-IRROC | WHITE      |      | 136   | 136   | 0      | 0.0%     |
| Dallas | Corn      | NON-IRROT | GSG        |      | 136   | 136   | 0      | 0.0%     |
| Dallas | Corn      | NON-IRROT | HAMLS      |      | 136   | 136   | 0      | 0.0%     |
| Dallas | Corn      | NON-IRROT | WAXY       |      | 136   | 136   | 0      | 0.0%     |
| Dallas | Corn      | NON-IRROT | WHITE      |      | 136   | 136   | 0      | 0.0%     |
| Dallas | Oats      | I         | S          |      | 57    | 68    | 11     | 19.3%    |
| Dallas | Oats      | IRR OC    | S          |      | 57    | 61    | 4      | 7.0%     |
| Dallas | Oats      | IRR OT    | S          |      | 57    | 61    | 4      | 7.0%     |
| Dallas | Oats      | NI        | S          |      | 57    | 68    | 11     | 19.3%    |
| Dallas | Oats      | NON-IRROC | S          |      | 57    | 61    | 4      | 7.0%     |
| Dallas | Oats      | NON-IRROT | S          |      | 57    | 61    | 4      | 7.0%     |
| Dallas | Soybeans  | I         | ALLOTHFDGD |      | 47    | 53    | 6      | 12.8%    |
| Dallas | Soybeans  | I         | COMM       |      | 51    | 53    | 2      | 3.9%     |
| Dallas | Soybeans  | I         | HP         |      | 47    | 49    | 2      | 4.3%     |
| Dallas | Soybeans  | I         | LLA        |      | 47    | 49    | 2      | 4.3%     |
| Dallas | Soybeans  | I         | LSF        |      | 47    | 49    | 2      | 4.3%     |
| Dallas | Soybeans  | I         | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Dallas | Soybeans  | I         | SSFG       |      | 36    | 37    | 1      | 2.8%     |
| Dallas | Soybeans  | IRR OC    | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Dallas | Soybeans  | IRR OC    | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Dallas | Soybeans  | IRR OC    | HP         |      | 33    | 34    | 1      | 3.0%     |
| Dallas | Soybeans  | IRR OC    | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Dallas | Soybeans  | IRR OC    | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Dallas | Soybeans  | IRR OC    | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Dallas | Soybeans  | IRR OC    | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Dallas | Soybeans  | IRR OT    | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Dallas | Soybeans  | IRR OT    | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Dallas | Soybeans  | IRR OT    | HP         |      | 33    | 34    | 1      | 3.0%     |
| Dallas | Soybeans  | IRR OT    | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Dallas | Soybeans  | IRR OT    | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Dallas | Soybeans  | IRR OT    | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Dallas | Soybeans  | IRR OT    | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Dallas | Soybeans  | NI        | ALLOTHFDGD |      | 47    | 53    | 6      | 12.8%    |
| Dallas | Soybeans  | NI        | COMM       |      | 51    | 53    | 2      | 3.9%     |
| Dallas | Soybeans  | NI        | HP         |      | 47    | 49    | 2      | 4.3%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Dallas | Soybeans  | NI        | LLA        |      | 47    | 49    | 2      | 4.3%     |
| Dallas | Soybeans  | NI        | LSF        |      | 47    | 49    | 2      | 4.3%     |
| Dallas | Soybeans  | NI        | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Dallas | Soybeans  | NI        | SSFG       |      | 36    | 37    | 1      | 2.8%     |
| Dallas | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Dallas | Soybeans  | NON-IRROC | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Dallas | Soybeans  | NON-IRROC | HP         |      | 33    | 34    | 1      | 3.0%     |
| Dallas | Soybeans  | NON-IRROC | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Dallas | Soybeans  | NON-IRROC | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Dallas | Soybeans  | NON-IRROC | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Dallas | Soybeans  | NON-IRROC | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Dallas | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Dallas | Soybeans  | NON-IRROT | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Dallas | Soybeans  | NON-IRROT | HP         |      | 33    | 34    | 1      | 3.0%     |
| Dallas | Soybeans  | NON-IRROT | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Dallas | Soybeans  | NON-IRROT | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Dallas | Soybeans  | NON-IRROT | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Dallas | Soybeans  | NON-IRROT | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Davis  | Corn      | I         | BLUE       |      | 114   | 114   | 0      | 0.0%     |
| Davis  | Corn      | I         | GSG        |      | 207   | 207   | 0      | 0.0%     |
| Davis  | Corn      | I         | HAMLS      |      | 207   | 207   | 0      | 0.0%     |
| Davis  | Corn      | I         | WAXY       |      | 207   | 207   | 0      | 0.0%     |
| Davis  | Corn      | I         | WHITE      |      | 207   | 207   | 0      | 0.0%     |
| Davis  | Corn      | IRR OC    | BLUE       |      | 86    | 86    | 0      | 0.0%     |
| Davis  | Corn      | IRR OC    | GSG        |      | 155   | 155   | 0      | 0.0%     |
| Davis  | Corn      | IRR OC    | HAMLS      |      | 155   | 155   | 0      | 0.0%     |
| Davis  | Corn      | IRR OC    | WAXY       |      | 155   | 155   | 0      | 0.0%     |
| Davis  | Corn      | IRR OC    | WHITE      |      | 155   | 155   | 0      | 0.0%     |
| Davis  | Corn      | IRR OT    | BLUE       |      | 86    | 86    | 0      | 0.0%     |
| Davis  | Corn      | IRR OT    | GSG        |      | 155   | 155   | 0      | 0.0%     |
| Davis  | Corn      | IRR OT    | HAMLS      |      | 155   | 155   | 0      | 0.0%     |
| Davis  | Corn      | IRR OT    | WAXY       |      | 155   | 155   | 0      | 0.0%     |
| Davis  | Corn      | IRR OT    | WHITE      |      | 155   | 155   | 0      | 0.0%     |
| Davis  | Corn      | NI        | BLUE       |      | 79    | 79    | 0      | 0.0%     |
| Davis  | Corn      | NI        | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Davis  | Corn      | NI        | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Davis  | Corn      | NI        | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Davis  | Corn      | NI        | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Davis  | Corn      | NON-IRROC | BLUE       |      | 59    | 59    | 0      | 0.0%     |
| Davis  | Corn      | NON-IRROC | GSG        |      | 107   | 107   | 0      | 0.0%     |
| Davis  | Corn      | NON-IRROC | HAMLS      |      | 107   | 107   | 0      | 0.0%     |
| Davis  | Corn      | NON-IRROC | WAXY       |      | 107   | 107   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |       | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|-------|--------|----------|
|        |           |           |            | Area | Yield | Yield | Yield |        |          |
| Davis  | Corn      | NON-IRROC | WHITE      |      | 107   | 107   |       | 0      | 0.0%     |
| Davis  | Corn      | NON-IRROT | BLUE       |      | 59    | 59    |       | 0      | 0.0%     |
| Davis  | Corn      | NON-IRROT | GSG        |      | 107   | 107   |       | 0      | 0.0%     |
| Davis  | Corn      | NON-IRROT | HAMLS      |      | 107   | 107   |       | 0      | 0.0%     |
| Davis  | Corn      | NON-IRROT | WAXY       |      | 107   | 107   |       | 0      | 0.0%     |
| Davis  | Corn      | NON-IRROT | WHITE      |      | 107   | 107   |       | 0      | 0.0%     |
| Davis  | Oats      | I         | S          |      | 44    | 53    |       | 9      | 20.5%    |
| Davis  | Oats      | IRR OC    | S          |      | 44    | 48    |       | 4      | 9.1%     |
| Davis  | Oats      | IRR OT    | S          |      | 44    | 48    |       | 4      | 9.1%     |
| Davis  | Oats      | NI        | S          |      | 44    | 53    |       | 9      | 20.5%    |
| Davis  | Oats      | NON-IRROC | S          |      | 44    | 48    |       | 4      | 9.1%     |
| Davis  | Oats      | NON-IRROT | S          |      | 44    | 48    |       | 4      | 9.1%     |
| Davis  | Soybeans  | I         | ALLOTHFDGD |      | 52    | 59    |       | 7      | 13.5%    |
| Davis  | Soybeans  | I         | COMM       |      | 56    | 59    |       | 3      | 5.4%     |
| Davis  | Soybeans  | I         | HP         |      | 52    | 55    |       | 3      | 5.8%     |
| Davis  | Soybeans  | I         | LLA        |      | 52    | 55    |       | 3      | 5.8%     |
| Davis  | Soybeans  | I         | LSF        |      | 52    | 55    |       | 3      | 5.8%     |
| Davis  | Soybeans  | I         | LSFG       |      | 48    | 50    |       | 2      | 4.2%     |
| Davis  | Soybeans  | I         | SSFG       |      | 39    | 41    |       | 2      | 5.1%     |
| Davis  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 41    |       | 5      | 13.9%    |
| Davis  | Soybeans  | IRR OC    | COMM       |      | 39    | 41    |       | 2      | 5.1%     |
| Davis  | Soybeans  | IRR OC    | HP         |      | 36    | 39    |       | 3      | 8.3%     |
| Davis  | Soybeans  | IRR OC    | LLA        |      | 36    | 39    |       | 3      | 8.3%     |
| Davis  | Soybeans  | IRR OC    | LSF        |      | 36    | 39    |       | 3      | 8.3%     |
| Davis  | Soybeans  | IRR OC    | LSFG       |      | 34    | 35    |       | 1      | 2.9%     |
| Davis  | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    |       | 2      | 7.4%     |
| Davis  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 41    |       | 5      | 13.9%    |
| Davis  | Soybeans  | IRR OT    | COMM       |      | 39    | 41    |       | 2      | 5.1%     |
| Davis  | Soybeans  | IRR OT    | HP         |      | 36    | 39    |       | 3      | 8.3%     |
| Davis  | Soybeans  | IRR OT    | LLA        |      | 36    | 39    |       | 3      | 8.3%     |
| Davis  | Soybeans  | IRR OT    | LSF        |      | 36    | 39    |       | 3      | 8.3%     |
| Davis  | Soybeans  | IRR OT    | LSFG       |      | 34    | 35    |       | 1      | 2.9%     |
| Davis  | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    |       | 2      | 7.4%     |
| Davis  | Soybeans  | NI        | ALLOTHFDGD |      | 41    | 47    |       | 6      | 14.6%    |
| Davis  | Soybeans  | NI        | COMM       |      | 44    | 47    |       | 3      | 6.8%     |
| Davis  | Soybeans  | NI        | HP         |      | 41    | 43    |       | 2      | 4.9%     |
| Davis  | Soybeans  | NI        | LLA        |      | 41    | 43    |       | 2      | 4.9%     |
| Davis  | Soybeans  | NI        | LSF        |      | 41    | 43    |       | 2      | 4.9%     |
| Davis  | Soybeans  | NI        | LSFG       |      | 37    | 40    |       | 3      | 8.1%     |
| Davis  | Soybeans  | NI        | SSFG       |      | 31    | 33    |       | 2      | 6.5%     |
| Davis  | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 29    | 33    |       | 4      | 13.8%    |
| Davis  | Soybeans  | NON-IRROC | COMM       |      | 31    | 33    |       | 2      | 6.5%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|         |           |           |            | Area | Yield | Yield |  |        |          |
| Davis   | Soybeans  | NON-IRROC | HP         |      | 29    | 30    |  | 1      | 3.4%     |
| Davis   | Soybeans  | NON-IRROC | LLA        |      | 29    | 30    |  | 1      | 3.4%     |
| Davis   | Soybeans  | NON-IRROC | LSF        |      | 29    | 30    |  | 1      | 3.4%     |
| Davis   | Soybeans  | NON-IRROC | LSFG       |      | 26    | 28    |  | 2      | 7.7%     |
| Davis   | Soybeans  | NON-IRROC | SSFG       |      | 22    | 23    |  | 1      | 4.5%     |
| Davis   | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 29    | 33    |  | 4      | 13.8%    |
| Davis   | Soybeans  | NON-IRROT | COMM       |      | 31    | 33    |  | 2      | 6.5%     |
| Davis   | Soybeans  | NON-IRROT | HP         |      | 29    | 30    |  | 1      | 3.4%     |
| Davis   | Soybeans  | NON-IRROT | LLA        |      | 29    | 30    |  | 1      | 3.4%     |
| Davis   | Soybeans  | NON-IRROT | LSF        |      | 29    | 30    |  | 1      | 3.4%     |
| Davis   | Soybeans  | NON-IRROT | LSFG       |      | 26    | 28    |  | 2      | 7.7%     |
| Davis   | Soybeans  | NON-IRROT | SSFG       |      | 22    | 23    |  | 1      | 4.5%     |
| Decatur | Corn      | I         | GSG        |      | 180   | 180   |  | 0      | 0.0%     |
| Decatur | Corn      | I         | HAMLS      |      | 180   | 180   |  | 0      | 0.0%     |
| Decatur | Corn      | I         | WAXY       |      | 180   | 180   |  | 0      | 0.0%     |
| Decatur | Corn      | I         | WHITE      |      | 180   | 180   |  | 0      | 0.0%     |
| Decatur | Corn      | IRR OC    | GSG        |      | 135   | 135   |  | 0      | 0.0%     |
| Decatur | Corn      | IRR OC    | HAMLS      |      | 135   | 135   |  | 0      | 0.0%     |
| Decatur | Corn      | IRR OC    | WAXY       |      | 135   | 135   |  | 0      | 0.0%     |
| Decatur | Corn      | IRR OC    | WHITE      |      | 135   | 135   |  | 0      | 0.0%     |
| Decatur | Corn      | IRR OT    | GSG        |      | 135   | 135   |  | 0      | 0.0%     |
| Decatur | Corn      | IRR OT    | HAMLS      |      | 135   | 135   |  | 0      | 0.0%     |
| Decatur | Corn      | IRR OT    | WAXY       |      | 135   | 135   |  | 0      | 0.0%     |
| Decatur | Corn      | IRR OT    | WHITE      |      | 135   | 135   |  | 0      | 0.0%     |
| Decatur | Corn      | NI        | GSG        |      | 145   | 145   |  | 0      | 0.0%     |
| Decatur | Corn      | NI        | HAMLS      |      | 145   | 145   |  | 0      | 0.0%     |
| Decatur | Corn      | NI        | WAXY       |      | 145   | 145   |  | 0      | 0.0%     |
| Decatur | Corn      | NI        | WHITE      |      | 145   | 145   |  | 0      | 0.0%     |
| Decatur | Corn      | NON-IRROC | GSG        |      | 109   | 109   |  | 0      | 0.0%     |
| Decatur | Corn      | NON-IRROC | HAMLS      |      | 109   | 109   |  | 0      | 0.0%     |
| Decatur | Corn      | NON-IRROC | WAXY       |      | 109   | 109   |  | 0      | 0.0%     |
| Decatur | Corn      | NON-IRROC | WHITE      |      | 109   | 109   |  | 0      | 0.0%     |
| Decatur | Corn      | NON-IRROT | GSG        |      | 109   | 109   |  | 0      | 0.0%     |
| Decatur | Corn      | NON-IRROT | HAMLS      |      | 109   | 109   |  | 0      | 0.0%     |
| Decatur | Corn      | NON-IRROT | WAXY       |      | 109   | 109   |  | 0      | 0.0%     |
| Decatur | Corn      | NON-IRROT | WHITE      |      | 109   | 109   |  | 0      | 0.0%     |
| Decatur | Oats      | I         | S          |      | 35    | 32    |  | -3     | -8.6%    |
| Decatur | Oats      | IRR OC    | S          |      | 35    | 29    |  | -6     | -17.1%   |
| Decatur | Oats      | IRR OT    | S          |      | 35    | 29    |  | -6     | -17.1%   |
| Decatur | Oats      | NI        | S          |      | 35    | 32    |  | -3     | -8.6%    |
| Decatur | Oats      | NON-IRROC | S          |      | 35    | 29    |  | -6     | -17.1%   |
| Decatur | Oats      | NON-IRROT | S          |      | 35    | 29    |  | -6     | -17.1%   |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Decatur | Soybeans  | I         | ALLOTHFDGD |      | 40    | 45    | 5      | 12.5%    |
| Decatur | Soybeans  | I         | COMM       |      | 43    | 45    | 2      | 4.7%     |
| Decatur | Soybeans  | I         | HP         |      | 40    | 42    | 2      | 5.0%     |
| Decatur | Soybeans  | I         | LLA        |      | 40    | 42    | 2      | 5.0%     |
| Decatur | Soybeans  | I         | LSF        |      | 40    | 42    | 2      | 5.0%     |
| Decatur | Soybeans  | I         | LSFG       |      | 37    | 38    | 1      | 2.7%     |
| Decatur | Soybeans  | I         | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Decatur | Soybeans  | IRR OC    | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Decatur | Soybeans  | IRR OC    | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Decatur | Soybeans  | IRR OC    | HP         |      | 28    | 29    | 1      | 3.6%     |
| Decatur | Soybeans  | IRR OC    | LLA        |      | 28    | 29    | 1      | 3.6%     |
| Decatur | Soybeans  | IRR OC    | LSF        |      | 28    | 29    | 1      | 3.6%     |
| Decatur | Soybeans  | IRR OC    | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Decatur | Soybeans  | IRR OC    | SSFG       |      | 21    | 22    | 1      | 4.8%     |
| Decatur | Soybeans  | IRR OT    | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Decatur | Soybeans  | IRR OT    | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Decatur | Soybeans  | IRR OT    | HP         |      | 28    | 29    | 1      | 3.6%     |
| Decatur | Soybeans  | IRR OT    | LLA        |      | 28    | 29    | 1      | 3.6%     |
| Decatur | Soybeans  | IRR OT    | LSF        |      | 28    | 29    | 1      | 3.6%     |
| Decatur | Soybeans  | IRR OT    | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Decatur | Soybeans  | IRR OT    | SSFG       |      | 21    | 22    | 1      | 4.8%     |
| Decatur | Soybeans  | NI        | ALLOTHFDGD |      | 40    | 45    | 5      | 12.5%    |
| Decatur | Soybeans  | NI        | COMM       |      | 43    | 45    | 2      | 4.7%     |
| Decatur | Soybeans  | NI        | HP         |      | 40    | 42    | 2      | 5.0%     |
| Decatur | Soybeans  | NI        | LLA        |      | 40    | 42    | 2      | 5.0%     |
| Decatur | Soybeans  | NI        | LSF        |      | 40    | 42    | 2      | 5.0%     |
| Decatur | Soybeans  | NI        | LSFG       |      | 37    | 38    | 1      | 2.7%     |
| Decatur | Soybeans  | NI        | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Decatur | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Decatur | Soybeans  | NON-IRROC | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Decatur | Soybeans  | NON-IRROC | HP         |      | 28    | 29    | 1      | 3.6%     |
| Decatur | Soybeans  | NON-IRROC | LLA        |      | 28    | 29    | 1      | 3.6%     |
| Decatur | Soybeans  | NON-IRROC | LSF        |      | 28    | 29    | 1      | 3.6%     |
| Decatur | Soybeans  | NON-IRROC | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Decatur | Soybeans  | NON-IRROC | SSFG       |      | 21    | 22    | 1      | 4.8%     |
| Decatur | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Decatur | Soybeans  | NON-IRROT | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Decatur | Soybeans  | NON-IRROT | HP         |      | 28    | 29    | 1      | 3.6%     |
| Decatur | Soybeans  | NON-IRROT | LLA        |      | 28    | 29    | 1      | 3.6%     |
| Decatur | Soybeans  | NON-IRROT | LSF        |      | 28    | 29    | 1      | 3.6%     |
| Decatur | Soybeans  | NON-IRROT | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Decatur | Soybeans  | NON-IRROT | SSFG       |      | 21    | 22    | 1      | 4.8%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Delaware | Corn      | I         | GSG        |      | 202   | 202   | 0      | 0.0%     |
| Delaware | Corn      | I         | GSS        |      | 29.6  | 29.6  | 0      | 0.0%     |
| Delaware | Corn      | I         | HAMLS      |      | 202   | 202   | 0      | 0.0%     |
| Delaware | Corn      | I         | WAXY       |      | 202   | 202   | 0      | 0.0%     |
| Delaware | Corn      | I         | WHITE      |      | 202   | 202   | 0      | 0.0%     |
| Delaware | Corn      | IRR OC    | GSG        |      | 152   | 152   | 0      | 0.0%     |
| Delaware | Corn      | IRR OC    | GSS        |      | 22.2  | 22.2  | 0      | 0.0%     |
| Delaware | Corn      | IRR OC    | HAMLS      |      | 152   | 152   | 0      | 0.0%     |
| Delaware | Corn      | IRR OC    | WAXY       |      | 152   | 152   | 0      | 0.0%     |
| Delaware | Corn      | IRR OC    | WHITE      |      | 152   | 152   | 0      | 0.0%     |
| Delaware | Corn      | IRR OT    | GSG        |      | 152   | 152   | 0      | 0.0%     |
| Delaware | Corn      | IRR OT    | GSS        |      | 22.2  | 22.2  | 0      | 0.0%     |
| Delaware | Corn      | IRR OT    | HAMLS      |      | 152   | 152   | 0      | 0.0%     |
| Delaware | Corn      | IRR OT    | WAXY       |      | 152   | 152   | 0      | 0.0%     |
| Delaware | Corn      | IRR OT    | WHITE      |      | 152   | 152   | 0      | 0.0%     |
| Delaware | Corn      | NI        | GSG        |      | 198   | 198   | 0      | 0.0%     |
| Delaware | Corn      | NI        | GSS        |      | 29.6  | 29.6  | 0      | 0.0%     |
| Delaware | Corn      | NI        | HAMLS      |      | 198   | 198   | 0      | 0.0%     |
| Delaware | Corn      | NI        | WAXY       |      | 198   | 198   | 0      | 0.0%     |
| Delaware | Corn      | NI        | WHITE      |      | 198   | 198   | 0      | 0.0%     |
| Delaware | Corn      | NON-IRROC | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Delaware | Corn      | NON-IRROC | GSS        |      | 22.2  | 22.2  | 0      | 0.0%     |
| Delaware | Corn      | NON-IRROC | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Delaware | Corn      | NON-IRROC | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Delaware | Corn      | NON-IRROC | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Delaware | Corn      | NON-IRROT | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Delaware | Corn      | NON-IRROT | GSS        |      | 22.2  | 22.2  | 0      | 0.0%     |
| Delaware | Corn      | NON-IRROT | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Delaware | Corn      | NON-IRROT | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Delaware | Corn      | NON-IRROT | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Delaware | Oats      | I         | S          |      | 68    | 69    | 1      | 1.5%     |
| Delaware | Oats      | IRR OC    | S          |      | 68    | 62    | -6     | -8.8%    |
| Delaware | Oats      | IRR OT    | S          |      | 68    | 62    | -6     | -8.8%    |
| Delaware | Oats      | NI        | S          |      | 68    | 69    | 1      | 1.5%     |
| Delaware | Oats      | NON-IRROC | S          |      | 68    | 62    | -6     | -8.8%    |
| Delaware | Oats      | NON-IRROT | S          |      | 68    | 62    | -6     | -8.8%    |
| Delaware | Soybeans  | I         | ALLOTHFDGD |      | 56    | 63    | 7      | 12.5%    |
| Delaware | Soybeans  | I         | COMM       |      | 60    | 63    | 3      | 5.0%     |
| Delaware | Soybeans  | I         | HP         |      | 56    | 58    | 2      | 3.6%     |
| Delaware | Soybeans  | I         | LLA        |      | 56    | 58    | 2      | 3.6%     |
| Delaware | Soybeans  | I         | LSF        |      | 56    | 58    | 2      | 3.6%     |
| Delaware | Soybeans  | I         | LSFG       |      | 51    | 54    | 3      | 5.9%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|            |           |           |            |      | Yield | Yield |        |          |
| Delaware   | Soybeans  | I         | SSFG       |      | 42    | 44    | 2      | 4.8%     |
| Delaware   | Soybeans  | IRR OC    | ALLOTHFDGD |      | 39    | 44    | 5      | 12.8%    |
| Delaware   | Soybeans  | IRR OC    | COMM       |      | 42    | 44    | 2      | 4.8%     |
| Delaware   | Soybeans  | IRR OC    | HP         |      | 39    | 41    | 2      | 5.1%     |
| Delaware   | Soybeans  | IRR OC    | LLA        |      | 39    | 41    | 2      | 5.1%     |
| Delaware   | Soybeans  | IRR OC    | LSF        |      | 39    | 41    | 2      | 5.1%     |
| Delaware   | Soybeans  | IRR OC    | LSFG       |      | 36    | 38    | 2      | 5.6%     |
| Delaware   | Soybeans  | IRR OC    | SSFG       |      | 29    | 31    | 2      | 6.9%     |
| Delaware   | Soybeans  | IRR OT    | ALLOTHFDGD |      | 39    | 44    | 5      | 12.8%    |
| Delaware   | Soybeans  | IRR OT    | COMM       |      | 42    | 44    | 2      | 4.8%     |
| Delaware   | Soybeans  | IRR OT    | HP         |      | 39    | 41    | 2      | 5.1%     |
| Delaware   | Soybeans  | IRR OT    | LLA        |      | 39    | 41    | 2      | 5.1%     |
| Delaware   | Soybeans  | IRR OT    | LSF        |      | 39    | 41    | 2      | 5.1%     |
| Delaware   | Soybeans  | IRR OT    | LSFG       |      | 36    | 38    | 2      | 5.6%     |
| Delaware   | Soybeans  | IRR OT    | SSFG       |      | 29    | 31    | 2      | 6.9%     |
| Delaware   | Soybeans  | NI        | ALLOTHFDGD |      | 56    | 63    | 7      | 12.5%    |
| Delaware   | Soybeans  | NI        | COMM       |      | 60    | 63    | 3      | 5.0%     |
| Delaware   | Soybeans  | NI        | HP         |      | 56    | 58    | 2      | 3.6%     |
| Delaware   | Soybeans  | NI        | LLA        |      | 56    | 58    | 2      | 3.6%     |
| Delaware   | Soybeans  | NI        | LSF        |      | 56    | 58    | 2      | 3.6%     |
| Delaware   | Soybeans  | NI        | LSFG       |      | 51    | 54    | 3      | 5.9%     |
| Delaware   | Soybeans  | NI        | SSFG       |      | 42    | 44    | 2      | 4.8%     |
| Delaware   | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 39    | 44    | 5      | 12.8%    |
| Delaware   | Soybeans  | NON-IRROC | COMM       |      | 42    | 44    | 2      | 4.8%     |
| Delaware   | Soybeans  | NON-IRROC | HP         |      | 39    | 41    | 2      | 5.1%     |
| Delaware   | Soybeans  | NON-IRROC | LLA        |      | 39    | 41    | 2      | 5.1%     |
| Delaware   | Soybeans  | NON-IRROC | LSF        |      | 39    | 41    | 2      | 5.1%     |
| Delaware   | Soybeans  | NON-IRROC | LSFG       |      | 36    | 38    | 2      | 5.6%     |
| Delaware   | Soybeans  | NON-IRROC | SSFG       |      | 29    | 31    | 2      | 6.9%     |
| Delaware   | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 39    | 44    | 5      | 12.8%    |
| Delaware   | Soybeans  | NON-IRROT | COMM       |      | 42    | 44    | 2      | 4.8%     |
| Delaware   | Soybeans  | NON-IRROT | HP         |      | 39    | 41    | 2      | 5.1%     |
| Delaware   | Soybeans  | NON-IRROT | LLA        |      | 39    | 41    | 2      | 5.1%     |
| Delaware   | Soybeans  | NON-IRROT | LSF        |      | 39    | 41    | 2      | 5.1%     |
| Delaware   | Soybeans  | NON-IRROT | LSFG       |      | 36    | 38    | 2      | 5.6%     |
| Delaware   | Soybeans  | NON-IRROT | SSFG       |      | 29    | 31    | 2      | 6.9%     |
| Des Moines | Corn      | I         | GSG        |      | 206   | 206   | 0      | 0.0%     |
| Des Moines | Corn      | I         | HAMLS      |      | 206   | 206   | 0      | 0.0%     |
| Des Moines | Corn      | I         | WAXY       |      | 206   | 206   | 0      | 0.0%     |
| Des Moines | Corn      | I         | WHITE      |      | 206   | 206   | 0      | 0.0%     |
| Des Moines | Corn      | IRR OC    | GSG        |      | 155   | 155   | 0      | 0.0%     |
| Des Moines | Corn      | IRR OC    | HAMLS      |      | 155   | 155   | 0      | 0.0%     |



## Iowa

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|------------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|            |           |           |            | Area | Yield | Yield |  |        |          |
| Des Moines | Corn      | IRR OC    | WAXY       |      | 155   | 155   |  | 0      | 0.0%     |
| Des Moines | Corn      | IRR OC    | WHITE      |      | 155   | 155   |  | 0      | 0.0%     |
| Des Moines | Corn      | IRR OT    | GSG        |      | 155   | 155   |  | 0      | 0.0%     |
| Des Moines | Corn      | IRR OT    | HAMLS      |      | 155   | 155   |  | 0      | 0.0%     |
| Des Moines | Corn      | IRR OT    | WAXY       |      | 155   | 155   |  | 0      | 0.0%     |
| Des Moines | Corn      | IRR OT    | WHITE      |      | 155   | 155   |  | 0      | 0.0%     |
| Des Moines | Corn      | NI        | GSG        |      | 190   | 190   |  | 0      | 0.0%     |
| Des Moines | Corn      | NI        | HAMLS      |      | 190   | 190   |  | 0      | 0.0%     |
| Des Moines | Corn      | NI        | WAXY       |      | 190   | 190   |  | 0      | 0.0%     |
| Des Moines | Corn      | NI        | WHITE      |      | 190   | 190   |  | 0      | 0.0%     |
| Des Moines | Corn      | NON-IRROC | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Des Moines | Corn      | NON-IRROC | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Des Moines | Corn      | NON-IRROC | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Des Moines | Corn      | NON-IRROC | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Des Moines | Corn      | NON-IRROT | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Des Moines | Corn      | NON-IRROT | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Des Moines | Corn      | NON-IRROT | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Des Moines | Corn      | NON-IRROT | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Des Moines | Oats      | I         | S          |      | 48    | 58    |  | 10     | 20.8%    |
| Des Moines | Oats      | IRR OC    | S          |      | 48    | 52    |  | 4      | 8.3%     |
| Des Moines | Oats      | IRR OT    | S          |      | 48    | 52    |  | 4      | 8.3%     |
| Des Moines | Oats      | NI        | S          |      | 48    | 58    |  | 10     | 20.8%    |
| Des Moines | Oats      | NON-IRROC | S          |      | 48    | 52    |  | 4      | 8.3%     |
| Des Moines | Oats      | NON-IRROT | S          |      | 48    | 52    |  | 4      | 8.3%     |
| Des Moines | Soybeans  | I         | ALLOTHFDGD |      | 58    | 67    |  | 9      | 15.5%    |
| Des Moines | Soybeans  | I         | COMM       |      | 63    | 67    |  | 4      | 6.3%     |
| Des Moines | Soybeans  | I         | HP         |      | 58    | 62    |  | 4      | 6.9%     |
| Des Moines | Soybeans  | I         | LLA        |      | 58    | 62    |  | 4      | 6.9%     |
| Des Moines | Soybeans  | I         | LSF        |      | 58    | 62    |  | 4      | 6.9%     |
| Des Moines | Soybeans  | I         | LSFG       |      | 54    | 57    |  | 3      | 5.6%     |
| Des Moines | Soybeans  | I         | SSFG       |      | 44    | 47    |  | 3      | 6.8%     |
| Des Moines | Soybeans  | IRR OC    | ALLOTHFDGD |      | 41    | 47    |  | 6      | 14.6%    |
| Des Moines | Soybeans  | IRR OC    | COMM       |      | 44    | 47    |  | 3      | 6.8%     |
| Des Moines | Soybeans  | IRR OC    | HP         |      | 41    | 43    |  | 2      | 4.9%     |
| Des Moines | Soybeans  | IRR OC    | LLA        |      | 41    | 43    |  | 2      | 4.9%     |
| Des Moines | Soybeans  | IRR OC    | LSF        |      | 41    | 43    |  | 2      | 4.9%     |
| Des Moines | Soybeans  | IRR OC    | LSFG       |      | 38    | 40    |  | 2      | 5.3%     |
| Des Moines | Soybeans  | IRR OC    | SSFG       |      | 31    | 33    |  | 2      | 6.5%     |
| Des Moines | Soybeans  | IRR OT    | ALLOTHFDGD |      | 41    | 47    |  | 6      | 14.6%    |
| Des Moines | Soybeans  | IRR OT    | COMM       |      | 44    | 47    |  | 3      | 6.8%     |
| Des Moines | Soybeans  | IRR OT    | HP         |      | 41    | 43    |  | 2      | 4.9%     |
| Des Moines | Soybeans  | IRR OT    | LLA        |      | 41    | 43    |  | 2      | 4.9%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|------------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|            |           |           |            | Area | Yield | Yield |  |        |          |
| Des Moines | Soybeans  | IRR OT    | LSF        |      | 41    | 43    |  | 2      | 4.9%     |
| Des Moines | Soybeans  | IRR OT    | LSFG       |      | 38    | 40    |  | 2      | 5.3%     |
| Des Moines | Soybeans  | IRR OT    | SSFG       |      | 31    | 33    |  | 2      | 6.5%     |
| Des Moines | Soybeans  | NI        | ALLOTHFDGD |      | 53    | 60    |  | 7      | 13.2%    |
| Des Moines | Soybeans  | NI        | COMM       |      | 57    | 60    |  | 3      | 5.3%     |
| Des Moines | Soybeans  | NI        | HP         |      | 53    | 56    |  | 3      | 5.7%     |
| Des Moines | Soybeans  | NI        | LLA        |      | 53    | 56    |  | 3      | 5.7%     |
| Des Moines | Soybeans  | NI        | LSF        |      | 53    | 56    |  | 3      | 5.7%     |
| Des Moines | Soybeans  | NI        | LSFG       |      | 48    | 51    |  | 3      | 6.3%     |
| Des Moines | Soybeans  | NI        | SSFG       |      | 40    | 42    |  | 2      | 5.0%     |
| Des Moines | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 37    | 42    |  | 5      | 13.5%    |
| Des Moines | Soybeans  | NON-IRROC | COMM       |      | 40    | 42    |  | 2      | 5.0%     |
| Des Moines | Soybeans  | NON-IRROC | HP         |      | 37    | 39    |  | 2      | 5.4%     |
| Des Moines | Soybeans  | NON-IRROC | LLA        |      | 37    | 39    |  | 2      | 5.4%     |
| Des Moines | Soybeans  | NON-IRROC | LSF        |      | 37    | 39    |  | 2      | 5.4%     |
| Des Moines | Soybeans  | NON-IRROC | LSFG       |      | 34    | 36    |  | 2      | 5.9%     |
| Des Moines | Soybeans  | NON-IRROC | SSFG       |      | 28    | 29    |  | 1      | 3.6%     |
| Des Moines | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 37    | 42    |  | 5      | 13.5%    |
| Des Moines | Soybeans  | NON-IRROT | COMM       |      | 40    | 42    |  | 2      | 5.0%     |
| Des Moines | Soybeans  | NON-IRROT | HP         |      | 37    | 39    |  | 2      | 5.4%     |
| Des Moines | Soybeans  | NON-IRROT | LLA        |      | 37    | 39    |  | 2      | 5.4%     |
| Des Moines | Soybeans  | NON-IRROT | LSF        |      | 37    | 39    |  | 2      | 5.4%     |
| Des Moines | Soybeans  | NON-IRROT | LSFG       |      | 34    | 36    |  | 2      | 5.9%     |
| Des Moines | Soybeans  | NON-IRROT | SSFG       |      | 28    | 29    |  | 1      | 3.6%     |
| Dickinson  | Corn      | I         | BLUE       |      | 113   | 113   |  | 0      | 0.0%     |
| Dickinson  | Corn      | I         | GSG        |      | 206   | 206   |  | 0      | 0.0%     |
| Dickinson  | Corn      | I         | HAMLS      |      | 206   | 206   |  | 0      | 0.0%     |
| Dickinson  | Corn      | I         | WAXY       |      | 206   | 206   |  | 0      | 0.0%     |
| Dickinson  | Corn      | I         | WHITE      |      | 206   | 206   |  | 0      | 0.0%     |
| Dickinson  | Corn      | IRR OC    | BLUE       |      | 85    | 85    |  | 0      | 0.0%     |
| Dickinson  | Corn      | IRR OC    | GSG        |      | 155   | 155   |  | 0      | 0.0%     |
| Dickinson  | Corn      | IRR OC    | HAMLS      |      | 155   | 155   |  | 0      | 0.0%     |
| Dickinson  | Corn      | IRR OC    | WAXY       |      | 155   | 155   |  | 0      | 0.0%     |
| Dickinson  | Corn      | IRR OC    | WHITE      |      | 155   | 155   |  | 0      | 0.0%     |
| Dickinson  | Corn      | IRR OT    | BLUE       |      | 85    | 85    |  | 0      | 0.0%     |
| Dickinson  | Corn      | IRR OT    | GSG        |      | 155   | 155   |  | 0      | 0.0%     |
| Dickinson  | Corn      | IRR OT    | HAMLS      |      | 155   | 155   |  | 0      | 0.0%     |
| Dickinson  | Corn      | IRR OT    | WAXY       |      | 155   | 155   |  | 0      | 0.0%     |
| Dickinson  | Corn      | IRR OT    | WHITE      |      | 155   | 155   |  | 0      | 0.0%     |
| Dickinson  | Corn      | NI        | BLUE       |      | 99    | 99    |  | 0      | 0.0%     |
| Dickinson  | Corn      | NI        | GSG        |      | 180   | 180   |  | 0      | 0.0%     |
| Dickinson  | Corn      | NI        | HAMLS      |      | 180   | 180   |  | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County    | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|           |           |           |            | Area | Yield | Yield |  |        |          |
| Dickinson | Corn      | NI        | WAXY       |      | 180   | 180   |  | 0      | 0.0%     |
| Dickinson | Corn      | NI        | WHITE      |      | 180   | 180   |  | 0      | 0.0%     |
| Dickinson | Corn      | NON-IRROC | BLUE       |      | 74    | 74    |  | 0      | 0.0%     |
| Dickinson | Corn      | NON-IRROC | GSG        |      | 135   | 135   |  | 0      | 0.0%     |
| Dickinson | Corn      | NON-IRROC | HAMLS      |      | 135   | 135   |  | 0      | 0.0%     |
| Dickinson | Corn      | NON-IRROC | WAXY       |      | 135   | 135   |  | 0      | 0.0%     |
| Dickinson | Corn      | NON-IRROC | WHITE      |      | 135   | 135   |  | 0      | 0.0%     |
| Dickinson | Corn      | NON-IRROT | BLUE       |      | 74    | 74    |  | 0      | 0.0%     |
| Dickinson | Corn      | NON-IRROT | GSG        |      | 135   | 135   |  | 0      | 0.0%     |
| Dickinson | Corn      | NON-IRROT | HAMLS      |      | 135   | 135   |  | 0      | 0.0%     |
| Dickinson | Corn      | NON-IRROT | WAXY       |      | 135   | 135   |  | 0      | 0.0%     |
| Dickinson | Corn      | NON-IRROT | WHITE      |      | 135   | 135   |  | 0      | 0.0%     |
| Dickinson | Oats      | I         | S          |      | 79    | 73    |  | -6     | -7.6%    |
| Dickinson | Oats      | IRR OC    | S          |      | 79    | 66    |  | -13    | -16.5%   |
| Dickinson | Oats      | IRR OT    | S          |      | 79    | 66    |  | -13    | -16.5%   |
| Dickinson | Oats      | NI        | S          |      | 74    | 73    |  | -1     | -1.4%    |
| Dickinson | Oats      | NON-IRROC | S          |      | 74    | 66    |  | -8     | -10.8%   |
| Dickinson | Oats      | NON-IRROT | S          |      | 74    | 66    |  | -8     | -10.8%   |
| Dickinson | Soybeans  | I         | ALLOTHFDGD |      | 48    | 55    |  | 7      | 14.6%    |
| Dickinson | Soybeans  | I         | COMM       |      | 52    | 55    |  | 3      | 5.8%     |
| Dickinson | Soybeans  | I         | HP         |      | 48    | 51    |  | 3      | 6.3%     |
| Dickinson | Soybeans  | I         | LLA        |      | 48    | 51    |  | 3      | 6.3%     |
| Dickinson | Soybeans  | I         | LSF        |      | 48    | 51    |  | 3      | 6.3%     |
| Dickinson | Soybeans  | I         | LSFG       |      | 44    | 47    |  | 3      | 6.8%     |
| Dickinson | Soybeans  | I         | SSFG       |      | 36    | 39    |  | 3      | 8.3%     |
| Dickinson | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Dickinson | Soybeans  | IRR OC    | COMM       |      | 36    | 39    |  | 3      | 8.3%     |
| Dickinson | Soybeans  | IRR OC    | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Dickinson | Soybeans  | IRR OC    | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Dickinson | Soybeans  | IRR OC    | LSF        |      | 34    | 36    |  | 2      | 5.9%     |
| Dickinson | Soybeans  | IRR OC    | LSFG       |      | 31    | 33    |  | 2      | 6.5%     |
| Dickinson | Soybeans  | IRR OC    | SSFG       |      | 25    | 27    |  | 2      | 8.0%     |
| Dickinson | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Dickinson | Soybeans  | IRR OT    | COMM       |      | 36    | 39    |  | 3      | 8.3%     |
| Dickinson | Soybeans  | IRR OT    | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Dickinson | Soybeans  | IRR OT    | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Dickinson | Soybeans  | IRR OT    | LSF        |      | 34    | 36    |  | 2      | 5.9%     |
| Dickinson | Soybeans  | IRR OT    | LSFG       |      | 31    | 33    |  | 2      | 6.5%     |
| Dickinson | Soybeans  | IRR OT    | SSFG       |      | 25    | 27    |  | 2      | 8.0%     |
| Dickinson | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 29    | 31    |  | 2      | 6.9%     |
| Dickinson | Soybeans  | NC IRROC  | COMM       |      | 32    | 31    |  | -1     | -3.1%    |
| Dickinson | Soybeans  | NC IRROC  | HP         |      | 29    | 29    |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|           |           |           |            |      | Yield | Yield |        |          |
| Dickinson | Soybeans  | NC IRROC  | LLA        |      | 29    | 29    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC IRROC  | LSF        |      | 29    | 29    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC IRROC  | LSFG       |      | 27    | 26    | -1     | -3.7%    |
| Dickinson | Soybeans  | NC IRROC  | SSFG       |      | 22    | 22    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC IRRROT | ALLOTHFDGD |      | 29    | 31    | 2      | 6.9%     |
| Dickinson | Soybeans  | NC IRRROT | COMM       |      | 32    | 31    | -1     | -3.1%    |
| Dickinson | Soybeans  | NC IRRROT | HP         |      | 29    | 29    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC IRRROT | LLA        |      | 29    | 29    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC IRRROT | LSF        |      | 29    | 29    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC IRRROT | LSFG       |      | 27    | 26    | -1     | -3.7%    |
| Dickinson | Soybeans  | NC IRRROT | SSFG       |      | 22    | 22    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 29    | 31    | 2      | 6.9%     |
| Dickinson | Soybeans  | NC NIOC   | COMM       |      | 32    | 31    | -1     | -3.1%    |
| Dickinson | Soybeans  | NC NIOC   | HP         |      | 29    | 29    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC NIOC   | LLA        |      | 29    | 29    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC NIOC   | LSF        |      | 29    | 29    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC NIOC   | LSFG       |      | 27    | 26    | -1     | -3.7%    |
| Dickinson | Soybeans  | NC NIOC   | SSFG       |      | 22    | 22    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC NIOT   | ALLOTHFDGD |      | 29    | 31    | 2      | 6.9%     |
| Dickinson | Soybeans  | NC NIOT   | COMM       |      | 32    | 31    | -1     | -3.1%    |
| Dickinson | Soybeans  | NC NIOT   | HP         |      | 29    | 29    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC NIOT   | LLA        |      | 29    | 29    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC NIOT   | LSF        |      | 29    | 29    | 0      | 0.0%     |
| Dickinson | Soybeans  | NC NIOT   | LSFG       |      | 27    | 26    | -1     | -3.7%    |
| Dickinson | Soybeans  | NC NIOT   | SSFG       |      | 22    | 22    | 0      | 0.0%     |
| Dickinson | Soybeans  | NI        | ALLOTHFDGD |      | 48    | 54    | 6      | 12.5%    |
| Dickinson | Soybeans  | NI        | COMM       |      | 52    | 54    | 2      | 3.8%     |
| Dickinson | Soybeans  | NI        | HP         |      | 48    | 50    | 2      | 4.2%     |
| Dickinson | Soybeans  | NI        | LLA        |      | 48    | 50    | 2      | 4.2%     |
| Dickinson | Soybeans  | NI        | LSF        |      | 48    | 50    | 2      | 4.2%     |
| Dickinson | Soybeans  | NI        | LSFG       |      | 44    | 46    | 2      | 4.5%     |
| Dickinson | Soybeans  | NI        | SSFG       |      | 36    | 38    | 2      | 5.6%     |
| Dickinson | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 34    | 38    | 4      | 11.8%    |
| Dickinson | Soybeans  | NON-IRROC | COMM       |      | 36    | 38    | 2      | 5.6%     |
| Dickinson | Soybeans  | NON-IRROC | HP         |      | 34    | 35    | 1      | 2.9%     |
| Dickinson | Soybeans  | NON-IRROC | LLA        |      | 34    | 35    | 1      | 2.9%     |
| Dickinson | Soybeans  | NON-IRROC | LSF        |      | 34    | 35    | 1      | 2.9%     |
| Dickinson | Soybeans  | NON-IRROC | LSFG       |      | 31    | 32    | 1      | 3.2%     |
| Dickinson | Soybeans  | NON-IRROC | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Dickinson | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 34    | 38    | 4      | 11.8%    |
| Dickinson | Soybeans  | NON-IRROT | COMM       |      | 36    | 38    | 2      | 5.6%     |
| Dickinson | Soybeans  | NON-IRROT | HP         |      | 34    | 35    | 1      | 2.9%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name | Practice   | Type       | 2023 |       | 2024  |  | Change | % Change |
|-----------|-----------|------------|------------|------|-------|-------|--|--------|----------|
|           |           |            |            | Area | Yield | Yield |  |        |          |
| Dickinson | Soybeans  | NON-IRROT  | LLA        |      | 34    | 35    |  | 1      | 2.9%     |
| Dickinson | Soybeans  | NON-IRROT  | LSF        |      | 34    | 35    |  | 1      | 2.9%     |
| Dickinson | Soybeans  | NON-IRROT  | LSFG       |      | 31    | 32    |  | 1      | 3.2%     |
| Dickinson | Soybeans  | NON-IRROT  | SSFG       |      | 25    | 27    |  | 2      | 8.0%     |
| Dickinson | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 42    | 44    |  | 2      | 4.8%     |
| Dickinson | Soybeans  | NONCON IRR | COMM       |      | 45    | 44    |  | -1     | -2.2%    |
| Dickinson | Soybeans  | NONCON IRR | HP         |      | 42    | 41    |  | -1     | -2.4%    |
| Dickinson | Soybeans  | NONCON IRR | LLA        |      | 42    | 41    |  | -1     | -2.4%    |
| Dickinson | Soybeans  | NONCON IRR | LSF        |      | 42    | 41    |  | -1     | -2.4%    |
| Dickinson | Soybeans  | NONCON IRR | LSFG       |      | 38    | 37    |  | -1     | -2.6%    |
| Dickinson | Soybeans  | NONCON IRR | SSFG       |      | 32    | 31    |  | -1     | -3.1%    |
| Dickinson | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 42    | 44    |  | 2      | 4.8%     |
| Dickinson | Soybeans  | NONCON NI  | COMM       |      | 45    | 44    |  | -1     | -2.2%    |
| Dickinson | Soybeans  | NONCON NI  | HP         |      | 42    | 41    |  | -1     | -2.4%    |
| Dickinson | Soybeans  | NONCON NI  | LLA        |      | 42    | 41    |  | -1     | -2.4%    |
| Dickinson | Soybeans  | NONCON NI  | LSF        |      | 42    | 41    |  | -1     | -2.4%    |
| Dickinson | Soybeans  | NONCON NI  | LSFG       |      | 38    | 37    |  | -1     | -2.6%    |
| Dickinson | Soybeans  | NONCON NI  | SSFG       |      | 32    | 31    |  | -1     | -3.1%    |
| Dubuque   | Barley    | IRR OC     | S          |      | 41    | 41    |  | 0      | 0.0%     |
| Dubuque   | Barley    | IRR OT     | S          |      | 41    | 41    |  | 0      | 0.0%     |
| Dubuque   | Barley    | IRRIGATED  | S          |      | 55    | 55    |  | 0      | 0.0%     |
| Dubuque   | Barley    | NON IRR    | S          |      | 55    | 55    |  | 0      | 0.0%     |
| Dubuque   | Barley    | NON-IRROC  | S          |      | 41    | 41    |  | 0      | 0.0%     |
| Dubuque   | Barley    | NON-IRROT  | S          |      | 41    | 41    |  | 0      | 0.0%     |
| Dubuque   | Corn      | I          | GSG        |      | 205   | 205   |  | 0      | 0.0%     |
| Dubuque   | Corn      | I          | GSS        |      | 28.8  | 28.8  |  | 0      | 0.0%     |
| Dubuque   | Corn      | I          | HAMLS      |      | 205   | 205   |  | 0      | 0.0%     |
| Dubuque   | Corn      | I          | WAXY       |      | 205   | 205   |  | 0      | 0.0%     |
| Dubuque   | Corn      | I          | WHITE      |      | 205   | 205   |  | 0      | 0.0%     |
| Dubuque   | Corn      | IRR OC     | GSG        |      | 154   | 154   |  | 0      | 0.0%     |
| Dubuque   | Corn      | IRR OC     | GSS        |      | 21.6  | 21.6  |  | 0      | 0.0%     |
| Dubuque   | Corn      | IRR OC     | HAMLS      |      | 154   | 154   |  | 0      | 0.0%     |
| Dubuque   | Corn      | IRR OC     | WAXY       |      | 154   | 154   |  | 0      | 0.0%     |
| Dubuque   | Corn      | IRR OC     | WHITE      |      | 154   | 154   |  | 0      | 0.0%     |
| Dubuque   | Corn      | IRR OT     | GSG        |      | 154   | 154   |  | 0      | 0.0%     |
| Dubuque   | Corn      | IRR OT     | GSS        |      | 21.6  | 21.6  |  | 0      | 0.0%     |
| Dubuque   | Corn      | IRR OT     | HAMLS      |      | 154   | 154   |  | 0      | 0.0%     |
| Dubuque   | Corn      | IRR OT     | WAXY       |      | 154   | 154   |  | 0      | 0.0%     |
| Dubuque   | Corn      | IRR OT     | WHITE      |      | 154   | 154   |  | 0      | 0.0%     |
| Dubuque   | Corn      | NI         | GSG        |      | 198   | 198   |  | 0      | 0.0%     |
| Dubuque   | Corn      | NI         | GSS        |      | 28.8  | 28.8  |  | 0      | 0.0%     |
| Dubuque   | Corn      | NI         | HAMLS      |      | 198   | 198   |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|         |           |           |            | Area | Yield | Yield |  |        |          |
| Dubuque | Corn      | NI        | WAXY       |      | 198   | 198   |  | 0      | 0.0%     |
| Dubuque | Corn      | NI        | WHITE      |      | 198   | 198   |  | 0      | 0.0%     |
| Dubuque | Corn      | NON-IRROC | GSG        |      | 149   | 149   |  | 0      | 0.0%     |
| Dubuque | Corn      | NON-IRROC | GSS        |      | 21.6  | 21.6  |  | 0      | 0.0%     |
| Dubuque | Corn      | NON-IRROC | HAMLS      |      | 149   | 149   |  | 0      | 0.0%     |
| Dubuque | Corn      | NON-IRROC | WAXY       |      | 149   | 149   |  | 0      | 0.0%     |
| Dubuque | Corn      | NON-IRROC | WHITE      |      | 149   | 149   |  | 0      | 0.0%     |
| Dubuque | Corn      | NON-IRROT | GSG        |      | 149   | 149   |  | 0      | 0.0%     |
| Dubuque | Corn      | NON-IRROT | GSS        |      | 21.6  | 21.6  |  | 0      | 0.0%     |
| Dubuque | Corn      | NON-IRROT | HAMLS      |      | 149   | 149   |  | 0      | 0.0%     |
| Dubuque | Corn      | NON-IRROT | WAXY       |      | 149   | 149   |  | 0      | 0.0%     |
| Dubuque | Corn      | NON-IRROT | WHITE      |      | 149   | 149   |  | 0      | 0.0%     |
| Dubuque | Oats      | I         | S          |      | 75    | 72    |  | -3     | -4.0%    |
| Dubuque | Oats      | IRR OC    | S          |      | 75    | 65    |  | -10    | -13.3%   |
| Dubuque | Oats      | IRR OT    | S          |      | 75    | 65    |  | -10    | -13.3%   |
| Dubuque | Oats      | NI        | S          |      | 75    | 72    |  | -3     | -4.0%    |
| Dubuque | Oats      | NON-IRROC | S          |      | 75    | 65    |  | -10    | -13.3%   |
| Dubuque | Oats      | NON-IRROT | S          |      | 75    | 65    |  | -10    | -13.3%   |
| Dubuque | Soybeans  | I         | ALLOTHFDGD |      | 55    | 62    |  | 7      | 12.7%    |
| Dubuque | Soybeans  | I         | COMM       |      | 59    | 62    |  | 3      | 5.1%     |
| Dubuque | Soybeans  | I         | HP         |      | 55    | 57    |  | 2      | 3.6%     |
| Dubuque | Soybeans  | I         | LLA        |      | 55    | 57    |  | 2      | 3.6%     |
| Dubuque | Soybeans  | I         | LSF        |      | 55    | 57    |  | 2      | 3.6%     |
| Dubuque | Soybeans  | I         | LSFG       |      | 50    | 53    |  | 3      | 6.0%     |
| Dubuque | Soybeans  | I         | SSFG       |      | 41    | 43    |  | 2      | 4.9%     |
| Dubuque | Soybeans  | IRR OC    | ALLOTHFDGD |      | 39    | 43    |  | 4      | 10.3%    |
| Dubuque | Soybeans  | IRR OC    | COMM       |      | 41    | 43    |  | 2      | 4.9%     |
| Dubuque | Soybeans  | IRR OC    | HP         |      | 39    | 40    |  | 1      | 2.6%     |
| Dubuque | Soybeans  | IRR OC    | LLA        |      | 39    | 40    |  | 1      | 2.6%     |
| Dubuque | Soybeans  | IRR OC    | LSF        |      | 39    | 40    |  | 1      | 2.6%     |
| Dubuque | Soybeans  | IRR OC    | LSFG       |      | 35    | 37    |  | 2      | 5.7%     |
| Dubuque | Soybeans  | IRR OC    | SSFG       |      | 29    | 30    |  | 1      | 3.4%     |
| Dubuque | Soybeans  | IRR OT    | ALLOTHFDGD |      | 39    | 43    |  | 4      | 10.3%    |
| Dubuque | Soybeans  | IRR OT    | COMM       |      | 41    | 43    |  | 2      | 4.9%     |
| Dubuque | Soybeans  | IRR OT    | HP         |      | 39    | 40    |  | 1      | 2.6%     |
| Dubuque | Soybeans  | IRR OT    | LLA        |      | 39    | 40    |  | 1      | 2.6%     |
| Dubuque | Soybeans  | IRR OT    | LSF        |      | 39    | 40    |  | 1      | 2.6%     |
| Dubuque | Soybeans  | IRR OT    | LSFG       |      | 35    | 37    |  | 2      | 5.7%     |
| Dubuque | Soybeans  | IRR OT    | SSFG       |      | 29    | 30    |  | 1      | 3.4%     |
| Dubuque | Soybeans  | NI        | ALLOTHFDGD |      | 55    | 62    |  | 7      | 12.7%    |
| Dubuque | Soybeans  | NI        | COMM       |      | 59    | 62    |  | 3      | 5.1%     |
| Dubuque | Soybeans  | NI        | HP         |      | 55    | 57    |  | 2      | 3.6%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County             | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|                    |           |           |            |      | Yield | Yield |        |          |
| Dubuque            | Soybeans  | NI        | LLA        |      | 55    | 57    | 2      | 3.6%     |
| Dubuque            | Soybeans  | NI        | LSF        |      | 55    | 57    | 2      | 3.6%     |
| Dubuque            | Soybeans  | NI        | LSFG       |      | 50    | 53    | 3      | 6.0%     |
| Dubuque            | Soybeans  | NI        | SSFG       |      | 41    | 43    | 2      | 4.9%     |
| Dubuque            | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Dubuque            | Soybeans  | NON-IRROC | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Dubuque            | Soybeans  | NON-IRROC | HP         |      | 39    | 40    | 1      | 2.6%     |
| Dubuque            | Soybeans  | NON-IRROC | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Dubuque            | Soybeans  | NON-IRROC | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Dubuque            | Soybeans  | NON-IRROC | LSFG       |      | 35    | 37    | 2      | 5.7%     |
| Dubuque            | Soybeans  | NON-IRROC | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Dubuque            | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Dubuque            | Soybeans  | NON-IRROT | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Dubuque            | Soybeans  | NON-IRROT | HP         |      | 39    | 40    | 1      | 2.6%     |
| Dubuque            | Soybeans  | NON-IRROT | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Dubuque            | Soybeans  | NON-IRROT | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Dubuque            | Soybeans  | NON-IRROT | LSFG       |      | 35    | 37    | 2      | 5.7%     |
| Dubuque            | Soybeans  | NON-IRROT | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Dubuque            | Wheat     | I         | S          |      | 33    | 33    | 0      | 0.0%     |
| Dubuque            | Wheat     | IRR OC    | S          |      | 21    | 21    | 0      | 0.0%     |
| Dubuque            | Wheat     | IRR OT    | S          |      | 21    | 21    | 0      | 0.0%     |
| Dubuque            | Wheat     | NI        | S          |      | 33    | 33    | 0      | 0.0%     |
| Dubuque            | Wheat     | NON-IRROC | S          |      | 21    | 21    | 0      | 0.0%     |
| Dubuque            | Wheat     | NON-IRROT | S          |      | 21    | 21    | 0      | 0.0%     |
| East Pottawattamie | Corn      | I         | GSG        |      | 190   | 190   | 0      | 0.0%     |
| East Pottawattamie | Corn      | I         | HAMLS      |      | 190   | 190   | 0      | 0.0%     |
| East Pottawattamie | Corn      | I         | HAMOS      |      | 133   | 133   | 0      | 0.0%     |
| East Pottawattamie | Corn      | I         | WAXY       |      | 190   | 190   | 0      | 0.0%     |
| East Pottawattamie | Corn      | I         | WHITE      |      | 190   | 190   | 0      | 0.0%     |
| East Pottawattamie | Corn      | IRR OC    | GSG        |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | IRR OC    | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | IRR OC    | HAMOS      |      | 100   | 100   | 0      | 0.0%     |
| East Pottawattamie | Corn      | IRR OC    | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | IRR OC    | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | IRR OT    | GSG        |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | IRR OT    | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | IRR OT    | HAMOS      |      | 100   | 100   | 0      | 0.0%     |
| East Pottawattamie | Corn      | IRR OT    | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | IRR OT    | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NI        | GSG        |      | 190   | 190   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NI        | HAMLS      |      | 190   | 190   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NI        | HAMOS      |      | 133   | 133   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County             | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|                    |           |           |            |      | Yield | Yield |        |          |
| East Pottawattamie | Corn      | NI        | WAXY       |      | 190   | 190   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NI        | WHITE      |      | 190   | 190   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NON-IRROC | GSG        |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NON-IRROC | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NON-IRROC | HAMOS      |      | 100   | 100   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NON-IRROC | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NON-IRROC | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NON-IRROT | GSG        |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NON-IRROT | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NON-IRROT | HAMOS      |      | 100   | 100   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NON-IRROT | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Corn      | NON-IRROT | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| East Pottawattamie | Oats      | I         | S          |      | 79    | 76    | -3     | -3.8%    |
| East Pottawattamie | Oats      | IRR OC    | S          |      | 79    | 68    | -11    | -13.9%   |
| East Pottawattamie | Oats      | IRR OT    | S          |      | 79    | 68    | -11    | -13.9%   |
| East Pottawattamie | Oats      | NI        | S          |      | 79    | 76    | -3     | -3.8%    |
| East Pottawattamie | Oats      | NON-IRROC | S          |      | 79    | 68    | -11    | -13.9%   |
| East Pottawattamie | Oats      | NON-IRROT | S          |      | 79    | 68    | -11    | -13.9%   |
| East Pottawattamie | Popcorn   | I         | NTS        |      | 5398  | 5398  | 0      | 0.0%     |
| East Pottawattamie | Popcorn   | IRR OC    | NTS        |      | 3779  | 3779  | 0      | 0.0%     |
| East Pottawattamie | Popcorn   | IRR OT    | NTS        |      | 3779  | 3779  | 0      | 0.0%     |
| East Pottawattamie | Popcorn   | NI        | NTS        |      | 4508  | 4508  | 0      | 0.0%     |
| East Pottawattamie | Popcorn   | NON-IRROC | NTS        |      | 3156  | 3156  | 0      | 0.0%     |
| East Pottawattamie | Popcorn   | NON-IRROT | NTS        |      | 3156  | 3156  | 0      | 0.0%     |
| East Pottawattamie | Soybeans  | I         | ALLOTHFDGD |      | 50    | 57    | 7      | 14.0%    |
| East Pottawattamie | Soybeans  | I         | COMM       |      | 54    | 57    | 3      | 5.6%     |
| East Pottawattamie | Soybeans  | I         | HP         |      | 50    | 53    | 3      | 6.0%     |
| East Pottawattamie | Soybeans  | I         | LLA        |      | 50    | 53    | 3      | 6.0%     |
| East Pottawattamie | Soybeans  | I         | LSF        |      | 50    | 53    | 3      | 6.0%     |
| East Pottawattamie | Soybeans  | I         | LSFG       |      | 46    | 48    | 2      | 4.3%     |
| East Pottawattamie | Soybeans  | I         | SSFG       |      | 38    | 40    | 2      | 5.3%     |
| East Pottawattamie | Soybeans  | IRR OC    | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| East Pottawattamie | Soybeans  | IRR OC    | COMM       |      | 38    | 40    | 2      | 5.3%     |
| East Pottawattamie | Soybeans  | IRR OC    | HP         |      | 35    | 37    | 2      | 5.7%     |
| East Pottawattamie | Soybeans  | IRR OC    | LLA        |      | 35    | 37    | 2      | 5.7%     |
| East Pottawattamie | Soybeans  | IRR OC    | LSF        |      | 35    | 37    | 2      | 5.7%     |
| East Pottawattamie | Soybeans  | IRR OC    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| East Pottawattamie | Soybeans  | IRR OC    | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| East Pottawattamie | Soybeans  | IRR OT    | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| East Pottawattamie | Soybeans  | IRR OT    | COMM       |      | 38    | 40    | 2      | 5.3%     |
| East Pottawattamie | Soybeans  | IRR OT    | HP         |      | 35    | 37    | 2      | 5.7%     |
| East Pottawattamie | Soybeans  | IRR OT    | LLA        |      | 35    | 37    | 2      | 5.7%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County             | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|                    |           |           |            |      | Yield | Yield |        |          |
| East Pottawattamie | Soybeans  | IRR OT    | LSF        |      | 35    | 37    | 2      | 5.7%     |
| East Pottawattamie | Soybeans  | IRR OT    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| East Pottawattamie | Soybeans  | IRR OT    | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| East Pottawattamie | Soybeans  | NI        | ALLOTHFDGD |      | 50    | 57    | 7      | 14.0%    |
| East Pottawattamie | Soybeans  | NI        | COMM       |      | 54    | 57    | 3      | 5.6%     |
| East Pottawattamie | Soybeans  | NI        | HP         |      | 50    | 53    | 3      | 6.0%     |
| East Pottawattamie | Soybeans  | NI        | LLA        |      | 50    | 53    | 3      | 6.0%     |
| East Pottawattamie | Soybeans  | NI        | LSF        |      | 50    | 53    | 3      | 6.0%     |
| East Pottawattamie | Soybeans  | NI        | LSFG       |      | 46    | 48    | 2      | 4.3%     |
| East Pottawattamie | Soybeans  | NI        | SSFG       |      | 38    | 40    | 2      | 5.3%     |
| East Pottawattamie | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| East Pottawattamie | Soybeans  | NON-IRROC | COMM       |      | 38    | 40    | 2      | 5.3%     |
| East Pottawattamie | Soybeans  | NON-IRROC | HP         |      | 35    | 37    | 2      | 5.7%     |
| East Pottawattamie | Soybeans  | NON-IRROC | LLA        |      | 35    | 37    | 2      | 5.7%     |
| East Pottawattamie | Soybeans  | NON-IRROC | LSF        |      | 35    | 37    | 2      | 5.7%     |
| East Pottawattamie | Soybeans  | NON-IRROC | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| East Pottawattamie | Soybeans  | NON-IRROC | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| East Pottawattamie | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| East Pottawattamie | Soybeans  | NON-IRROT | COMM       |      | 38    | 40    | 2      | 5.3%     |
| East Pottawattamie | Soybeans  | NON-IRROT | HP         |      | 35    | 37    | 2      | 5.7%     |
| East Pottawattamie | Soybeans  | NON-IRROT | LLA        |      | 35    | 37    | 2      | 5.7%     |
| East Pottawattamie | Soybeans  | NON-IRROT | LSF        |      | 35    | 37    | 2      | 5.7%     |
| East Pottawattamie | Soybeans  | NON-IRROT | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| East Pottawattamie | Soybeans  | NON-IRROT | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Emmet              | Corn      | I         | GSG        |      | 186   | 186   | 0      | 0.0%     |
| Emmet              | Corn      | I         | HAMLS      |      | 186   | 186   | 0      | 0.0%     |
| Emmet              | Corn      | I         | WAXY       |      | 186   | 186   | 0      | 0.0%     |
| Emmet              | Corn      | I         | WHITE      |      | 186   | 186   | 0      | 0.0%     |
| Emmet              | Corn      | IRR OC    | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Emmet              | Corn      | IRR OC    | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Emmet              | Corn      | IRR OC    | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Emmet              | Corn      | IRR OC    | WHITE      |      | 140   | 140   | 0      | 0.0%     |
| Emmet              | Corn      | IRR OT    | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Emmet              | Corn      | IRR OT    | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Emmet              | Corn      | IRR OT    | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Emmet              | Corn      | IRR OT    | WHITE      |      | 140   | 140   | 0      | 0.0%     |
| Emmet              | Corn      | NI        | GSG        |      | 186   | 186   | 0      | 0.0%     |
| Emmet              | Corn      | NI        | HAMLS      |      | 186   | 186   | 0      | 0.0%     |
| Emmet              | Corn      | NI        | WAXY       |      | 186   | 186   | 0      | 0.0%     |
| Emmet              | Corn      | NI        | WHITE      |      | 186   | 186   | 0      | 0.0%     |
| Emmet              | Corn      | NON-IRROC | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Emmet              | Corn      | NON-IRROC | HAMLS      |      | 140   | 140   | 0      | 0.0%     |



## Iowa

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Emmet  | Corn      | NON-IRROC | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Emmet  | Corn      | NON-IRROC | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Emmet  | Corn      | NON-IRROT | GSG        |      | 140   | 140   |  | 0      | 0.0%     |
| Emmet  | Corn      | NON-IRROT | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Emmet  | Corn      | NON-IRROT | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Emmet  | Corn      | NON-IRROT | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Emmet  | Oats      | I         | S          |      | 79    | 71    |  | -8     | -10.1%   |
| Emmet  | Oats      | IRR OC    | S          |      | 79    | 64    |  | -15    | -19.0%   |
| Emmet  | Oats      | IRR OT    | S          |      | 79    | 64    |  | -15    | -19.0%   |
| Emmet  | Oats      | NI        | S          |      | 77    | 71    |  | -6     | -7.8%    |
| Emmet  | Oats      | NON-IRROC | S          |      | 77    | 64    |  | -13    | -16.9%   |
| Emmet  | Oats      | NON-IRROT | S          |      | 77    | 64    |  | -13    | -16.9%   |
| Emmet  | Popcorn   | I         | NTS        |      | 4910  | 4910  |  | 0      | 0.0%     |
| Emmet  | Popcorn   | IRR OC    | NTS        |      | 3437  | 3437  |  | 0      | 0.0%     |
| Emmet  | Popcorn   | IRR OT    | NTS        |      | 3437  | 3437  |  | 0      | 0.0%     |
| Emmet  | Popcorn   | NI        | NTS        |      | 4910  | 4910  |  | 0      | 0.0%     |
| Emmet  | Popcorn   | NON-IRROC | NTS        |      | 3437  | 3437  |  | 0      | 0.0%     |
| Emmet  | Popcorn   | NON-IRROT | NTS        |      | 3437  | 3437  |  | 0      | 0.0%     |
| Emmet  | Soybeans  | I         | ALLOTHFDGD |      | 48    | 55    |  | 7      | 14.6%    |
| Emmet  | Soybeans  | I         | COMM       |      | 52    | 55    |  | 3      | 5.8%     |
| Emmet  | Soybeans  | I         | HP         |      | 48    | 51    |  | 3      | 6.3%     |
| Emmet  | Soybeans  | I         | LLA        |      | 48    | 51    |  | 3      | 6.3%     |
| Emmet  | Soybeans  | I         | LSF        |      | 48    | 51    |  | 3      | 6.3%     |
| Emmet  | Soybeans  | I         | LSFG       |      | 44    | 47    |  | 3      | 6.8%     |
| Emmet  | Soybeans  | I         | SSFG       |      | 36    | 39    |  | 3      | 8.3%     |
| Emmet  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Emmet  | Soybeans  | IRR OC    | COMM       |      | 36    | 39    |  | 3      | 8.3%     |
| Emmet  | Soybeans  | IRR OC    | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Emmet  | Soybeans  | IRR OC    | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Emmet  | Soybeans  | IRR OC    | LSF        |      | 34    | 36    |  | 2      | 5.9%     |
| Emmet  | Soybeans  | IRR OC    | LSFG       |      | 31    | 33    |  | 2      | 6.5%     |
| Emmet  | Soybeans  | IRR OC    | SSFG       |      | 25    | 27    |  | 2      | 8.0%     |
| Emmet  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Emmet  | Soybeans  | IRR OT    | COMM       |      | 36    | 39    |  | 3      | 8.3%     |
| Emmet  | Soybeans  | IRR OT    | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Emmet  | Soybeans  | IRR OT    | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Emmet  | Soybeans  | IRR OT    | LSF        |      | 34    | 36    |  | 2      | 5.9%     |
| Emmet  | Soybeans  | IRR OT    | LSFG       |      | 31    | 33    |  | 2      | 6.5%     |
| Emmet  | Soybeans  | IRR OT    | SSFG       |      | 25    | 27    |  | 2      | 8.0%     |
| Emmet  | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 34    | 41    |  | 7      | 20.6%    |
| Emmet  | Soybeans  | NC IRROC  | COMM       |      | 36    | 41    |  | 5      | 13.9%    |
| Emmet  | Soybeans  | NC IRROC  | HP         |      | 34    | 38    |  | 4      | 11.8%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|------------|------------|------|-------|-------|--------|----------|
|        |           |            |            |      | Yield | Yield |        |          |
| Emmet  | Soybeans  | NC IRROC   | LLA        |      | 34    | 38    | 4      | 11.8%    |
| Emmet  | Soybeans  | NC IRROC   | LSF        |      | 34    | 38    | 4      | 11.8%    |
| Emmet  | Soybeans  | NC IRROC   | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Emmet  | Soybeans  | NC IRROC   | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Emmet  | Soybeans  | NC IRRROT  | ALLOTHFDGD |      | 34    | 41    | 7      | 20.6%    |
| Emmet  | Soybeans  | NC IRRROT  | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Emmet  | Soybeans  | NC IRRROT  | HP         |      | 34    | 38    | 4      | 11.8%    |
| Emmet  | Soybeans  | NC IRRROT  | LLA        |      | 34    | 38    | 4      | 11.8%    |
| Emmet  | Soybeans  | NC IRRROT  | LSF        |      | 34    | 38    | 4      | 11.8%    |
| Emmet  | Soybeans  | NC IRRROT  | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Emmet  | Soybeans  | NC IRRROT  | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Emmet  | Soybeans  | NC NIOC    | ALLOTHFDGD |      | 34    | 41    | 7      | 20.6%    |
| Emmet  | Soybeans  | NC NIOC    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Emmet  | Soybeans  | NC NIOC    | HP         |      | 34    | 38    | 4      | 11.8%    |
| Emmet  | Soybeans  | NC NIOC    | LLA        |      | 34    | 38    | 4      | 11.8%    |
| Emmet  | Soybeans  | NC NIOC    | LSF        |      | 34    | 38    | 4      | 11.8%    |
| Emmet  | Soybeans  | NC NIOC    | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Emmet  | Soybeans  | NC NIOC    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Emmet  | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 34    | 41    | 7      | 20.6%    |
| Emmet  | Soybeans  | NC NIOT    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Emmet  | Soybeans  | NC NIOT    | HP         |      | 34    | 38    | 4      | 11.8%    |
| Emmet  | Soybeans  | NC NIOT    | LLA        |      | 34    | 38    | 4      | 11.8%    |
| Emmet  | Soybeans  | NC NIOT    | LSF        |      | 34    | 38    | 4      | 11.8%    |
| Emmet  | Soybeans  | NC NIOT    | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Emmet  | Soybeans  | NC NIOT    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Emmet  | Soybeans  | NI         | ALLOTHFDGD |      | 48    | 55    | 7      | 14.6%    |
| Emmet  | Soybeans  | NI         | COMM       |      | 52    | 55    | 3      | 5.8%     |
| Emmet  | Soybeans  | NI         | HP         |      | 48    | 51    | 3      | 6.3%     |
| Emmet  | Soybeans  | NI         | LLA        |      | 48    | 51    | 3      | 6.3%     |
| Emmet  | Soybeans  | NI         | LSF        |      | 48    | 51    | 3      | 6.3%     |
| Emmet  | Soybeans  | NI         | LSFG       |      | 44    | 47    | 3      | 6.8%     |
| Emmet  | Soybeans  | NI         | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Emmet  | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Emmet  | Soybeans  | NON-IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Emmet  | Soybeans  | NON-IRROC  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Emmet  | Soybeans  | NON-IRROC  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Emmet  | Soybeans  | NON-IRROC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Emmet  | Soybeans  | NON-IRROC  | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Emmet  | Soybeans  | NON-IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Emmet  | Soybeans  | NON-IRRROT | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Emmet  | Soybeans  | NON-IRRROT | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Emmet  | Soybeans  | NON-IRRROT | HP         |      | 34    | 36    | 2      | 5.9%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|------------|------------|------|-------|-------|--------|----------|
|         |           |            |            |      | Yield | Yield |        |          |
| Emmet   | Soybeans  | NON-IRROT  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Emmet   | Soybeans  | NON-IRROT  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Emmet   | Soybeans  | NON-IRROT  | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Emmet   | Soybeans  | NON-IRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Emmet   | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 48    | 58    | 10     | 20.8%    |
| Emmet   | Soybeans  | NONCON IRR | COMM       |      | 52    | 58    | 6      | 11.5%    |
| Emmet   | Soybeans  | NONCON IRR | HP         |      | 48    | 54    | 6      | 12.5%    |
| Emmet   | Soybeans  | NONCON IRR | LLA        |      | 48    | 54    | 6      | 12.5%    |
| Emmet   | Soybeans  | NONCON IRR | LSF        |      | 48    | 54    | 6      | 12.5%    |
| Emmet   | Soybeans  | NONCON IRR | LSFG       |      | 44    | 49    | 5      | 11.4%    |
| Emmet   | Soybeans  | NONCON IRR | SSFG       |      | 36    | 41    | 5      | 13.9%    |
| Emmet   | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 48    | 58    | 10     | 20.8%    |
| Emmet   | Soybeans  | NONCON NI  | COMM       |      | 52    | 58    | 6      | 11.5%    |
| Emmet   | Soybeans  | NONCON NI  | HP         |      | 48    | 54    | 6      | 12.5%    |
| Emmet   | Soybeans  | NONCON NI  | LLA        |      | 48    | 54    | 6      | 12.5%    |
| Emmet   | Soybeans  | NONCON NI  | LSF        |      | 48    | 54    | 6      | 12.5%    |
| Emmet   | Soybeans  | NONCON NI  | LSFG       |      | 44    | 49    | 5      | 11.4%    |
| Emmet   | Soybeans  | NONCON NI  | SSFG       |      | 36    | 41    | 5      | 13.9%    |
| Emmet   | Wheat     | I          | S          |      | 33    | 40    | 7      | 21.2%    |
| Emmet   | Wheat     | IRR OC     | S          |      | 21    | 26    | 5      | 23.8%    |
| Emmet   | Wheat     | IRR OT     | S          |      | 21    | 26    | 5      | 23.8%    |
| Emmet   | Wheat     | NI         | S          |      | 33    | 40    | 7      | 21.2%    |
| Emmet   | Wheat     | NON-IRROC  | S          |      | 21    | 26    | 5      | 23.8%    |
| Emmet   | Wheat     | NON-IRROT  | S          |      | 21    | 26    | 5      | 23.8%    |
| Fayette | Barley    | IRR OC     | S          |      | 42    | 42    | 0      | 0.0%     |
| Fayette | Barley    | IRR OT     | S          |      | 42    | 42    | 0      | 0.0%     |
| Fayette | Barley    | IRRIGATED  | S          |      | 56    | 56    | 0      | 0.0%     |
| Fayette | Barley    | NON IRR    | S          |      | 56    | 56    | 0      | 0.0%     |
| Fayette | Barley    | NON-IRROC  | S          |      | 42    | 42    | 0      | 0.0%     |
| Fayette | Barley    | NON-IRROT  | S          |      | 42    | 42    | 0      | 0.0%     |
| Fayette | Corn      | I          | GSG        |      | 197   | 197   | 0      | 0.0%     |
| Fayette | Corn      | I          | GSS        |      | 30.5  | 30.5  | 0      | 0.0%     |
| Fayette | Corn      | I          | HAMLS      |      | 197   | 197   | 0      | 0.0%     |
| Fayette | Corn      | I          | WAXY       |      | 197   | 197   | 0      | 0.0%     |
| Fayette | Corn      | I          | WHITE      |      | 197   | 197   | 0      | 0.0%     |
| Fayette | Corn      | IRR OC     | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Fayette | Corn      | IRR OC     | GSS        |      | 22.9  | 22.9  | 0      | 0.0%     |
| Fayette | Corn      | IRR OC     | HAMLS      |      | 148   | 148   | 0      | 0.0%     |
| Fayette | Corn      | IRR OC     | WAXY       |      | 148   | 148   | 0      | 0.0%     |
| Fayette | Corn      | IRR OC     | WHITE      |      | 148   | 148   | 0      | 0.0%     |
| Fayette | Corn      | IRR OT     | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Fayette | Corn      | IRR OT     | GSS        |      | 22.9  | 22.9  | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|         |           |           |            | Area | Yield | Yield |  |        |          |
| Fayette | Corn      | IRR OT    | HAMLS      |      | 148   | 148   |  | 0      | 0.0%     |
| Fayette | Corn      | IRR OT    | WAXY       |      | 148   | 148   |  | 0      | 0.0%     |
| Fayette | Corn      | IRR OT    | WHITE      |      | 148   | 148   |  | 0      | 0.0%     |
| Fayette | Corn      | NI        | GSG        |      | 192   | 192   |  | 0      | 0.0%     |
| Fayette | Corn      | NI        | GSS        |      | 30.5  | 30.5  |  | 0      | 0.0%     |
| Fayette | Corn      | NI        | HAMLS      |      | 192   | 192   |  | 0      | 0.0%     |
| Fayette | Corn      | NI        | WAXY       |      | 192   | 192   |  | 0      | 0.0%     |
| Fayette | Corn      | NI        | WHITE      |      | 192   | 192   |  | 0      | 0.0%     |
| Fayette | Corn      | NON-IRROC | GSG        |      | 144   | 144   |  | 0      | 0.0%     |
| Fayette | Corn      | NON-IRROC | GSS        |      | 22.9  | 22.9  |  | 0      | 0.0%     |
| Fayette | Corn      | NON-IRROC | HAMLS      |      | 144   | 144   |  | 0      | 0.0%     |
| Fayette | Corn      | NON-IRROC | WAXY       |      | 144   | 144   |  | 0      | 0.0%     |
| Fayette | Corn      | NON-IRROC | WHITE      |      | 144   | 144   |  | 0      | 0.0%     |
| Fayette | Corn      | NON-IRROT | GSG        |      | 144   | 144   |  | 0      | 0.0%     |
| Fayette | Corn      | NON-IRROT | GSS        |      | 22.9  | 22.9  |  | 0      | 0.0%     |
| Fayette | Corn      | NON-IRROT | HAMLS      |      | 144   | 144   |  | 0      | 0.0%     |
| Fayette | Corn      | NON-IRROT | WAXY       |      | 144   | 144   |  | 0      | 0.0%     |
| Fayette | Corn      | NON-IRROT | WHITE      |      | 144   | 144   |  | 0      | 0.0%     |
| Fayette | Oats      | I         | S          |      | 72    | 71    |  | -1     | -1.4%    |
| Fayette | Oats      | IRR OC    | S          |      | 72    | 64    |  | -8     | -11.1%   |
| Fayette | Oats      | IRR OT    | S          |      | 72    | 64    |  | -8     | -11.1%   |
| Fayette | Oats      | NI        | S          |      | 72    | 71    |  | -1     | -1.4%    |
| Fayette | Oats      | NON-IRROC | S          |      | 72    | 64    |  | -8     | -11.1%   |
| Fayette | Oats      | NON-IRROT | S          |      | 72    | 64    |  | -8     | -11.1%   |
| Fayette | Soybeans  | I         | ALLOTHFDGD |      | 51    | 58    |  | 7      | 13.7%    |
| Fayette | Soybeans  | I         | COMM       |      | 55    | 58    |  | 3      | 5.5%     |
| Fayette | Soybeans  | I         | HP         |      | 51    | 54    |  | 3      | 5.9%     |
| Fayette | Soybeans  | I         | LLA        |      | 51    | 54    |  | 3      | 5.9%     |
| Fayette | Soybeans  | I         | LSF        |      | 51    | 54    |  | 3      | 5.9%     |
| Fayette | Soybeans  | I         | LSFG       |      | 47    | 49    |  | 2      | 4.3%     |
| Fayette | Soybeans  | I         | SSFG       |      | 39    | 41    |  | 2      | 5.1%     |
| Fayette | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 41    |  | 5      | 13.9%    |
| Fayette | Soybeans  | IRR OC    | COMM       |      | 39    | 41    |  | 2      | 5.1%     |
| Fayette | Soybeans  | IRR OC    | HP         |      | 36    | 38    |  | 2      | 5.6%     |
| Fayette | Soybeans  | IRR OC    | LLA        |      | 36    | 38    |  | 2      | 5.6%     |
| Fayette | Soybeans  | IRR OC    | LSF        |      | 36    | 38    |  | 2      | 5.6%     |
| Fayette | Soybeans  | IRR OC    | LSFG       |      | 33    | 34    |  | 1      | 3.0%     |
| Fayette | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Fayette | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 41    |  | 5      | 13.9%    |
| Fayette | Soybeans  | IRR OT    | COMM       |      | 39    | 41    |  | 2      | 5.1%     |
| Fayette | Soybeans  | IRR OT    | HP         |      | 36    | 38    |  | 2      | 5.6%     |
| Fayette | Soybeans  | IRR OT    | LLA        |      | 36    | 38    |  | 2      | 5.6%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Fayette | Soybeans  | IRR OT    | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Fayette | Soybeans  | IRR OT    | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Fayette | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Fayette | Soybeans  | NI        | ALLOTHFDGD |      | 51    | 58    | 7      | 13.7%    |
| Fayette | Soybeans  | NI        | COMM       |      | 55    | 58    | 3      | 5.5%     |
| Fayette | Soybeans  | NI        | HP         |      | 51    | 54    | 3      | 5.9%     |
| Fayette | Soybeans  | NI        | LLA        |      | 51    | 54    | 3      | 5.9%     |
| Fayette | Soybeans  | NI        | LSF        |      | 51    | 54    | 3      | 5.9%     |
| Fayette | Soybeans  | NI        | LSFG       |      | 47    | 49    | 2      | 4.3%     |
| Fayette | Soybeans  | NI        | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Fayette | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Fayette | Soybeans  | NON-IRROC | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Fayette | Soybeans  | NON-IRROC | HP         |      | 36    | 38    | 2      | 5.6%     |
| Fayette | Soybeans  | NON-IRROC | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Fayette | Soybeans  | NON-IRROC | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Fayette | Soybeans  | NON-IRROC | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Fayette | Soybeans  | NON-IRROC | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Fayette | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Fayette | Soybeans  | NON-IRROT | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Fayette | Soybeans  | NON-IRROT | HP         |      | 36    | 38    | 2      | 5.6%     |
| Fayette | Soybeans  | NON-IRROT | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Fayette | Soybeans  | NON-IRROT | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Fayette | Soybeans  | NON-IRROT | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Fayette | Soybeans  | NON-IRROT | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Fayette | Wheat     | I         | S          |      | 31    | 31    | 0      | 0.0%     |
| Fayette | Wheat     | IRR OC    | S          |      | 20    | 20    | 0      | 0.0%     |
| Fayette | Wheat     | IRR OT    | S          |      | 20    | 20    | 0      | 0.0%     |
| Fayette | Wheat     | NI        | S          |      | 31    | 31    | 0      | 0.0%     |
| Fayette | Wheat     | NON-IRROC | S          |      | 20    | 20    | 0      | 0.0%     |
| Fayette | Wheat     | NON-IRROT | S          |      | 20    | 20    | 0      | 0.0%     |
| Floyd   | Corn      | I         | GSG        |      | 197   | 197   | 0      | 0.0%     |
| Floyd   | Corn      | I         | HAMLS      |      | 197   | 197   | 0      | 0.0%     |
| Floyd   | Corn      | I         | WAXY       |      | 197   | 197   | 0      | 0.0%     |
| Floyd   | Corn      | I         | WHITE      |      | 197   | 197   | 0      | 0.0%     |
| Floyd   | Corn      | IRR OC    | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Floyd   | Corn      | IRR OC    | HAMLS      |      | 148   | 148   | 0      | 0.0%     |
| Floyd   | Corn      | IRR OC    | WAXY       |      | 148   | 148   | 0      | 0.0%     |
| Floyd   | Corn      | IRR OC    | WHITE      |      | 148   | 148   | 0      | 0.0%     |
| Floyd   | Corn      | IRR OT    | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Floyd   | Corn      | IRR OT    | HAMLS      |      | 148   | 148   | 0      | 0.0%     |
| Floyd   | Corn      | IRR OT    | WAXY       |      | 148   | 148   | 0      | 0.0%     |
| Floyd   | Corn      | IRR OT    | WHITE      |      | 148   | 148   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Floyd  | Corn      | NI        | GSG        |      | 184   | 184   | 0      | 0.0%     |
| Floyd  | Corn      | NI        | HAMLS      |      | 184   | 184   | 0      | 0.0%     |
| Floyd  | Corn      | NI        | WAXY       |      | 184   | 184   | 0      | 0.0%     |
| Floyd  | Corn      | NI        | WHITE      |      | 184   | 184   | 0      | 0.0%     |
| Floyd  | Corn      | NON-IRROC | GSG        |      | 138   | 138   | 0      | 0.0%     |
| Floyd  | Corn      | NON-IRROC | HAMLS      |      | 138   | 138   | 0      | 0.0%     |
| Floyd  | Corn      | NON-IRROC | WAXY       |      | 138   | 138   | 0      | 0.0%     |
| Floyd  | Corn      | NON-IRROC | WHITE      |      | 138   | 138   | 0      | 0.0%     |
| Floyd  | Corn      | NON-IRROT | GSG        |      | 138   | 138   | 0      | 0.0%     |
| Floyd  | Corn      | NON-IRROT | HAMLS      |      | 138   | 138   | 0      | 0.0%     |
| Floyd  | Corn      | NON-IRROT | WAXY       |      | 138   | 138   | 0      | 0.0%     |
| Floyd  | Corn      | NON-IRROT | WHITE      |      | 138   | 138   | 0      | 0.0%     |
| Floyd  | Oats      | I         | S          |      | 73    | 72    | -1     | -1.4%    |
| Floyd  | Oats      | IRR OC    | S          |      | 73    | 65    | -8     | -11.0%   |
| Floyd  | Oats      | IRR OT    | S          |      | 73    | 65    | -8     | -11.0%   |
| Floyd  | Oats      | NI        | S          |      | 73    | 72    | -1     | -1.4%    |
| Floyd  | Oats      | NON-IRROC | S          |      | 73    | 65    | -8     | -11.0%   |
| Floyd  | Oats      | NON-IRROT | S          |      | 73    | 65    | -8     | -11.0%   |
| Floyd  | Soybeans  | I         | ALLOTHFDGD |      | 48    | 58    | 10     | 20.8%    |
| Floyd  | Soybeans  | I         | COMM       |      | 52    | 58    | 6      | 11.5%    |
| Floyd  | Soybeans  | I         | HP         |      | 48    | 54    | 6      | 12.5%    |
| Floyd  | Soybeans  | I         | LLA        |      | 48    | 54    | 6      | 12.5%    |
| Floyd  | Soybeans  | I         | LSF        |      | 48    | 54    | 6      | 12.5%    |
| Floyd  | Soybeans  | I         | LSFG       |      | 44    | 49    | 5      | 11.4%    |
| Floyd  | Soybeans  | I         | SSFG       |      | 36    | 41    | 5      | 13.9%    |
| Floyd  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 41    | 7      | 20.6%    |
| Floyd  | Soybeans  | IRR OC    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Floyd  | Soybeans  | IRR OC    | HP         |      | 34    | 38    | 4      | 11.8%    |
| Floyd  | Soybeans  | IRR OC    | LLA        |      | 34    | 38    | 4      | 11.8%    |
| Floyd  | Soybeans  | IRR OC    | LSF        |      | 34    | 38    | 4      | 11.8%    |
| Floyd  | Soybeans  | IRR OC    | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Floyd  | Soybeans  | IRR OC    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Floyd  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 41    | 7      | 20.6%    |
| Floyd  | Soybeans  | IRR OT    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Floyd  | Soybeans  | IRR OT    | HP         |      | 34    | 38    | 4      | 11.8%    |
| Floyd  | Soybeans  | IRR OT    | LLA        |      | 34    | 38    | 4      | 11.8%    |
| Floyd  | Soybeans  | IRR OT    | LSF        |      | 34    | 38    | 4      | 11.8%    |
| Floyd  | Soybeans  | IRR OT    | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Floyd  | Soybeans  | IRR OT    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Floyd  | Soybeans  | NI        | ALLOTHFDGD |      | 48    | 55    | 7      | 14.6%    |
| Floyd  | Soybeans  | NI        | COMM       |      | 52    | 55    | 3      | 5.8%     |
| Floyd  | Soybeans  | NI        | HP         |      | 48    | 51    | 3      | 6.3%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name  | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|------------|-----------|------------|------|-------|-------|--------|----------|
|          |            |           |            |      | Yield | Yield |        |          |
| Floyd    | Soybeans   | NI        | LLA        |      | 48    | 51    | 3      | 6.3%     |
| Floyd    | Soybeans   | NI        | LSF        |      | 48    | 51    | 3      | 6.3%     |
| Floyd    | Soybeans   | NI        | LSFG       |      | 44    | 47    | 3      | 6.8%     |
| Floyd    | Soybeans   | NI        | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Floyd    | Soybeans   | NON-IRROC | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Floyd    | Soybeans   | NON-IRROC | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Floyd    | Soybeans   | NON-IRROC | HP         |      | 34    | 36    | 2      | 5.9%     |
| Floyd    | Soybeans   | NON-IRROC | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Floyd    | Soybeans   | NON-IRROC | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Floyd    | Soybeans   | NON-IRROC | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Floyd    | Soybeans   | NON-IRROC | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Floyd    | Soybeans   | NON-IRROT | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Floyd    | Soybeans   | NON-IRROT | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Floyd    | Soybeans   | NON-IRROT | HP         |      | 34    | 36    | 2      | 5.9%     |
| Floyd    | Soybeans   | NON-IRROT | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Floyd    | Soybeans   | NON-IRROT | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Floyd    | Soybeans   | NON-IRROT | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Floyd    | Soybeans   | NON-IRROT | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Floyd    | Sweet Corn | I         | EGW        |      | 7.2   | 7.2   | 0      | 0.0%     |
| Floyd    | Sweet Corn | I         | OG         |      | 7.2   | 7.2   | 0      | 0.0%     |
| Floyd    | Sweet Corn | IRR OC    | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Floyd    | Sweet Corn | IRR OC    | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Floyd    | Sweet Corn | IRR OT    | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Floyd    | Sweet Corn | IRR OT    | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Floyd    | Sweet Corn | NI        | EGW        |      | 7.2   | 7.2   | 0      | 0.0%     |
| Floyd    | Sweet Corn | NI        | OG         |      | 7.2   | 7.2   | 0      | 0.0%     |
| Floyd    | Sweet Corn | NON-IRROC | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Floyd    | Sweet Corn | NON-IRROC | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Floyd    | Sweet Corn | NON-IRROT | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Floyd    | Sweet Corn | NON-IRROT | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Franklin | Corn       | I         | GSG        |      | 198   | 198   | 0      | 0.0%     |
| Franklin | Corn       | I         | HAMLS      |      | 198   | 198   | 0      | 0.0%     |
| Franklin | Corn       | I         | WAXY       |      | 198   | 198   | 0      | 0.0%     |
| Franklin | Corn       | I         | WHITE      |      | 198   | 198   | 0      | 0.0%     |
| Franklin | Corn       | IRR OC    | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Franklin | Corn       | IRR OC    | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Franklin | Corn       | IRR OC    | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Franklin | Corn       | IRR OC    | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Franklin | Corn       | IRR OT    | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Franklin | Corn       | IRR OT    | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Franklin | Corn       | IRR OT    | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Franklin | Corn       | IRR OT    | WHITE      |      | 149   | 149   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Franklin | Corn      | NI        | GSG        |      | 190   | 190   | 0      | 0.0%     |
| Franklin | Corn      | NI        | HAMLS      |      | 190   | 190   | 0      | 0.0%     |
| Franklin | Corn      | NI        | WAXY       |      | 190   | 190   | 0      | 0.0%     |
| Franklin | Corn      | NI        | WHITE      |      | 190   | 190   | 0      | 0.0%     |
| Franklin | Corn      | NON-IRROC | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Franklin | Corn      | NON-IRROC | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Franklin | Corn      | NON-IRROC | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Franklin | Corn      | NON-IRROC | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Franklin | Corn      | NON-IRROT | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Franklin | Corn      | NON-IRROT | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Franklin | Corn      | NON-IRROT | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Franklin | Corn      | NON-IRROT | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Franklin | Oats      | I         | S          |      | 72    | 72    | 0      | 0.0%     |
| Franklin | Oats      | IRR OC    | S          |      | 72    | 65    | -7     | -9.7%    |
| Franklin | Oats      | IRR OT    | S          |      | 72    | 65    | -7     | -9.7%    |
| Franklin | Oats      | NI        | S          |      | 72    | 72    | 0      | 0.0%     |
| Franklin | Oats      | NON-IRROC | S          |      | 72    | 65    | -7     | -9.7%    |
| Franklin | Oats      | NON-IRROT | S          |      | 72    | 65    | -7     | -9.7%    |
| Franklin | Soybeans  | I         | ALLOTHFDGD |      | 51    | 60    | 9      | 17.6%    |
| Franklin | Soybeans  | I         | COMM       |      | 55    | 60    | 5      | 9.1%     |
| Franklin | Soybeans  | I         | HP         |      | 51    | 56    | 5      | 9.8%     |
| Franklin | Soybeans  | I         | LLA        |      | 51    | 56    | 5      | 9.8%     |
| Franklin | Soybeans  | I         | LSF        |      | 51    | 56    | 5      | 9.8%     |
| Franklin | Soybeans  | I         | LSFG       |      | 47    | 51    | 4      | 8.5%     |
| Franklin | Soybeans  | I         | SSFG       |      | 39    | 42    | 3      | 7.7%     |
| Franklin | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 42    | 6      | 16.7%    |
| Franklin | Soybeans  | IRR OC    | COMM       |      | 39    | 42    | 3      | 7.7%     |
| Franklin | Soybeans  | IRR OC    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Franklin | Soybeans  | IRR OC    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Franklin | Soybeans  | IRR OC    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Franklin | Soybeans  | IRR OC    | LSFG       |      | 33    | 36    | 3      | 9.1%     |
| Franklin | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Franklin | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 42    | 6      | 16.7%    |
| Franklin | Soybeans  | IRR OT    | COMM       |      | 39    | 42    | 3      | 7.7%     |
| Franklin | Soybeans  | IRR OT    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Franklin | Soybeans  | IRR OT    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Franklin | Soybeans  | IRR OT    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Franklin | Soybeans  | IRR OT    | LSFG       |      | 33    | 36    | 3      | 9.1%     |
| Franklin | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Franklin | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Franklin | Soybeans  | NC IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Franklin | Soybeans  | NC IRROC  | HP         |      | 34    | 36    | 2      | 5.9%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|------------|------------|------|-------|-------|--------|----------|
|          |           |            |            |      | Yield | Yield |        |          |
| Franklin | Soybeans  | NC IRROC   | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Franklin | Soybeans  | NC IRROC   | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Franklin | Soybeans  | NC IRROC   | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Franklin | Soybeans  | NC IRROC   | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Franklin | Soybeans  | NC IRRROT  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Franklin | Soybeans  | NC IRRROT  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Franklin | Soybeans  | NC IRRROT  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Franklin | Soybeans  | NC IRRROT  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Franklin | Soybeans  | NC IRRROT  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Franklin | Soybeans  | NC IRRROT  | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Franklin | Soybeans  | NC IRRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Franklin | Soybeans  | NC NIOC    | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Franklin | Soybeans  | NC NIOC    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Franklin | Soybeans  | NC NIOC    | HP         |      | 34    | 36    | 2      | 5.9%     |
| Franklin | Soybeans  | NC NIOC    | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Franklin | Soybeans  | NC NIOC    | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Franklin | Soybeans  | NC NIOC    | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Franklin | Soybeans  | NC NIOC    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Franklin | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Franklin | Soybeans  | NC NIOT    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Franklin | Soybeans  | NC NIOT    | HP         |      | 34    | 36    | 2      | 5.9%     |
| Franklin | Soybeans  | NC NIOT    | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Franklin | Soybeans  | NC NIOT    | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Franklin | Soybeans  | NC NIOT    | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Franklin | Soybeans  | NC NIOT    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Franklin | Soybeans  | NI         | ALLOTHFDGD |      | 50    | 57    | 7      | 14.0%    |
| Franklin | Soybeans  | NI         | COMM       |      | 54    | 57    | 3      | 5.6%     |
| Franklin | Soybeans  | NI         | HP         |      | 50    | 53    | 3      | 6.0%     |
| Franklin | Soybeans  | NI         | LLA        |      | 50    | 53    | 3      | 6.0%     |
| Franklin | Soybeans  | NI         | LSF        |      | 50    | 53    | 3      | 6.0%     |
| Franklin | Soybeans  | NI         | LSFG       |      | 46    | 48    | 2      | 4.3%     |
| Franklin | Soybeans  | NI         | SSFG       |      | 38    | 40    | 2      | 5.3%     |
| Franklin | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Franklin | Soybeans  | NON-IRROC  | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Franklin | Soybeans  | NON-IRROC  | HP         |      | 35    | 37    | 2      | 5.7%     |
| Franklin | Soybeans  | NON-IRROC  | LLA        |      | 35    | 37    | 2      | 5.7%     |
| Franklin | Soybeans  | NON-IRROC  | LSF        |      | 35    | 37    | 2      | 5.7%     |
| Franklin | Soybeans  | NON-IRROC  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Franklin | Soybeans  | NON-IRROC  | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Franklin | Soybeans  | NON-IRRROT | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Franklin | Soybeans  | NON-IRRROT | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Franklin | Soybeans  | NON-IRRROT | HP         |      | 35    | 37    | 2      | 5.7%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name  | Practice   | Type       | 2023 |       | 2024  |  | Change | % Change |
|----------|------------|------------|------------|------|-------|-------|--|--------|----------|
|          |            |            |            | Area | Yield | Yield |  |        |          |
| Franklin | Soybeans   | NON-IRROT  | LLA        |      | 35    | 37    |  | 2      | 5.7%     |
| Franklin | Soybeans   | NON-IRROT  | LSF        |      | 35    | 37    |  | 2      | 5.7%     |
| Franklin | Soybeans   | NON-IRROT  | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Franklin | Soybeans   | NON-IRROT  | SSFG       |      | 27    | 28    |  | 1      | 3.7%     |
| Franklin | Soybeans   | NONCON IRR | ALLOTHFDGD |      | 48    | 56    |  | 8      | 16.7%    |
| Franklin | Soybeans   | NONCON IRR | COMM       |      | 52    | 56    |  | 4      | 7.7%     |
| Franklin | Soybeans   | NONCON IRR | HP         |      | 48    | 52    |  | 4      | 8.3%     |
| Franklin | Soybeans   | NONCON IRR | LLA        |      | 48    | 52    |  | 4      | 8.3%     |
| Franklin | Soybeans   | NONCON IRR | LSF        |      | 48    | 52    |  | 4      | 8.3%     |
| Franklin | Soybeans   | NONCON IRR | LSFG       |      | 44    | 48    |  | 4      | 9.1%     |
| Franklin | Soybeans   | NONCON IRR | SSFG       |      | 36    | 39    |  | 3      | 8.3%     |
| Franklin | Soybeans   | NONCON NI  | ALLOTHFDGD |      | 48    | 56    |  | 8      | 16.7%    |
| Franklin | Soybeans   | NONCON NI  | COMM       |      | 52    | 56    |  | 4      | 7.7%     |
| Franklin | Soybeans   | NONCON NI  | HP         |      | 48    | 52    |  | 4      | 8.3%     |
| Franklin | Soybeans   | NONCON NI  | LLA        |      | 48    | 52    |  | 4      | 8.3%     |
| Franklin | Soybeans   | NONCON NI  | LSF        |      | 48    | 52    |  | 4      | 8.3%     |
| Franklin | Soybeans   | NONCON NI  | LSFG       |      | 44    | 48    |  | 4      | 9.1%     |
| Franklin | Soybeans   | NONCON NI  | SSFG       |      | 36    | 39    |  | 3      | 8.3%     |
| Franklin | Sweet Corn | I          | EGW        |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Franklin | Sweet Corn | I          | OG         |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Franklin | Sweet Corn | IRR OC     | EGW        |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Franklin | Sweet Corn | IRR OC     | OG         |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Franklin | Sweet Corn | IRR OT     | EGW        |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Franklin | Sweet Corn | IRR OT     | OG         |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Franklin | Sweet Corn | NI         | EGW        |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Franklin | Sweet Corn | NI         | OG         |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Franklin | Sweet Corn | NON-IRROC  | EGW        |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Franklin | Sweet Corn | NON-IRROC  | OG         |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Franklin | Sweet Corn | NON-IRROT  | EGW        |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Franklin | Sweet Corn | NON-IRROT  | OG         |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Fremont  | Corn       | I          | GSG        |      | 201   | 201   |  | 0      | 0.0%     |
| Fremont  | Corn       | I          | HAMLS      |      | 201   | 201   |  | 0      | 0.0%     |
| Fremont  | Corn       | I          | HAMOS      |      | 141   | 141   |  | 0      | 0.0%     |
| Fremont  | Corn       | I          | WAXY       |      | 201   | 201   |  | 0      | 0.0%     |
| Fremont  | Corn       | I          | WHITE      |      | 201   | 201   |  | 0      | 0.0%     |
| Fremont  | Corn       | IRR OC     | GSG        |      | 151   | 151   |  | 0      | 0.0%     |
| Fremont  | Corn       | IRR OC     | HAMLS      |      | 151   | 151   |  | 0      | 0.0%     |
| Fremont  | Corn       | IRR OC     | HAMOS      |      | 106   | 106   |  | 0      | 0.0%     |
| Fremont  | Corn       | IRR OC     | WAXY       |      | 151   | 151   |  | 0      | 0.0%     |
| Fremont  | Corn       | IRR OC     | WHITE      |      | 151   | 151   |  | 0      | 0.0%     |
| Fremont  | Corn       | IRR OT     | GSG        |      | 151   | 151   |  | 0      | 0.0%     |
| Fremont  | Corn       | IRR OT     | HAMLS      |      | 151   | 151   |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name     | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|---------|---------------|-----------|------------|------|-------|-------|--|--------|----------|
|         |               |           |            | Area | Yield | Yield |  |        |          |
| Fremont | Corn          | IRR OT    | HAMOS      |      | 106   | 106   |  | 0      | 0.0%     |
| Fremont | Corn          | IRR OT    | WAXY       |      | 151   | 151   |  | 0      | 0.0%     |
| Fremont | Corn          | IRR OT    | WHITE      |      | 151   | 151   |  | 0      | 0.0%     |
| Fremont | Corn          | NI        | GSG        |      | 188   | 188   |  | 0      | 0.0%     |
| Fremont | Corn          | NI        | HAMLS      |      | 188   | 188   |  | 0      | 0.0%     |
| Fremont | Corn          | NI        | HAMOS      |      | 132   | 132   |  | 0      | 0.0%     |
| Fremont | Corn          | NI        | WAXY       |      | 188   | 188   |  | 0      | 0.0%     |
| Fremont | Corn          | NI        | WHITE      |      | 188   | 188   |  | 0      | 0.0%     |
| Fremont | Corn          | NON-IRROC | GSG        |      | 141   | 141   |  | 0      | 0.0%     |
| Fremont | Corn          | NON-IRROC | HAMLS      |      | 141   | 141   |  | 0      | 0.0%     |
| Fremont | Corn          | NON-IRROC | HAMOS      |      | 99    | 99    |  | 0      | 0.0%     |
| Fremont | Corn          | NON-IRROC | WAXY       |      | 141   | 141   |  | 0      | 0.0%     |
| Fremont | Corn          | NON-IRROC | WHITE      |      | 141   | 141   |  | 0      | 0.0%     |
| Fremont | Corn          | NON-IRROT | GSG        |      | 141   | 141   |  | 0      | 0.0%     |
| Fremont | Corn          | NON-IRROT | HAMLS      |      | 141   | 141   |  | 0      | 0.0%     |
| Fremont | Corn          | NON-IRROT | HAMOS      |      | 99    | 99    |  | 0      | 0.0%     |
| Fremont | Corn          | NON-IRROT | WAXY       |      | 141   | 141   |  | 0      | 0.0%     |
| Fremont | Corn          | NON-IRROT | WHITE      |      | 141   | 141   |  | 0      | 0.0%     |
| Fremont | Grain Sorghum | I         | NTS        |      | 77    | 77    |  | 0      | 0.0%     |
| Fremont | Grain Sorghum | IRR OC    | NTS        |      | 50    | 50    |  | 0      | 0.0%     |
| Fremont | Grain Sorghum | IRR OT    | NTS        |      | 50    | 50    |  | 0      | 0.0%     |
| Fremont | Grain Sorghum | NI        | NTS        |      | 77    | 77    |  | 0      | 0.0%     |
| Fremont | Grain Sorghum | NON-IRROC | NTS        |      | 50    | 50    |  | 0      | 0.0%     |
| Fremont | Grain Sorghum | NON-IRROT | NTS        |      | 50    | 50    |  | 0      | 0.0%     |
| Fremont | Oats          | I         | S          |      | 65    | 65    |  | 0      | 0.0%     |
| Fremont | Oats          | IRR OC    | S          |      | 65    | 59    |  | -6     | -9.2%    |
| Fremont | Oats          | IRR OT    | S          |      | 65    | 59    |  | -6     | -9.2%    |
| Fremont | Oats          | NI        | S          |      | 65    | 65    |  | 0      | 0.0%     |
| Fremont | Oats          | NON-IRROC | S          |      | 65    | 59    |  | -6     | -9.2%    |
| Fremont | Oats          | NON-IRROT | S          |      | 65    | 59    |  | -6     | -9.2%    |
| Fremont | Popcorn       | I         | NTS        |      | 5398  | 5398  |  | 0      | 0.0%     |
| Fremont | Popcorn       | IRR OC    | NTS        |      | 3779  | 3779  |  | 0      | 0.0%     |
| Fremont | Popcorn       | IRR OT    | NTS        |      | 3779  | 3779  |  | 0      | 0.0%     |
| Fremont | Popcorn       | NI        | NTS        |      | 4508  | 4508  |  | 0      | 0.0%     |
| Fremont | Popcorn       | NON-IRROC | NTS        |      | 3156  | 3156  |  | 0      | 0.0%     |
| Fremont | Popcorn       | NON-IRROT | NTS        |      | 3156  | 3156  |  | 0      | 0.0%     |
| Fremont | Soybeans      | I         | ALLOTHFDGD |      | 47    | 59    |  | 12     | 25.5%    |
| Fremont | Soybeans      | I         | COMM       |      | 51    | 59    |  | 8      | 15.7%    |
| Fremont | Soybeans      | I         | HP         |      | 47    | 55    |  | 8      | 17.0%    |
| Fremont | Soybeans      | I         | LLA        |      | 47    | 55    |  | 8      | 17.0%    |
| Fremont | Soybeans      | I         | LSF        |      | 47    | 55    |  | 8      | 17.0%    |
| Fremont | Soybeans      | I         | LSFG       |      | 43    | 50    |  | 7      | 16.3%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Fremont | Soybeans  | I         | SSFG       |      | 36    | 41    | 5      | 13.9%    |
| Fremont | Soybeans  | IRR OC    | ALLOTHFDGD |      | 33    | 41    | 8      | 24.2%    |
| Fremont | Soybeans  | IRR OC    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Fremont | Soybeans  | IRR OC    | HP         |      | 33    | 39    | 6      | 18.2%    |
| Fremont | Soybeans  | IRR OC    | LLA        |      | 33    | 39    | 6      | 18.2%    |
| Fremont | Soybeans  | IRR OC    | LSF        |      | 33    | 39    | 6      | 18.2%    |
| Fremont | Soybeans  | IRR OC    | LSFG       |      | 30    | 35    | 5      | 16.7%    |
| Fremont | Soybeans  | IRR OC    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Fremont | Soybeans  | IRR OT    | ALLOTHFDGD |      | 33    | 41    | 8      | 24.2%    |
| Fremont | Soybeans  | IRR OT    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Fremont | Soybeans  | IRR OT    | HP         |      | 33    | 39    | 6      | 18.2%    |
| Fremont | Soybeans  | IRR OT    | LLA        |      | 33    | 39    | 6      | 18.2%    |
| Fremont | Soybeans  | IRR OT    | LSF        |      | 33    | 39    | 6      | 18.2%    |
| Fremont | Soybeans  | IRR OT    | LSFG       |      | 30    | 35    | 5      | 16.7%    |
| Fremont | Soybeans  | IRR OT    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Fremont | Soybeans  | NI        | ALLOTHFDGD |      | 47    | 56    | 9      | 19.1%    |
| Fremont | Soybeans  | NI        | COMM       |      | 51    | 56    | 5      | 9.8%     |
| Fremont | Soybeans  | NI        | HP         |      | 47    | 52    | 5      | 10.6%    |
| Fremont | Soybeans  | NI        | LLA        |      | 47    | 52    | 5      | 10.6%    |
| Fremont | Soybeans  | NI        | LSF        |      | 47    | 52    | 5      | 10.6%    |
| Fremont | Soybeans  | NI        | LSFG       |      | 43    | 48    | 5      | 11.6%    |
| Fremont | Soybeans  | NI        | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Fremont | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Fremont | Soybeans  | NON-IRROC | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Fremont | Soybeans  | NON-IRROC | HP         |      | 33    | 36    | 3      | 9.1%     |
| Fremont | Soybeans  | NON-IRROC | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Fremont | Soybeans  | NON-IRROC | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Fremont | Soybeans  | NON-IRROC | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Fremont | Soybeans  | NON-IRROC | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Fremont | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Fremont | Soybeans  | NON-IRROT | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Fremont | Soybeans  | NON-IRROT | HP         |      | 33    | 36    | 3      | 9.1%     |
| Fremont | Soybeans  | NON-IRROT | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Fremont | Soybeans  | NON-IRROT | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Fremont | Soybeans  | NON-IRROT | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Fremont | Soybeans  | NON-IRROT | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Greene  | Corn      | I         | GSG        |      | 184   | 184   | 0      | 0.0%     |
| Greene  | Corn      | I         | HAMLS      |      | 184   | 184   | 0      | 0.0%     |
| Greene  | Corn      | I         | WAXY       |      | 184   | 184   | 0      | 0.0%     |
| Greene  | Corn      | I         | WHITE      |      | 184   | 184   | 0      | 0.0%     |
| Greene  | Corn      | IRR OC    | GSG        |      | 138   | 138   | 0      | 0.0%     |
| Greene  | Corn      | IRR OC    | HAMLS      |      | 138   | 138   | 0      | 0.0%     |



Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Greene | Corn      | IRR OC    | WAXY       |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Corn      | IRR OC    | WHITE      |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Corn      | IRR OT    | GSG        |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Corn      | IRR OT    | HAMLS      |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Corn      | IRR OT    | WAXY       |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Corn      | IRR OT    | WHITE      |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Corn      | NI        | GSG        |      | 184   | 184   |  | 0      | 0.0%     |
| Greene | Corn      | NI        | HAMLS      |      | 184   | 184   |  | 0      | 0.0%     |
| Greene | Corn      | NI        | WAXY       |      | 184   | 184   |  | 0      | 0.0%     |
| Greene | Corn      | NI        | WHITE      |      | 184   | 184   |  | 0      | 0.0%     |
| Greene | Corn      | NON-IRROC | GSG        |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Corn      | NON-IRROC | HAMLS      |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Corn      | NON-IRROC | WAXY       |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Corn      | NON-IRROC | WHITE      |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Corn      | NON-IRROT | GSG        |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Corn      | NON-IRROT | HAMLS      |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Corn      | NON-IRROT | WAXY       |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Corn      | NON-IRROT | WHITE      |      | 138   | 138   |  | 0      | 0.0%     |
| Greene | Oats      | I         | S          |      | 74    | 74    |  | 0      | 0.0%     |
| Greene | Oats      | IRR OC    | S          |      | 74    | 67    |  | -7     | -9.5%    |
| Greene | Oats      | IRR OT    | S          |      | 74    | 67    |  | -7     | -9.5%    |
| Greene | Oats      | NI        | S          |      | 74    | 74    |  | 0      | 0.0%     |
| Greene | Oats      | NON-IRROC | S          |      | 74    | 67    |  | -7     | -9.5%    |
| Greene | Oats      | NON-IRROT | S          |      | 74    | 67    |  | -7     | -9.5%    |
| Greene | Popcorn   | I         | NTS        |      | 5249  | 5249  |  | 0      | 0.0%     |
| Greene | Popcorn   | IRR OC    | NTS        |      | 3674  | 3674  |  | 0      | 0.0%     |
| Greene | Popcorn   | IRR OT    | NTS        |      | 3674  | 3674  |  | 0      | 0.0%     |
| Greene | Popcorn   | NI        | NTS        |      | 4259  | 4259  |  | 0      | 0.0%     |
| Greene | Popcorn   | NON-IRROC | NTS        |      | 2981  | 2981  |  | 0      | 0.0%     |
| Greene | Popcorn   | NON-IRROT | NTS        |      | 2981  | 2981  |  | 0      | 0.0%     |
| Greene | Soybeans  | I         | ALLOTHFDGD |      | 48    | 56    |  | 8      | 16.7%    |
| Greene | Soybeans  | I         | COMM       |      | 52    | 56    |  | 4      | 7.7%     |
| Greene | Soybeans  | I         | HP         |      | 48    | 52    |  | 4      | 8.3%     |
| Greene | Soybeans  | I         | LLA        |      | 48    | 52    |  | 4      | 8.3%     |
| Greene | Soybeans  | I         | LSF        |      | 48    | 52    |  | 4      | 8.3%     |
| Greene | Soybeans  | I         | LSFG       |      | 44    | 48    |  | 4      | 9.1%     |
| Greene | Soybeans  | I         | SSFG       |      | 36    | 39    |  | 3      | 8.3%     |
| Greene | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Greene | Soybeans  | IRR OC    | COMM       |      | 36    | 39    |  | 3      | 8.3%     |
| Greene | Soybeans  | IRR OC    | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Greene | Soybeans  | IRR OC    | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Greene | Soybeans  | IRR OC    | LSF        |      | 34    | 36    |  | 2      | 5.9%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Greene | Soybeans  | IRR OC    | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Greene | Soybeans  | IRR OC    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Greene | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Greene | Soybeans  | IRR OT    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Greene | Soybeans  | IRR OT    | HP         |      | 34    | 36    | 2      | 5.9%     |
| Greene | Soybeans  | IRR OT    | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Greene | Soybeans  | IRR OT    | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Greene | Soybeans  | IRR OT    | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Greene | Soybeans  | IRR OT    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Greene | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Greene | Soybeans  | NC IRROC  | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Greene | Soybeans  | NC IRROC  | HP         |      | 33    | 34    | 1      | 3.0%     |
| Greene | Soybeans  | NC IRROC  | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Greene | Soybeans  | NC IRROC  | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Greene | Soybeans  | NC IRROC  | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Greene | Soybeans  | NC IRROC  | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Greene | Soybeans  | NC IRRROT | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Greene | Soybeans  | NC IRRROT | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Greene | Soybeans  | NC IRRROT | HP         |      | 33    | 34    | 1      | 3.0%     |
| Greene | Soybeans  | NC IRRROT | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Greene | Soybeans  | NC IRRROT | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Greene | Soybeans  | NC IRRROT | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Greene | Soybeans  | NC IRRROT | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Greene | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Greene | Soybeans  | NC NIOC   | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Greene | Soybeans  | NC NIOC   | HP         |      | 33    | 34    | 1      | 3.0%     |
| Greene | Soybeans  | NC NIOC   | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Greene | Soybeans  | NC NIOC   | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Greene | Soybeans  | NC NIOC   | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Greene | Soybeans  | NC NIOC   | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Greene | Soybeans  | NC NIOT   | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Greene | Soybeans  | NC NIOT   | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Greene | Soybeans  | NC NIOT   | HP         |      | 33    | 34    | 1      | 3.0%     |
| Greene | Soybeans  | NC NIOT   | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Greene | Soybeans  | NC NIOT   | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Greene | Soybeans  | NC NIOT   | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Greene | Soybeans  | NC NIOT   | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Greene | Soybeans  | NI        | ALLOTHFDGD |      | 48    | 55    | 7      | 14.6%    |
| Greene | Soybeans  | NI        | COMM       |      | 52    | 55    | 3      | 5.8%     |
| Greene | Soybeans  | NI        | HP         |      | 48    | 51    | 3      | 6.3%     |
| Greene | Soybeans  | NI        | LLA        |      | 48    | 51    | 3      | 6.3%     |
| Greene | Soybeans  | NI        | LSF        |      | 48    | 51    | 3      | 6.3%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|------------|------------|------|-------|-------|--------|----------|
|        |           |            |            |      | Yield | Yield |        |          |
| Greene | Soybeans  | NI         | LSFG       |      | 44    | 47    | 3      | 6.8%     |
| Greene | Soybeans  | NI         | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Greene | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Greene | Soybeans  | NON-IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Greene | Soybeans  | NON-IRROC  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Greene | Soybeans  | NON-IRROC  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Greene | Soybeans  | NON-IRROC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Greene | Soybeans  | NON-IRROC  | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Greene | Soybeans  | NON-IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Greene | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Greene | Soybeans  | NON-IRROT  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Greene | Soybeans  | NON-IRROT  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Greene | Soybeans  | NON-IRROT  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Greene | Soybeans  | NON-IRROT  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Greene | Soybeans  | NON-IRROT  | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Greene | Soybeans  | NON-IRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Greene | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 47    | 53    | 6      | 12.8%    |
| Greene | Soybeans  | NONCON IRR | COMM       |      | 51    | 53    | 2      | 3.9%     |
| Greene | Soybeans  | NONCON IRR | HP         |      | 47    | 49    | 2      | 4.3%     |
| Greene | Soybeans  | NONCON IRR | LLA        |      | 47    | 49    | 2      | 4.3%     |
| Greene | Soybeans  | NONCON IRR | LSF        |      | 47    | 49    | 2      | 4.3%     |
| Greene | Soybeans  | NONCON IRR | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Greene | Soybeans  | NONCON IRR | SSFG       |      | 36    | 37    | 1      | 2.8%     |
| Greene | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 47    | 53    | 6      | 12.8%    |
| Greene | Soybeans  | NONCON NI  | COMM       |      | 51    | 53    | 2      | 3.9%     |
| Greene | Soybeans  | NONCON NI  | HP         |      | 47    | 49    | 2      | 4.3%     |
| Greene | Soybeans  | NONCON NI  | LLA        |      | 47    | 49    | 2      | 4.3%     |
| Greene | Soybeans  | NONCON NI  | LSF        |      | 47    | 49    | 2      | 4.3%     |
| Greene | Soybeans  | NONCON NI  | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Greene | Soybeans  | NONCON NI  | SSFG       |      | 36    | 37    | 1      | 2.8%     |
| Grundy | Corn      | I          | BLUE       |      | 117   | 117   | 0      | 0.0%     |
| Grundy | Corn      | I          | GSG        |      | 212   | 212   | 0      | 0.0%     |
| Grundy | Corn      | I          | HAMLS      |      | 212   | 212   | 0      | 0.0%     |
| Grundy | Corn      | I          | WAXY       |      | 212   | 212   | 0      | 0.0%     |
| Grundy | Corn      | I          | WHITE      |      | 212   | 212   | 0      | 0.0%     |
| Grundy | Corn      | IRR OC     | BLUE       |      | 88    | 88    | 0      | 0.0%     |
| Grundy | Corn      | IRR OC     | GSG        |      | 159   | 159   | 0      | 0.0%     |
| Grundy | Corn      | IRR OC     | HAMLS      |      | 159   | 159   | 0      | 0.0%     |
| Grundy | Corn      | IRR OC     | WAXY       |      | 159   | 159   | 0      | 0.0%     |
| Grundy | Corn      | IRR OC     | WHITE      |      | 159   | 159   | 0      | 0.0%     |
| Grundy | Corn      | IRR OT     | BLUE       |      | 88    | 88    | 0      | 0.0%     |
| Grundy | Corn      | IRR OT     | GSG        |      | 159   | 159   | 0      | 0.0%     |



Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Grundy | Corn      | IRR OT    | HAMLS      |      | 159   | 159   |  | 0      | 0.0%     |
| Grundy | Corn      | IRR OT    | WAXY       |      | 159   | 159   |  | 0      | 0.0%     |
| Grundy | Corn      | IRR OT    | WHITE      |      | 159   | 159   |  | 0      | 0.0%     |
| Grundy | Corn      | NI        | BLUE       |      | 117   | 117   |  | 0      | 0.0%     |
| Grundy | Corn      | NI        | GSG        |      | 212   | 212   |  | 0      | 0.0%     |
| Grundy | Corn      | NI        | HAMLS      |      | 212   | 212   |  | 0      | 0.0%     |
| Grundy | Corn      | NI        | WAXY       |      | 212   | 212   |  | 0      | 0.0%     |
| Grundy | Corn      | NI        | WHITE      |      | 212   | 212   |  | 0      | 0.0%     |
| Grundy | Corn      | NON-IRROC | BLUE       |      | 88    | 88    |  | 0      | 0.0%     |
| Grundy | Corn      | NON-IRROC | GSG        |      | 159   | 159   |  | 0      | 0.0%     |
| Grundy | Corn      | NON-IRROC | HAMLS      |      | 159   | 159   |  | 0      | 0.0%     |
| Grundy | Corn      | NON-IRROC | WAXY       |      | 159   | 159   |  | 0      | 0.0%     |
| Grundy | Corn      | NON-IRROC | WHITE      |      | 159   | 159   |  | 0      | 0.0%     |
| Grundy | Corn      | NON-IRROT | BLUE       |      | 88    | 88    |  | 0      | 0.0%     |
| Grundy | Corn      | NON-IRROT | GSG        |      | 159   | 159   |  | 0      | 0.0%     |
| Grundy | Corn      | NON-IRROT | HAMLS      |      | 159   | 159   |  | 0      | 0.0%     |
| Grundy | Corn      | NON-IRROT | WAXY       |      | 159   | 159   |  | 0      | 0.0%     |
| Grundy | Corn      | NON-IRROT | WHITE      |      | 159   | 159   |  | 0      | 0.0%     |
| Grundy | Oats      | I         | S          |      | 72    | 74    |  | 2      | 2.8%     |
| Grundy | Oats      | IRR OC    | S          |      | 72    | 67    |  | -5     | -6.9%    |
| Grundy | Oats      | IRR OT    | S          |      | 72    | 67    |  | -5     | -6.9%    |
| Grundy | Oats      | NI        | S          |      | 72    | 74    |  | 2      | 2.8%     |
| Grundy | Oats      | NON-IRROC | S          |      | 72    | 67    |  | -5     | -6.9%    |
| Grundy | Oats      | NON-IRROT | S          |      | 72    | 67    |  | -5     | -6.9%    |
| Grundy | Soybeans  | I         | ALLOTHFDGD |      | 56    | 63    |  | 7      | 12.5%    |
| Grundy | Soybeans  | I         | COMM       |      | 60    | 63    |  | 3      | 5.0%     |
| Grundy | Soybeans  | I         | HP         |      | 56    | 58    |  | 2      | 3.6%     |
| Grundy | Soybeans  | I         | LLA        |      | 56    | 58    |  | 2      | 3.6%     |
| Grundy | Soybeans  | I         | LSF        |      | 56    | 58    |  | 2      | 3.6%     |
| Grundy | Soybeans  | I         | LSFG       |      | 51    | 54    |  | 3      | 5.9%     |
| Grundy | Soybeans  | I         | SSFG       |      | 42    | 44    |  | 2      | 4.8%     |
| Grundy | Soybeans  | IRR OC    | ALLOTHFDGD |      | 39    | 44    |  | 5      | 12.8%    |
| Grundy | Soybeans  | IRR OC    | COMM       |      | 42    | 44    |  | 2      | 4.8%     |
| Grundy | Soybeans  | IRR OC    | HP         |      | 39    | 41    |  | 2      | 5.1%     |
| Grundy | Soybeans  | IRR OC    | LLA        |      | 39    | 41    |  | 2      | 5.1%     |
| Grundy | Soybeans  | IRR OC    | LSF        |      | 39    | 41    |  | 2      | 5.1%     |
| Grundy | Soybeans  | IRR OC    | LSFG       |      | 36    | 38    |  | 2      | 5.6%     |
| Grundy | Soybeans  | IRR OC    | SSFG       |      | 29    | 31    |  | 2      | 6.9%     |
| Grundy | Soybeans  | IRR OT    | ALLOTHFDGD |      | 39    | 44    |  | 5      | 12.8%    |
| Grundy | Soybeans  | IRR OT    | COMM       |      | 42    | 44    |  | 2      | 4.8%     |
| Grundy | Soybeans  | IRR OT    | HP         |      | 39    | 41    |  | 2      | 5.1%     |
| Grundy | Soybeans  | IRR OT    | LLA        |      | 39    | 41    |  | 2      | 5.1%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name  | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|------------|-----------|------------|------|-------|-------|--------|----------|
|         |            |           |            |      | Yield | Yield |        |          |
| Grundy  | Soybeans   | IRR OT    | LSF        |      | 39    | 41    | 2      | 5.1%     |
| Grundy  | Soybeans   | IRR OT    | LSFG       |      | 36    | 38    | 2      | 5.6%     |
| Grundy  | Soybeans   | IRR OT    | SSFG       |      | 29    | 31    | 2      | 6.9%     |
| Grundy  | Soybeans   | NI        | ALLOTHFDGD |      | 56    | 63    | 7      | 12.5%    |
| Grundy  | Soybeans   | NI        | COMM       |      | 60    | 63    | 3      | 5.0%     |
| Grundy  | Soybeans   | NI        | HP         |      | 56    | 58    | 2      | 3.6%     |
| Grundy  | Soybeans   | NI        | LLA        |      | 56    | 58    | 2      | 3.6%     |
| Grundy  | Soybeans   | NI        | LSF        |      | 56    | 58    | 2      | 3.6%     |
| Grundy  | Soybeans   | NI        | LSFG       |      | 51    | 54    | 3      | 5.9%     |
| Grundy  | Soybeans   | NI        | SSFG       |      | 42    | 44    | 2      | 4.8%     |
| Grundy  | Soybeans   | NON-IRROC | ALLOTHFDGD |      | 39    | 44    | 5      | 12.8%    |
| Grundy  | Soybeans   | NON-IRROC | COMM       |      | 42    | 44    | 2      | 4.8%     |
| Grundy  | Soybeans   | NON-IRROC | HP         |      | 39    | 41    | 2      | 5.1%     |
| Grundy  | Soybeans   | NON-IRROC | LLA        |      | 39    | 41    | 2      | 5.1%     |
| Grundy  | Soybeans   | NON-IRROC | LSF        |      | 39    | 41    | 2      | 5.1%     |
| Grundy  | Soybeans   | NON-IRROC | LSFG       |      | 36    | 38    | 2      | 5.6%     |
| Grundy  | Soybeans   | NON-IRROC | SSFG       |      | 29    | 31    | 2      | 6.9%     |
| Grundy  | Soybeans   | NON-IRROT | ALLOTHFDGD |      | 39    | 44    | 5      | 12.8%    |
| Grundy  | Soybeans   | NON-IRROT | COMM       |      | 42    | 44    | 2      | 4.8%     |
| Grundy  | Soybeans   | NON-IRROT | HP         |      | 39    | 41    | 2      | 5.1%     |
| Grundy  | Soybeans   | NON-IRROT | LLA        |      | 39    | 41    | 2      | 5.1%     |
| Grundy  | Soybeans   | NON-IRROT | LSF        |      | 39    | 41    | 2      | 5.1%     |
| Grundy  | Soybeans   | NON-IRROT | LSFG       |      | 36    | 38    | 2      | 5.6%     |
| Grundy  | Soybeans   | NON-IRROT | SSFG       |      | 29    | 31    | 2      | 6.9%     |
| Grundy  | Sweet Corn | I         | EGW        |      | 6.7   | 6.7   | 0      | 0.0%     |
| Grundy  | Sweet Corn | I         | OG         |      | 6.7   | 6.7   | 0      | 0.0%     |
| Grundy  | Sweet Corn | IRR OC    | EGW        |      | 4.4   | 4.4   | 0      | 0.0%     |
| Grundy  | Sweet Corn | IRR OC    | OG         |      | 4.4   | 4.4   | 0      | 0.0%     |
| Grundy  | Sweet Corn | IRR OT    | EGW        |      | 4.4   | 4.4   | 0      | 0.0%     |
| Grundy  | Sweet Corn | IRR OT    | OG         |      | 4.4   | 4.4   | 0      | 0.0%     |
| Grundy  | Sweet Corn | NI        | EGW        |      | 6.7   | 6.7   | 0      | 0.0%     |
| Grundy  | Sweet Corn | NI        | OG         |      | 6.7   | 6.7   | 0      | 0.0%     |
| Grundy  | Sweet Corn | NON-IRROC | EGW        |      | 4.4   | 4.4   | 0      | 0.0%     |
| Grundy  | Sweet Corn | NON-IRROC | OG         |      | 4.4   | 4.4   | 0      | 0.0%     |
| Grundy  | Sweet Corn | NON-IRROT | EGW        |      | 4.4   | 4.4   | 0      | 0.0%     |
| Grundy  | Sweet Corn | NON-IRROT | OG         |      | 4.4   | 4.4   | 0      | 0.0%     |
| Guthrie | Corn       | I         | GSG        |      | 183   | 183   | 0      | 0.0%     |
| Guthrie | Corn       | I         | HAMLS      |      | 183   | 183   | 0      | 0.0%     |
| Guthrie | Corn       | I         | WAXY       |      | 183   | 183   | 0      | 0.0%     |
| Guthrie | Corn       | I         | WHITE      |      | 183   | 183   | 0      | 0.0%     |
| Guthrie | Corn       | IRR OC    | GSG        |      | 137   | 137   | 0      | 0.0%     |
| Guthrie | Corn       | IRR OC    | HAMLS      |      | 137   | 137   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Guthrie | Corn      | IRR OC    | WAXY       |      | 137   | 137   | 0      | 0.0%     |
| Guthrie | Corn      | IRR OC    | WHITE      |      | 137   | 137   | 0      | 0.0%     |
| Guthrie | Corn      | IRR OT    | GSG        |      | 137   | 137   | 0      | 0.0%     |
| Guthrie | Corn      | IRR OT    | HAMLS      |      | 137   | 137   | 0      | 0.0%     |
| Guthrie | Corn      | IRR OT    | WAXY       |      | 137   | 137   | 0      | 0.0%     |
| Guthrie | Corn      | IRR OT    | WHITE      |      | 137   | 137   | 0      | 0.0%     |
| Guthrie | Corn      | NI        | GSG        |      | 176   | 176   | 0      | 0.0%     |
| Guthrie | Corn      | NI        | HAMLS      |      | 176   | 176   | 0      | 0.0%     |
| Guthrie | Corn      | NI        | WAXY       |      | 176   | 176   | 0      | 0.0%     |
| Guthrie | Corn      | NI        | WHITE      |      | 176   | 176   | 0      | 0.0%     |
| Guthrie | Corn      | NON-IRROC | GSG        |      | 132   | 132   | 0      | 0.0%     |
| Guthrie | Corn      | NON-IRROC | HAMLS      |      | 132   | 132   | 0      | 0.0%     |
| Guthrie | Corn      | NON-IRROC | WAXY       |      | 132   | 132   | 0      | 0.0%     |
| Guthrie | Corn      | NON-IRROC | WHITE      |      | 132   | 132   | 0      | 0.0%     |
| Guthrie | Corn      | NON-IRROT | GSG        |      | 132   | 132   | 0      | 0.0%     |
| Guthrie | Corn      | NON-IRROT | HAMLS      |      | 132   | 132   | 0      | 0.0%     |
| Guthrie | Corn      | NON-IRROT | WAXY       |      | 132   | 132   | 0      | 0.0%     |
| Guthrie | Corn      | NON-IRROT | WHITE      |      | 132   | 132   | 0      | 0.0%     |
| Guthrie | Oats      | I         | S          |      | 77    | 77    | 0      | 0.0%     |
| Guthrie | Oats      | IRR OC    | S          |      | 77    | 69    | -8     | -10.4%   |
| Guthrie | Oats      | IRR OT    | S          |      | 77    | 69    | -8     | -10.4%   |
| Guthrie | Oats      | NI        | S          |      | 77    | 77    | 0      | 0.0%     |
| Guthrie | Oats      | NON-IRROC | S          |      | 77    | 69    | -8     | -10.4%   |
| Guthrie | Oats      | NON-IRROT | S          |      | 77    | 69    | -8     | -10.4%   |
| Guthrie | Popcorn   | I         | NTS        |      | 5249  | 5249  | 0      | 0.0%     |
| Guthrie | Popcorn   | IRR OC    | NTS        |      | 3674  | 3674  | 0      | 0.0%     |
| Guthrie | Popcorn   | IRR OT    | NTS        |      | 3674  | 3674  | 0      | 0.0%     |
| Guthrie | Popcorn   | NI        | NTS        |      | 4581  | 4581  | 0      | 0.0%     |
| Guthrie | Popcorn   | NON-IRROC | NTS        |      | 3207  | 3207  | 0      | 0.0%     |
| Guthrie | Popcorn   | NON-IRROT | NTS        |      | 3207  | 3207  | 0      | 0.0%     |
| Guthrie | Soybeans  | I         | ALLOTHFDGD |      | 47    | 56    | 9      | 19.1%    |
| Guthrie | Soybeans  | I         | COMM       |      | 51    | 56    | 5      | 9.8%     |
| Guthrie | Soybeans  | I         | HP         |      | 47    | 52    | 5      | 10.6%    |
| Guthrie | Soybeans  | I         | LLA        |      | 47    | 52    | 5      | 10.6%    |
| Guthrie | Soybeans  | I         | LSF        |      | 47    | 52    | 5      | 10.6%    |
| Guthrie | Soybeans  | I         | LSFG       |      | 43    | 48    | 5      | 11.6%    |
| Guthrie | Soybeans  | I         | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Guthrie | Soybeans  | IRR OC    | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Guthrie | Soybeans  | IRR OC    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Guthrie | Soybeans  | IRR OC    | HP         |      | 33    | 36    | 3      | 9.1%     |
| Guthrie | Soybeans  | IRR OC    | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Guthrie | Soybeans  | IRR OC    | LSF        |      | 33    | 36    | 3      | 9.1%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Guthrie  | Soybeans  | IRR OC    | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Guthrie  | Soybeans  | IRR OC    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Guthrie  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Guthrie  | Soybeans  | IRR OT    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Guthrie  | Soybeans  | IRR OT    | HP         |      | 33    | 36    | 3      | 9.1%     |
| Guthrie  | Soybeans  | IRR OT    | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Guthrie  | Soybeans  | IRR OT    | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Guthrie  | Soybeans  | IRR OT    | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Guthrie  | Soybeans  | IRR OT    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Guthrie  | Soybeans  | NI        | ALLOTHFDGD |      | 47    | 54    | 7      | 14.9%    |
| Guthrie  | Soybeans  | NI        | COMM       |      | 51    | 54    | 3      | 5.9%     |
| Guthrie  | Soybeans  | NI        | HP         |      | 47    | 50    | 3      | 6.4%     |
| Guthrie  | Soybeans  | NI        | LLA        |      | 47    | 50    | 3      | 6.4%     |
| Guthrie  | Soybeans  | NI        | LSF        |      | 47    | 50    | 3      | 6.4%     |
| Guthrie  | Soybeans  | NI        | LSFG       |      | 43    | 46    | 3      | 7.0%     |
| Guthrie  | Soybeans  | NI        | SSFG       |      | 36    | 38    | 2      | 5.6%     |
| Guthrie  | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 33    | 38    | 5      | 15.2%    |
| Guthrie  | Soybeans  | NON-IRROC | COMM       |      | 36    | 38    | 2      | 5.6%     |
| Guthrie  | Soybeans  | NON-IRROC | HP         |      | 33    | 35    | 2      | 6.1%     |
| Guthrie  | Soybeans  | NON-IRROC | LLA        |      | 33    | 35    | 2      | 6.1%     |
| Guthrie  | Soybeans  | NON-IRROC | LSF        |      | 33    | 35    | 2      | 6.1%     |
| Guthrie  | Soybeans  | NON-IRROC | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Guthrie  | Soybeans  | NON-IRROC | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Guthrie  | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 33    | 38    | 5      | 15.2%    |
| Guthrie  | Soybeans  | NON-IRROT | COMM       |      | 36    | 38    | 2      | 5.6%     |
| Guthrie  | Soybeans  | NON-IRROT | HP         |      | 33    | 35    | 2      | 6.1%     |
| Guthrie  | Soybeans  | NON-IRROT | LLA        |      | 33    | 35    | 2      | 6.1%     |
| Guthrie  | Soybeans  | NON-IRROT | LSF        |      | 33    | 35    | 2      | 6.1%     |
| Guthrie  | Soybeans  | NON-IRROT | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Guthrie  | Soybeans  | NON-IRROT | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Hamilton | Corn      | I         | GSG        |      | 186   | 186   | 0      | 0.0%     |
| Hamilton | Corn      | I         | HAMLS      |      | 186   | 186   | 0      | 0.0%     |
| Hamilton | Corn      | I         | WAXY       |      | 186   | 186   | 0      | 0.0%     |
| Hamilton | Corn      | I         | WHITE      |      | 186   | 186   | 0      | 0.0%     |
| Hamilton | Corn      | IRR OC    | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn      | IRR OC    | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn      | IRR OC    | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn      | IRR OC    | WHITE      |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn      | IRR OT    | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn      | IRR OT    | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn      | IRR OT    | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn      | IRR OT    | WHITE      |      | 140   | 140   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name  | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|------------|-----------|------------|------|-------|-------|--------|----------|
|          |            |           |            |      | Yield | Yield |        |          |
| Hamilton | Corn       | NI        | GSG        |      | 186   | 186   | 0      | 0.0%     |
| Hamilton | Corn       | NI        | HAMLS      |      | 186   | 186   | 0      | 0.0%     |
| Hamilton | Corn       | NI        | WAXY       |      | 186   | 186   | 0      | 0.0%     |
| Hamilton | Corn       | NI        | WHITE      |      | 186   | 186   | 0      | 0.0%     |
| Hamilton | Corn       | NON-IRROC | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn       | NON-IRROC | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn       | NON-IRROC | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn       | NON-IRROC | WHITE      |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn       | NON-IRROT | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn       | NON-IRROT | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn       | NON-IRROT | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Corn       | NON-IRROT | WHITE      |      | 140   | 140   | 0      | 0.0%     |
| Hamilton | Green Peas | I         | SESP       |      | 3182  | 3182  | 0      | 0.0%     |
| Hamilton | Green Peas | I         | SLSP       |      | 3380  | 3380  | 0      | 0.0%     |
| Hamilton | Green Peas | I         | SMSP       |      | 3579  | 3579  | 0      | 0.0%     |
| Hamilton | Green Peas | IRR OC    | SESP       |      | 2068  | 2068  | 0      | 0.0%     |
| Hamilton | Green Peas | IRR OC    | SLSP       |      | 2197  | 2197  | 0      | 0.0%     |
| Hamilton | Green Peas | IRR OC    | SMSP       |      | 2326  | 2326  | 0      | 0.0%     |
| Hamilton | Green Peas | IRR OT    | SESP       |      | 2068  | 2068  | 0      | 0.0%     |
| Hamilton | Green Peas | IRR OT    | SLSP       |      | 2197  | 2197  | 0      | 0.0%     |
| Hamilton | Green Peas | IRR OT    | SMSP       |      | 2326  | 2326  | 0      | 0.0%     |
| Hamilton | Green Peas | NI        | SESP       |      | 2743  | 2743  | 0      | 0.0%     |
| Hamilton | Green Peas | NI        | SLSP       |      | 2914  | 2914  | 0      | 0.0%     |
| Hamilton | Green Peas | NI        | SMSP       |      | 3085  | 3085  | 0      | 0.0%     |
| Hamilton | Green Peas | NON-IRROC | SESP       |      | 1783  | 1783  | 0      | 0.0%     |
| Hamilton | Green Peas | NON-IRROC | SLSP       |      | 1894  | 1894  | 0      | 0.0%     |
| Hamilton | Green Peas | NON-IRROC | SMSP       |      | 2005  | 2005  | 0      | 0.0%     |
| Hamilton | Green Peas | NON-IRROT | SESP       |      | 1783  | 1783  | 0      | 0.0%     |
| Hamilton | Green Peas | NON-IRROT | SLSP       |      | 1894  | 1894  | 0      | 0.0%     |
| Hamilton | Green Peas | NON-IRROT | SMSP       |      | 2005  | 2005  | 0      | 0.0%     |
| Hamilton | Oats       | I         | S          |      | 75    | 74    | -1     | -1.3%    |
| Hamilton | Oats       | IRR OC    | S          |      | 75    | 67    | -8     | -10.7%   |
| Hamilton | Oats       | IRR OT    | S          |      | 75    | 67    | -8     | -10.7%   |
| Hamilton | Oats       | NI        | S          |      | 75    | 74    | -1     | -1.3%    |
| Hamilton | Oats       | NON-IRROC | S          |      | 75    | 67    | -8     | -10.7%   |
| Hamilton | Oats       | NON-IRROT | S          |      | 75    | 67    | -8     | -10.7%   |
| Hamilton | Soybeans   | I         | ALLOTHFDGD |      | 47    | 55    | 8      | 17.0%    |
| Hamilton | Soybeans   | I         | COMM       |      | 51    | 55    | 4      | 7.8%     |
| Hamilton | Soybeans   | I         | HP         |      | 47    | 51    | 4      | 8.5%     |
| Hamilton | Soybeans   | I         | LLA        |      | 47    | 51    | 4      | 8.5%     |
| Hamilton | Soybeans   | I         | LSF        |      | 47    | 51    | 4      | 8.5%     |
| Hamilton | Soybeans   | I         | LSFG       |      | 43    | 47    | 4      | 9.3%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Hamilton | Soybeans  | I         | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Hamilton | Soybeans  | IRR OC    | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Hamilton | Soybeans  | IRR OC    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Hamilton | Soybeans  | IRR OC    | HP         |      | 33    | 36    | 3      | 9.1%     |
| Hamilton | Soybeans  | IRR OC    | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Hamilton | Soybeans  | IRR OC    | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Hamilton | Soybeans  | IRR OC    | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Hamilton | Soybeans  | IRR OC    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Hamilton | Soybeans  | IRR OT    | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Hamilton | Soybeans  | IRR OT    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Hamilton | Soybeans  | IRR OT    | HP         |      | 33    | 36    | 3      | 9.1%     |
| Hamilton | Soybeans  | IRR OT    | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Hamilton | Soybeans  | IRR OT    | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Hamilton | Soybeans  | IRR OT    | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Hamilton | Soybeans  | IRR OT    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Hamilton | Soybeans  | NC IRR OC | ALLOTHFDGD |      | 32    | 35    | 3      | 9.4%     |
| Hamilton | Soybeans  | NC IRR OC | COMM       |      | 35    | 35    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC IRR OC | HP         |      | 32    | 32    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC IRR OC | LLA        |      | 32    | 32    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC IRR OC | LSF        |      | 32    | 32    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC IRR OC | LSFG       |      | 30    | 30    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC IRR OC | SSFG       |      | 25    | 25    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC IRR OT | ALLOTHFDGD |      | 32    | 35    | 3      | 9.4%     |
| Hamilton | Soybeans  | NC IRR OT | COMM       |      | 35    | 35    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC IRR OT | HP         |      | 32    | 32    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC IRR OT | LLA        |      | 32    | 32    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC IRR OT | LSF        |      | 32    | 32    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC IRR OT | LSFG       |      | 30    | 30    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC IRR OT | SSFG       |      | 25    | 25    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 32    | 35    | 3      | 9.4%     |
| Hamilton | Soybeans  | NC NIOC   | COMM       |      | 35    | 35    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC NIOC   | HP         |      | 32    | 32    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC NIOC   | LLA        |      | 32    | 32    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC NIOC   | LSF        |      | 32    | 32    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC NIOC   | LSFG       |      | 30    | 30    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC NIOC   | SSFG       |      | 25    | 25    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC NIOT   | ALLOTHFDGD |      | 32    | 35    | 3      | 9.4%     |
| Hamilton | Soybeans  | NC NIOT   | COMM       |      | 35    | 35    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC NIOT   | HP         |      | 32    | 32    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC NIOT   | LLA        |      | 32    | 32    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC NIOT   | LSF        |      | 32    | 32    | 0      | 0.0%     |
| Hamilton | Soybeans  | NC NIOT   | LSFG       |      | 30    | 30    | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name  | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|------------|------------|------------|------|-------|-------|--------|----------|
|          |            |            |            |      | Yield | Yield |        |          |
| Hamilton | Soybeans   | NC NIOT    | SSFG       |      | 25    | 25    | 0      | 0.0%     |
| Hamilton | Soybeans   | NI         | ALLOTHFDGD |      | 47    | 55    | 8      | 17.0%    |
| Hamilton | Soybeans   | NI         | COMM       |      | 51    | 55    | 4      | 7.8%     |
| Hamilton | Soybeans   | NI         | HP         |      | 47    | 51    | 4      | 8.5%     |
| Hamilton | Soybeans   | NI         | LLA        |      | 47    | 51    | 4      | 8.5%     |
| Hamilton | Soybeans   | NI         | LSF        |      | 47    | 51    | 4      | 8.5%     |
| Hamilton | Soybeans   | NI         | LSFG       |      | 43    | 47    | 4      | 9.3%     |
| Hamilton | Soybeans   | NI         | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Hamilton | Soybeans   | NON-IRROC  | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Hamilton | Soybeans   | NON-IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Hamilton | Soybeans   | NON-IRROC  | HP         |      | 33    | 36    | 3      | 9.1%     |
| Hamilton | Soybeans   | NON-IRROC  | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Hamilton | Soybeans   | NON-IRROC  | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Hamilton | Soybeans   | NON-IRROC  | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Hamilton | Soybeans   | NON-IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Hamilton | Soybeans   | NON-IRROT  | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Hamilton | Soybeans   | NON-IRROT  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Hamilton | Soybeans   | NON-IRROT  | HP         |      | 33    | 36    | 3      | 9.1%     |
| Hamilton | Soybeans   | NON-IRROT  | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Hamilton | Soybeans   | NON-IRROT  | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Hamilton | Soybeans   | NON-IRROT  | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Hamilton | Soybeans   | NON-IRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Hamilton | Soybeans   | NONCON IRR | ALLOTHFDGD |      | 46    | 50    | 4      | 8.7%     |
| Hamilton | Soybeans   | NONCON IRR | COMM       |      | 50    | 50    | 0      | 0.0%     |
| Hamilton | Soybeans   | NONCON IRR | HP         |      | 46    | 46    | 0      | 0.0%     |
| Hamilton | Soybeans   | NONCON IRR | LLA        |      | 46    | 46    | 0      | 0.0%     |
| Hamilton | Soybeans   | NONCON IRR | LSF        |      | 46    | 46    | 0      | 0.0%     |
| Hamilton | Soybeans   | NONCON IRR | LSFG       |      | 43    | 43    | 0      | 0.0%     |
| Hamilton | Soybeans   | NONCON IRR | SSFG       |      | 35    | 35    | 0      | 0.0%     |
| Hamilton | Soybeans   | NONCON NI  | ALLOTHFDGD |      | 46    | 50    | 4      | 8.7%     |
| Hamilton | Soybeans   | NONCON NI  | COMM       |      | 50    | 50    | 0      | 0.0%     |
| Hamilton | Soybeans   | NONCON NI  | HP         |      | 46    | 46    | 0      | 0.0%     |
| Hamilton | Soybeans   | NONCON NI  | LLA        |      | 46    | 46    | 0      | 0.0%     |
| Hamilton | Soybeans   | NONCON NI  | LSF        |      | 46    | 46    | 0      | 0.0%     |
| Hamilton | Soybeans   | NONCON NI  | LSFG       |      | 43    | 43    | 0      | 0.0%     |
| Hamilton | Soybeans   | NONCON NI  | SSFG       |      | 35    | 35    | 0      | 0.0%     |
| Hamilton | Sweet Corn | I          | EGW        |      | 6.3   | 6.3   | 0      | 0.0%     |
| Hamilton | Sweet Corn | I          | OG         |      | 6.3   | 6.3   | 0      | 0.0%     |
| Hamilton | Sweet Corn | IRR OC     | EGW        |      | 4.1   | 4.1   | 0      | 0.0%     |
| Hamilton | Sweet Corn | IRR OC     | OG         |      | 4.1   | 4.1   | 0      | 0.0%     |
| Hamilton | Sweet Corn | IRR OT     | EGW        |      | 4.1   | 4.1   | 0      | 0.0%     |
| Hamilton | Sweet Corn | IRR OT     | OG         |      | 4.1   | 4.1   | 0      | 0.0%     |



## Iowa

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name  | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|----------|------------|-----------|------------|------|-------|-------|--|--------|----------|
|          |            |           |            | Area | Yield | Yield |  |        |          |
| Hamilton | Sweet Corn | NI        | EGW        |      | 6.3   | 6.3   |  | 0      | 0.0%     |
| Hamilton | Sweet Corn | NI        | OG         |      | 6.3   | 6.3   |  | 0      | 0.0%     |
| Hamilton | Sweet Corn | NON-IRROC | EGW        |      | 4.1   | 4.1   |  | 0      | 0.0%     |
| Hamilton | Sweet Corn | NON-IRROC | OG         |      | 4.1   | 4.1   |  | 0      | 0.0%     |
| Hamilton | Sweet Corn | NON-IRROT | EGW        |      | 4.1   | 4.1   |  | 0      | 0.0%     |
| Hamilton | Sweet Corn | NON-IRROT | OG         |      | 4.1   | 4.1   |  | 0      | 0.0%     |
| Hancock  | Corn       | I         | GSG        |      | 197   | 197   |  | 0      | 0.0%     |
| Hancock  | Corn       | I         | HAMLS      |      | 197   | 197   |  | 0      | 0.0%     |
| Hancock  | Corn       | I         | WAXY       |      | 197   | 197   |  | 0      | 0.0%     |
| Hancock  | Corn       | I         | WHITE      |      | 197   | 197   |  | 0      | 0.0%     |
| Hancock  | Corn       | IRR OC    | GSG        |      | 148   | 148   |  | 0      | 0.0%     |
| Hancock  | Corn       | IRR OC    | HAMLS      |      | 148   | 148   |  | 0      | 0.0%     |
| Hancock  | Corn       | IRR OC    | WAXY       |      | 148   | 148   |  | 0      | 0.0%     |
| Hancock  | Corn       | IRR OC    | WHITE      |      | 148   | 148   |  | 0      | 0.0%     |
| Hancock  | Corn       | IRR OT    | GSG        |      | 148   | 148   |  | 0      | 0.0%     |
| Hancock  | Corn       | IRR OT    | HAMLS      |      | 148   | 148   |  | 0      | 0.0%     |
| Hancock  | Corn       | IRR OT    | WAXY       |      | 148   | 148   |  | 0      | 0.0%     |
| Hancock  | Corn       | IRR OT    | WHITE      |      | 148   | 148   |  | 0      | 0.0%     |
| Hancock  | Corn       | NI        | GSG        |      | 188   | 188   |  | 0      | 0.0%     |
| Hancock  | Corn       | NI        | HAMLS      |      | 188   | 188   |  | 0      | 0.0%     |
| Hancock  | Corn       | NI        | WAXY       |      | 188   | 188   |  | 0      | 0.0%     |
| Hancock  | Corn       | NI        | WHITE      |      | 188   | 188   |  | 0      | 0.0%     |
| Hancock  | Corn       | NON-IRROC | GSG        |      | 141   | 141   |  | 0      | 0.0%     |
| Hancock  | Corn       | NON-IRROC | HAMLS      |      | 141   | 141   |  | 0      | 0.0%     |
| Hancock  | Corn       | NON-IRROC | WAXY       |      | 141   | 141   |  | 0      | 0.0%     |
| Hancock  | Corn       | NON-IRROC | WHITE      |      | 141   | 141   |  | 0      | 0.0%     |
| Hancock  | Corn       | NON-IRROT | GSG        |      | 141   | 141   |  | 0      | 0.0%     |
| Hancock  | Corn       | NON-IRROT | HAMLS      |      | 141   | 141   |  | 0      | 0.0%     |
| Hancock  | Corn       | NON-IRROT | WAXY       |      | 141   | 141   |  | 0      | 0.0%     |
| Hancock  | Corn       | NON-IRROT | WHITE      |      | 141   | 141   |  | 0      | 0.0%     |
| Hancock  | Oats       | I         | S          |      | 71    | 72    |  | 1      | 1.4%     |
| Hancock  | Oats       | IRR OC    | S          |      | 71    | 65    |  | -6     | -8.5%    |
| Hancock  | Oats       | IRR OT    | S          |      | 71    | 65    |  | -6     | -8.5%    |
| Hancock  | Oats       | NI        | S          |      | 71    | 72    |  | 1      | 1.4%     |
| Hancock  | Oats       | NON-IRROC | S          |      | 71    | 65    |  | -6     | -8.5%    |
| Hancock  | Oats       | NON-IRROT | S          |      | 71    | 65    |  | -6     | -8.5%    |
| Hancock  | Soybeans   | I         | ALLOTHFDGD |      | 55    | 62    |  | 7      | 12.7%    |
| Hancock  | Soybeans   | I         | COMM       |      | 59    | 62    |  | 3      | 5.1%     |
| Hancock  | Soybeans   | I         | HP         |      | 55    | 57    |  | 2      | 3.6%     |
| Hancock  | Soybeans   | I         | LLA        |      | 55    | 57    |  | 2      | 3.6%     |
| Hancock  | Soybeans   | I         | LSF        |      | 55    | 57    |  | 2      | 3.6%     |
| Hancock  | Soybeans   | I         | LSFG       |      | 50    | 53    |  | 3      | 6.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Hancock | Soybeans  | I         | SSFG       |      | 41    | 43    | 2      | 4.9%     |
| Hancock | Soybeans  | IRR OC    | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Hancock | Soybeans  | IRR OC    | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Hancock | Soybeans  | IRR OC    | HP         |      | 39    | 40    | 1      | 2.6%     |
| Hancock | Soybeans  | IRR OC    | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Hancock | Soybeans  | IRR OC    | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Hancock | Soybeans  | IRR OC    | LSFG       |      | 35    | 37    | 2      | 5.7%     |
| Hancock | Soybeans  | IRR OC    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Hancock | Soybeans  | IRR OT    | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Hancock | Soybeans  | IRR OT    | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Hancock | Soybeans  | IRR OT    | HP         |      | 39    | 40    | 1      | 2.6%     |
| Hancock | Soybeans  | IRR OT    | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Hancock | Soybeans  | IRR OT    | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Hancock | Soybeans  | IRR OT    | LSFG       |      | 35    | 37    | 2      | 5.7%     |
| Hancock | Soybeans  | IRR OT    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Hancock | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Hancock | Soybeans  | NC IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Hancock | Soybeans  | NC IRROC  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Hancock | Soybeans  | NC IRROC  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Hancock | Soybeans  | NC IRROC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Hancock | Soybeans  | NC IRROC  | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Hancock | Soybeans  | NC IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Hancock | Soybeans  | NC IRRROT | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Hancock | Soybeans  | NC IRRROT | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Hancock | Soybeans  | NC IRRROT | HP         |      | 34    | 36    | 2      | 5.9%     |
| Hancock | Soybeans  | NC IRRROT | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Hancock | Soybeans  | NC IRRROT | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Hancock | Soybeans  | NC IRRROT | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Hancock | Soybeans  | NC IRRROT | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Hancock | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Hancock | Soybeans  | NC NIOC   | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Hancock | Soybeans  | NC NIOC   | HP         |      | 34    | 36    | 2      | 5.9%     |
| Hancock | Soybeans  | NC NIOC   | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Hancock | Soybeans  | NC NIOC   | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Hancock | Soybeans  | NC NIOC   | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Hancock | Soybeans  | NC NIOC   | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Hancock | Soybeans  | NC NIOT   | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Hancock | Soybeans  | NC NIOT   | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Hancock | Soybeans  | NC NIOT   | HP         |      | 34    | 36    | 2      | 5.9%     |
| Hancock | Soybeans  | NC NIOT   | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Hancock | Soybeans  | NC NIOT   | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Hancock | Soybeans  | NC NIOT   | LSFG       |      | 31    | 33    | 2      | 6.5%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name  | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|------------|------------|------------|------|-------|-------|--------|----------|
|         |            |            |            |      | Yield | Yield |        |          |
| Hancock | Soybeans   | NC NIOT    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Hancock | Soybeans   | NI         | ALLOTHFDGD |      | 50    | 59    | 9      | 18.0%    |
| Hancock | Soybeans   | NI         | COMM       |      | 54    | 59    | 5      | 9.3%     |
| Hancock | Soybeans   | NI         | HP         |      | 50    | 55    | 5      | 10.0%    |
| Hancock | Soybeans   | NI         | LLA        |      | 50    | 55    | 5      | 10.0%    |
| Hancock | Soybeans   | NI         | LSF        |      | 50    | 55    | 5      | 10.0%    |
| Hancock | Soybeans   | NI         | LSFG       |      | 46    | 50    | 4      | 8.7%     |
| Hancock | Soybeans   | NI         | SSFG       |      | 38    | 41    | 3      | 7.9%     |
| Hancock | Soybeans   | NON-IRROC  | ALLOTHFDGD |      | 35    | 41    | 6      | 17.1%    |
| Hancock | Soybeans   | NON-IRROC  | COMM       |      | 38    | 41    | 3      | 7.9%     |
| Hancock | Soybeans   | NON-IRROC  | HP         |      | 35    | 39    | 4      | 11.4%    |
| Hancock | Soybeans   | NON-IRROC  | LLA        |      | 35    | 39    | 4      | 11.4%    |
| Hancock | Soybeans   | NON-IRROC  | LSF        |      | 35    | 39    | 4      | 11.4%    |
| Hancock | Soybeans   | NON-IRROC  | LSFG       |      | 32    | 35    | 3      | 9.4%     |
| Hancock | Soybeans   | NON-IRROC  | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Hancock | Soybeans   | NON-IRROT  | ALLOTHFDGD |      | 35    | 41    | 6      | 17.1%    |
| Hancock | Soybeans   | NON-IRROT  | COMM       |      | 38    | 41    | 3      | 7.9%     |
| Hancock | Soybeans   | NON-IRROT  | HP         |      | 35    | 39    | 4      | 11.4%    |
| Hancock | Soybeans   | NON-IRROT  | LLA        |      | 35    | 39    | 4      | 11.4%    |
| Hancock | Soybeans   | NON-IRROT  | LSF        |      | 35    | 39    | 4      | 11.4%    |
| Hancock | Soybeans   | NON-IRROT  | LSFG       |      | 32    | 35    | 3      | 9.4%     |
| Hancock | Soybeans   | NON-IRROT  | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Hancock | Soybeans   | NONCON IRR | ALLOTHFDGD |      | 48    | 55    | 7      | 14.6%    |
| Hancock | Soybeans   | NONCON IRR | COMM       |      | 52    | 55    | 3      | 5.8%     |
| Hancock | Soybeans   | NONCON IRR | HP         |      | 48    | 51    | 3      | 6.3%     |
| Hancock | Soybeans   | NONCON IRR | LLA        |      | 48    | 51    | 3      | 6.3%     |
| Hancock | Soybeans   | NONCON IRR | LSF        |      | 48    | 51    | 3      | 6.3%     |
| Hancock | Soybeans   | NONCON IRR | LSFG       |      | 44    | 47    | 3      | 6.8%     |
| Hancock | Soybeans   | NONCON IRR | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Hancock | Soybeans   | NONCON NI  | ALLOTHFDGD |      | 48    | 55    | 7      | 14.6%    |
| Hancock | Soybeans   | NONCON NI  | COMM       |      | 52    | 55    | 3      | 5.8%     |
| Hancock | Soybeans   | NONCON NI  | HP         |      | 48    | 51    | 3      | 6.3%     |
| Hancock | Soybeans   | NONCON NI  | LLA        |      | 48    | 51    | 3      | 6.3%     |
| Hancock | Soybeans   | NONCON NI  | LSF        |      | 48    | 51    | 3      | 6.3%     |
| Hancock | Soybeans   | NONCON NI  | LSFG       |      | 44    | 47    | 3      | 6.8%     |
| Hancock | Soybeans   | NONCON NI  | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Hancock | Sweet Corn | I          | EGW        |      | 7.2   | 7.2   | 0      | 0.0%     |
| Hancock | Sweet Corn | I          | OG         |      | 7.2   | 7.2   | 0      | 0.0%     |
| Hancock | Sweet Corn | IRR OC     | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Hancock | Sweet Corn | IRR OC     | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Hancock | Sweet Corn | IRR OT     | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Hancock | Sweet Corn | IRR OT     | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |



Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name  | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|---------|------------|-----------|-------|------|-------|-------|--|--------|----------|
|         |            |           |       | Area | Yield | Yield |  |        |          |
| Hancock | Sweet Corn | NI        | EGW   |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Hancock | Sweet Corn | NI        | OG    |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Hancock | Sweet Corn | NON-IRROC | EGW   |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Hancock | Sweet Corn | NON-IRROC | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Hancock | Sweet Corn | NON-IRROT | EGW   |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Hancock | Sweet Corn | NON-IRROT | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Hardin  | Corn       | I         | GSG   |      | 191   | 191   |  | 0      | 0.0%     |
| Hardin  | Corn       | I         | HAMLS |      | 191   | 191   |  | 0      | 0.0%     |
| Hardin  | Corn       | I         | WAXY  |      | 191   | 191   |  | 0      | 0.0%     |
| Hardin  | Corn       | I         | WHITE |      | 191   | 191   |  | 0      | 0.0%     |
| Hardin  | Corn       | IRR OC    | GSG   |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | IRR OC    | HAMLS |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | IRR OC    | WAXY  |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | IRR OC    | WHITE |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | IRR OT    | GSG   |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | IRR OT    | HAMLS |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | IRR OT    | WAXY  |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | IRR OT    | WHITE |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | NI        | GSG   |      | 191   | 191   |  | 0      | 0.0%     |
| Hardin  | Corn       | NI        | HAMLS |      | 191   | 191   |  | 0      | 0.0%     |
| Hardin  | Corn       | NI        | WAXY  |      | 191   | 191   |  | 0      | 0.0%     |
| Hardin  | Corn       | NI        | WHITE |      | 191   | 191   |  | 0      | 0.0%     |
| Hardin  | Corn       | NON-IRROC | GSG   |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | NON-IRROC | HAMLS |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | NON-IRROC | WAXY  |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | NON-IRROC | WHITE |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | NON-IRROT | GSG   |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | NON-IRROT | HAMLS |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | NON-IRROT | WAXY  |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Corn       | NON-IRROT | WHITE |      | 143   | 143   |  | 0      | 0.0%     |
| Hardin  | Green Peas | I         | SESP  |      | 3182  | 3182  |  | 0      | 0.0%     |
| Hardin  | Green Peas | I         | SLSP  |      | 3380  | 3380  |  | 0      | 0.0%     |
| Hardin  | Green Peas | I         | SMSP  |      | 3579  | 3579  |  | 0      | 0.0%     |
| Hardin  | Green Peas | IRR OC    | SESP  |      | 2068  | 2068  |  | 0      | 0.0%     |
| Hardin  | Green Peas | IRR OC    | SLSP  |      | 2197  | 2197  |  | 0      | 0.0%     |
| Hardin  | Green Peas | IRR OC    | SMSP  |      | 2326  | 2326  |  | 0      | 0.0%     |
| Hardin  | Green Peas | IRR OT    | SESP  |      | 2068  | 2068  |  | 0      | 0.0%     |
| Hardin  | Green Peas | IRR OT    | SLSP  |      | 2197  | 2197  |  | 0      | 0.0%     |
| Hardin  | Green Peas | IRR OT    | SMSP  |      | 2326  | 2326  |  | 0      | 0.0%     |
| Hardin  | Green Peas | NI        | SESP  |      | 2743  | 2743  |  | 0      | 0.0%     |
| Hardin  | Green Peas | NI        | SLSP  |      | 2914  | 2914  |  | 0      | 0.0%     |
| Hardin  | Green Peas | NI        | SMSP  |      | 3085  | 3085  |  | 0      | 0.0%     |



## Iowa

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name  | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|------------|-----------|------------|------|-------|-------|--------|----------|
|        |            |           |            |      | Yield | Yield |        |          |
| Hardin | Green Peas | NON-IRROC | SESP       |      | 1783  | 1783  | 0      | 0.0%     |
| Hardin | Green Peas | NON-IRROC | SLSP       |      | 1894  | 1894  | 0      | 0.0%     |
| Hardin | Green Peas | NON-IRROC | SMSP       |      | 2005  | 2005  | 0      | 0.0%     |
| Hardin | Green Peas | NON-IRROT | SESP       |      | 1783  | 1783  | 0      | 0.0%     |
| Hardin | Green Peas | NON-IRROT | SLSP       |      | 1894  | 1894  | 0      | 0.0%     |
| Hardin | Green Peas | NON-IRROT | SMSP       |      | 2005  | 2005  | 0      | 0.0%     |
| Hardin | Oats       | I         | S          |      | 72    | 74    | 2      | 2.8%     |
| Hardin | Oats       | IRR OC    | S          |      | 72    | 67    | -5     | -6.9%    |
| Hardin | Oats       | IRR OT    | S          |      | 72    | 67    | -5     | -6.9%    |
| Hardin | Oats       | NI        | S          |      | 72    | 74    | 2      | 2.8%     |
| Hardin | Oats       | NON-IRROC | S          |      | 72    | 67    | -5     | -6.9%    |
| Hardin | Oats       | NON-IRROT | S          |      | 72    | 67    | -5     | -6.9%    |
| Hardin | Soybeans   | I         | ALLOTHFDGD |      | 52    | 58    | 6      | 11.5%    |
| Hardin | Soybeans   | I         | COMM       |      | 56    | 58    | 2      | 3.6%     |
| Hardin | Soybeans   | I         | HP         |      | 52    | 54    | 2      | 3.8%     |
| Hardin | Soybeans   | I         | LLA        |      | 52    | 54    | 2      | 3.8%     |
| Hardin | Soybeans   | I         | LSF        |      | 52    | 54    | 2      | 3.8%     |
| Hardin | Soybeans   | I         | LSFG       |      | 48    | 49    | 1      | 2.1%     |
| Hardin | Soybeans   | I         | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Hardin | Soybeans   | IRR OC    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Hardin | Soybeans   | IRR OC    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Hardin | Soybeans   | IRR OC    | HP         |      | 36    | 38    | 2      | 5.6%     |
| Hardin | Soybeans   | IRR OC    | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Hardin | Soybeans   | IRR OC    | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Hardin | Soybeans   | IRR OC    | LSFG       |      | 34    | 34    | 0      | 0.0%     |
| Hardin | Soybeans   | IRR OC    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Hardin | Soybeans   | IRR OT    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Hardin | Soybeans   | IRR OT    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Hardin | Soybeans   | IRR OT    | HP         |      | 36    | 38    | 2      | 5.6%     |
| Hardin | Soybeans   | IRR OT    | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Hardin | Soybeans   | IRR OT    | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Hardin | Soybeans   | IRR OT    | LSFG       |      | 34    | 34    | 0      | 0.0%     |
| Hardin | Soybeans   | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Hardin | Soybeans   | NI        | ALLOTHFDGD |      | 52    | 58    | 6      | 11.5%    |
| Hardin | Soybeans   | NI        | COMM       |      | 56    | 58    | 2      | 3.6%     |
| Hardin | Soybeans   | NI        | HP         |      | 52    | 54    | 2      | 3.8%     |
| Hardin | Soybeans   | NI        | LLA        |      | 52    | 54    | 2      | 3.8%     |
| Hardin | Soybeans   | NI        | LSF        |      | 52    | 54    | 2      | 3.8%     |
| Hardin | Soybeans   | NI        | LSFG       |      | 48    | 49    | 1      | 2.1%     |
| Hardin | Soybeans   | NI        | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Hardin | Soybeans   | NON-IRROC | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Hardin | Soybeans   | NON-IRROC | COMM       |      | 39    | 41    | 2      | 5.1%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name  | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|------------|-----------|------------|------|-------|-------|--------|----------|
|          |            |           |            |      | Yield | Yield |        |          |
| Hardin   | Soybeans   | NON-IRROC | HP         |      | 36    | 38    | 2      | 5.6%     |
| Hardin   | Soybeans   | NON-IRROC | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Hardin   | Soybeans   | NON-IRROC | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Hardin   | Soybeans   | NON-IRROC | LSFG       |      | 34    | 34    | 0      | 0.0%     |
| Hardin   | Soybeans   | NON-IRROC | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Hardin   | Soybeans   | NON-IRROT | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Hardin   | Soybeans   | NON-IRROT | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Hardin   | Soybeans   | NON-IRROT | HP         |      | 36    | 38    | 2      | 5.6%     |
| Hardin   | Soybeans   | NON-IRROT | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Hardin   | Soybeans   | NON-IRROT | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Hardin   | Soybeans   | NON-IRROT | LSFG       |      | 34    | 34    | 0      | 0.0%     |
| Hardin   | Soybeans   | NON-IRROT | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Hardin   | Sweet Corn | I         | EGW        |      | 6.9   | 6.9   | 0      | 0.0%     |
| Hardin   | Sweet Corn | I         | OG         |      | 6.9   | 6.9   | 0      | 0.0%     |
| Hardin   | Sweet Corn | IRR OC    | EGW        |      | 4.5   | 4.5   | 0      | 0.0%     |
| Hardin   | Sweet Corn | IRR OC    | OG         |      | 4.5   | 4.5   | 0      | 0.0%     |
| Hardin   | Sweet Corn | IRR OT    | EGW        |      | 4.5   | 4.5   | 0      | 0.0%     |
| Hardin   | Sweet Corn | IRR OT    | OG         |      | 4.5   | 4.5   | 0      | 0.0%     |
| Hardin   | Sweet Corn | NI        | EGW        |      | 6.9   | 6.9   | 0      | 0.0%     |
| Hardin   | Sweet Corn | NI        | OG         |      | 6.9   | 6.9   | 0      | 0.0%     |
| Hardin   | Sweet Corn | NON-IRROC | EGW        |      | 4.5   | 4.5   | 0      | 0.0%     |
| Hardin   | Sweet Corn | NON-IRROC | OG         |      | 4.5   | 4.5   | 0      | 0.0%     |
| Hardin   | Sweet Corn | NON-IRROT | EGW        |      | 4.5   | 4.5   | 0      | 0.0%     |
| Hardin   | Sweet Corn | NON-IRROT | OG         |      | 4.5   | 4.5   | 0      | 0.0%     |
| Harrison | Corn       | I         | GSG        |      | 190   | 190   | 0      | 0.0%     |
| Harrison | Corn       | I         | HAMLS      |      | 190   | 190   | 0      | 0.0%     |
| Harrison | Corn       | I         | HAMOS      |      | 133   | 133   | 0      | 0.0%     |
| Harrison | Corn       | I         | WAXY       |      | 190   | 190   | 0      | 0.0%     |
| Harrison | Corn       | I         | WHITE      |      | 190   | 190   | 0      | 0.0%     |
| Harrison | Corn       | IRR OC    | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn       | IRR OC    | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn       | IRR OC    | HAMOS      |      | 100   | 100   | 0      | 0.0%     |
| Harrison | Corn       | IRR OC    | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn       | IRR OC    | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn       | IRR OT    | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn       | IRR OT    | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn       | IRR OT    | HAMOS      |      | 100   | 100   | 0      | 0.0%     |
| Harrison | Corn       | IRR OT    | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn       | IRR OT    | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn       | NI        | GSG        |      | 190   | 190   | 0      | 0.0%     |
| Harrison | Corn       | NI        | HAMLS      |      | 190   | 190   | 0      | 0.0%     |
| Harrison | Corn       | NI        | HAMOS      |      | 133   | 133   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Harrison | Corn      | NI        | WAXY       |      | 190   | 190   | 0      | 0.0%     |
| Harrison | Corn      | NI        | WHITE      |      | 190   | 190   | 0      | 0.0%     |
| Harrison | Corn      | NON-IRROC | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn      | NON-IRROC | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn      | NON-IRROC | HAMOS      |      | 100   | 100   | 0      | 0.0%     |
| Harrison | Corn      | NON-IRROC | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn      | NON-IRROC | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn      | NON-IRROT | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn      | NON-IRROT | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn      | NON-IRROT | HAMOS      |      | 100   | 100   | 0      | 0.0%     |
| Harrison | Corn      | NON-IRROT | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Corn      | NON-IRROT | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Harrison | Oats      | I         | S          |      | 79    | 79    | 0      | 0.0%     |
| Harrison | Oats      | IRR OC    | S          |      | 79    | 71    | -8     | -10.1%   |
| Harrison | Oats      | IRR OT    | S          |      | 79    | 71    | -8     | -10.1%   |
| Harrison | Oats      | NI        | S          |      | 79    | 79    | 0      | 0.0%     |
| Harrison | Oats      | NON-IRROC | S          |      | 79    | 71    | -8     | -10.1%   |
| Harrison | Oats      | NON-IRROT | S          |      | 79    | 71    | -8     | -10.1%   |
| Harrison | Popcorn   | I         | NTS        |      | 5398  | 5398  | 0      | 0.0%     |
| Harrison | Popcorn   | IRR OC    | NTS        |      | 3779  | 3779  | 0      | 0.0%     |
| Harrison | Popcorn   | IRR OT    | NTS        |      | 3779  | 3779  | 0      | 0.0%     |
| Harrison | Popcorn   | NI        | NTS        |      | 4508  | 4508  | 0      | 0.0%     |
| Harrison | Popcorn   | NON-IRROC | NTS        |      | 3156  | 3156  | 0      | 0.0%     |
| Harrison | Popcorn   | NON-IRROT | NTS        |      | 3156  | 3156  | 0      | 0.0%     |
| Harrison | Soybeans  | I         | ALLOTHFDGD |      | 49    | 56    | 7      | 14.3%    |
| Harrison | Soybeans  | I         | COMM       |      | 53    | 56    | 3      | 5.7%     |
| Harrison | Soybeans  | I         | HP         |      | 49    | 52    | 3      | 6.1%     |
| Harrison | Soybeans  | I         | LLA        |      | 49    | 52    | 3      | 6.1%     |
| Harrison | Soybeans  | I         | LSF        |      | 49    | 52    | 3      | 6.1%     |
| Harrison | Soybeans  | I         | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Harrison | Soybeans  | I         | SSFG       |      | 37    | 39    | 2      | 5.4%     |
| Harrison | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Harrison | Soybeans  | IRR OC    | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Harrison | Soybeans  | IRR OC    | HP         |      | 34    | 36    | 2      | 5.9%     |
| Harrison | Soybeans  | IRR OC    | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Harrison | Soybeans  | IRR OC    | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Harrison | Soybeans  | IRR OC    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Harrison | Soybeans  | IRR OC    | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Harrison | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Harrison | Soybeans  | IRR OT    | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Harrison | Soybeans  | IRR OT    | HP         |      | 34    | 36    | 2      | 5.9%     |
| Harrison | Soybeans  | IRR OT    | LLA        |      | 34    | 36    | 2      | 5.9%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Harrison | Soybeans  | IRR OT    | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Harrison | Soybeans  | IRR OT    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Harrison | Soybeans  | IRR OT    | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Harrison | Soybeans  | NI        | ALLOTHFDGD |      | 49    | 56    | 7      | 14.3%    |
| Harrison | Soybeans  | NI        | COMM       |      | 53    | 56    | 3      | 5.7%     |
| Harrison | Soybeans  | NI        | HP         |      | 49    | 52    | 3      | 6.1%     |
| Harrison | Soybeans  | NI        | LLA        |      | 49    | 52    | 3      | 6.1%     |
| Harrison | Soybeans  | NI        | LSF        |      | 49    | 52    | 3      | 6.1%     |
| Harrison | Soybeans  | NI        | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Harrison | Soybeans  | NI        | SSFG       |      | 37    | 39    | 2      | 5.4%     |
| Harrison | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Harrison | Soybeans  | NON-IRROC | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Harrison | Soybeans  | NON-IRROC | HP         |      | 34    | 36    | 2      | 5.9%     |
| Harrison | Soybeans  | NON-IRROC | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Harrison | Soybeans  | NON-IRROC | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Harrison | Soybeans  | NON-IRROC | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Harrison | Soybeans  | NON-IRROC | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Harrison | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Harrison | Soybeans  | NON-IRROT | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Harrison | Soybeans  | NON-IRROT | HP         |      | 34    | 36    | 2      | 5.9%     |
| Harrison | Soybeans  | NON-IRROT | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Harrison | Soybeans  | NON-IRROT | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Harrison | Soybeans  | NON-IRROT | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Harrison | Soybeans  | NON-IRROT | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Henry    | Corn      | I         | BLUE       |      | 110   | 110   | 0      | 0.0%     |
| Henry    | Corn      | I         | GSG        |      | 200   | 200   | 0      | 0.0%     |
| Henry    | Corn      | I         | HAMLS      |      | 200   | 200   | 0      | 0.0%     |
| Henry    | Corn      | I         | WAXY       |      | 200   | 200   | 0      | 0.0%     |
| Henry    | Corn      | I         | WHITE      |      | 200   | 200   | 0      | 0.0%     |
| Henry    | Corn      | IRR OC    | BLUE       |      | 83    | 83    | 0      | 0.0%     |
| Henry    | Corn      | IRR OC    | GSG        |      | 150   | 150   | 0      | 0.0%     |
| Henry    | Corn      | IRR OC    | HAMLS      |      | 150   | 150   | 0      | 0.0%     |
| Henry    | Corn      | IRR OC    | WAXY       |      | 150   | 150   | 0      | 0.0%     |
| Henry    | Corn      | IRR OC    | WHITE      |      | 150   | 150   | 0      | 0.0%     |
| Henry    | Corn      | IRR OT    | BLUE       |      | 83    | 83    | 0      | 0.0%     |
| Henry    | Corn      | IRR OT    | GSG        |      | 150   | 150   | 0      | 0.0%     |
| Henry    | Corn      | IRR OT    | HAMLS      |      | 150   | 150   | 0      | 0.0%     |
| Henry    | Corn      | IRR OT    | WAXY       |      | 150   | 150   | 0      | 0.0%     |
| Henry    | Corn      | IRR OT    | WHITE      |      | 150   | 150   | 0      | 0.0%     |
| Henry    | Corn      | NI        | BLUE       |      | 101   | 101   | 0      | 0.0%     |
| Henry    | Corn      | NI        | GSG        |      | 183   | 183   | 0      | 0.0%     |
| Henry    | Corn      | NI        | HAMLS      |      | 183   | 183   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Henry  | Corn      | NI        | WAXY       |      | 183   | 183   |  | 0      | 0.0%     |
| Henry  | Corn      | NI        | WHITE      |      | 183   | 183   |  | 0      | 0.0%     |
| Henry  | Corn      | NON-IRROC | BLUE       |      | 76    | 76    |  | 0      | 0.0%     |
| Henry  | Corn      | NON-IRROC | GSG        |      | 137   | 137   |  | 0      | 0.0%     |
| Henry  | Corn      | NON-IRROC | HAMLS      |      | 137   | 137   |  | 0      | 0.0%     |
| Henry  | Corn      | NON-IRROC | WAXY       |      | 137   | 137   |  | 0      | 0.0%     |
| Henry  | Corn      | NON-IRROC | WHITE      |      | 137   | 137   |  | 0      | 0.0%     |
| Henry  | Corn      | NON-IRROT | BLUE       |      | 76    | 76    |  | 0      | 0.0%     |
| Henry  | Corn      | NON-IRROT | GSG        |      | 137   | 137   |  | 0      | 0.0%     |
| Henry  | Corn      | NON-IRROT | HAMLS      |      | 137   | 137   |  | 0      | 0.0%     |
| Henry  | Corn      | NON-IRROT | WAXY       |      | 137   | 137   |  | 0      | 0.0%     |
| Henry  | Corn      | NON-IRROT | WHITE      |      | 137   | 137   |  | 0      | 0.0%     |
| Henry  | Oats      | I         | S          |      | 60    | 72    |  | 12     | 20.0%    |
| Henry  | Oats      | IRR OC    | S          |      | 60    | 65    |  | 5      | 8.3%     |
| Henry  | Oats      | IRR OT    | S          |      | 60    | 65    |  | 5      | 8.3%     |
| Henry  | Oats      | NI        | S          |      | 60    | 72    |  | 12     | 20.0%    |
| Henry  | Oats      | NON-IRROC | S          |      | 60    | 65    |  | 5      | 8.3%     |
| Henry  | Oats      | NON-IRROT | S          |      | 60    | 65    |  | 5      | 8.3%     |
| Henry  | Soybeans  | I         | ALLOTHFDGD |      | 53    | 59    |  | 6      | 11.3%    |
| Henry  | Soybeans  | I         | COMM       |      | 57    | 59    |  | 2      | 3.5%     |
| Henry  | Soybeans  | I         | HP         |      | 53    | 55    |  | 2      | 3.8%     |
| Henry  | Soybeans  | I         | LLA        |      | 53    | 55    |  | 2      | 3.8%     |
| Henry  | Soybeans  | I         | LSF        |      | 53    | 55    |  | 2      | 3.8%     |
| Henry  | Soybeans  | I         | LSFG       |      | 48    | 50    |  | 2      | 4.2%     |
| Henry  | Soybeans  | I         | SSFG       |      | 40    | 41    |  | 1      | 2.5%     |
| Henry  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 37    | 41    |  | 4      | 10.8%    |
| Henry  | Soybeans  | IRR OC    | COMM       |      | 40    | 41    |  | 1      | 2.5%     |
| Henry  | Soybeans  | IRR OC    | HP         |      | 37    | 39    |  | 2      | 5.4%     |
| Henry  | Soybeans  | IRR OC    | LLA        |      | 37    | 39    |  | 2      | 5.4%     |
| Henry  | Soybeans  | IRR OC    | LSF        |      | 37    | 39    |  | 2      | 5.4%     |
| Henry  | Soybeans  | IRR OC    | LSFG       |      | 34    | 35    |  | 1      | 2.9%     |
| Henry  | Soybeans  | IRR OC    | SSFG       |      | 28    | 29    |  | 1      | 3.6%     |
| Henry  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 37    | 41    |  | 4      | 10.8%    |
| Henry  | Soybeans  | IRR OT    | COMM       |      | 40    | 41    |  | 1      | 2.5%     |
| Henry  | Soybeans  | IRR OT    | HP         |      | 37    | 39    |  | 2      | 5.4%     |
| Henry  | Soybeans  | IRR OT    | LLA        |      | 37    | 39    |  | 2      | 5.4%     |
| Henry  | Soybeans  | IRR OT    | LSF        |      | 37    | 39    |  | 2      | 5.4%     |
| Henry  | Soybeans  | IRR OT    | LSFG       |      | 34    | 35    |  | 1      | 2.9%     |
| Henry  | Soybeans  | IRR OT    | SSFG       |      | 28    | 29    |  | 1      | 3.6%     |
| Henry  | Soybeans  | NI        | ALLOTHFDGD |      | 51    | 58    |  | 7      | 13.7%    |
| Henry  | Soybeans  | NI        | COMM       |      | 55    | 58    |  | 3      | 5.5%     |
| Henry  | Soybeans  | NI        | HP         |      | 51    | 54    |  | 3      | 5.9%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Henry  | Soybeans  | NI        | LLA        |      | 51    | 54    |  | 3      | 5.9%     |
| Henry  | Soybeans  | NI        | LSF        |      | 51    | 54    |  | 3      | 5.9%     |
| Henry  | Soybeans  | NI        | LSFG       |      | 47    | 49    |  | 2      | 4.3%     |
| Henry  | Soybeans  | NI        | SSFG       |      | 39    | 41    |  | 2      | 5.1%     |
| Henry  | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 36    | 41    |  | 5      | 13.9%    |
| Henry  | Soybeans  | NON-IRROC | COMM       |      | 39    | 41    |  | 2      | 5.1%     |
| Henry  | Soybeans  | NON-IRROC | HP         |      | 36    | 38    |  | 2      | 5.6%     |
| Henry  | Soybeans  | NON-IRROC | LLA        |      | 36    | 38    |  | 2      | 5.6%     |
| Henry  | Soybeans  | NON-IRROC | LSF        |      | 36    | 38    |  | 2      | 5.6%     |
| Henry  | Soybeans  | NON-IRROC | LSFG       |      | 33    | 34    |  | 1      | 3.0%     |
| Henry  | Soybeans  | NON-IRROC | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Henry  | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 36    | 41    |  | 5      | 13.9%    |
| Henry  | Soybeans  | NON-IRROT | COMM       |      | 39    | 41    |  | 2      | 5.1%     |
| Henry  | Soybeans  | NON-IRROT | HP         |      | 36    | 38    |  | 2      | 5.6%     |
| Henry  | Soybeans  | NON-IRROT | LLA        |      | 36    | 38    |  | 2      | 5.6%     |
| Henry  | Soybeans  | NON-IRROT | LSF        |      | 36    | 38    |  | 2      | 5.6%     |
| Henry  | Soybeans  | NON-IRROT | LSFG       |      | 33    | 34    |  | 1      | 3.0%     |
| Henry  | Soybeans  | NON-IRROT | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Howard | Corn      | I         | GSG        |      | 195   | 195   |  | 0      | 0.0%     |
| Howard | Corn      | I         | HAMLS      |      | 195   | 195   |  | 0      | 0.0%     |
| Howard | Corn      | I         | HAMOS      |      | 137   | 137   |  | 0      | 0.0%     |
| Howard | Corn      | I         | WAXY       |      | 195   | 195   |  | 0      | 0.0%     |
| Howard | Corn      | I         | WHITE      |      | 195   | 195   |  | 0      | 0.0%     |
| Howard | Corn      | IRR OC    | GSG        |      | 146   | 146   |  | 0      | 0.0%     |
| Howard | Corn      | IRR OC    | HAMLS      |      | 146   | 146   |  | 0      | 0.0%     |
| Howard | Corn      | IRR OC    | HAMOS      |      | 103   | 103   |  | 0      | 0.0%     |
| Howard | Corn      | IRR OC    | WAXY       |      | 146   | 146   |  | 0      | 0.0%     |
| Howard | Corn      | IRR OC    | WHITE      |      | 146   | 146   |  | 0      | 0.0%     |
| Howard | Corn      | IRR OT    | GSG        |      | 146   | 146   |  | 0      | 0.0%     |
| Howard | Corn      | IRR OT    | HAMLS      |      | 146   | 146   |  | 0      | 0.0%     |
| Howard | Corn      | IRR OT    | HAMOS      |      | 103   | 103   |  | 0      | 0.0%     |
| Howard | Corn      | IRR OT    | WAXY       |      | 146   | 146   |  | 0      | 0.0%     |
| Howard | Corn      | IRR OT    | WHITE      |      | 146   | 146   |  | 0      | 0.0%     |
| Howard | Corn      | NI        | GSG        |      | 191   | 191   |  | 0      | 0.0%     |
| Howard | Corn      | NI        | HAMLS      |      | 191   | 191   |  | 0      | 0.0%     |
| Howard | Corn      | NI        | HAMOS      |      | 134   | 134   |  | 0      | 0.0%     |
| Howard | Corn      | NI        | WAXY       |      | 191   | 191   |  | 0      | 0.0%     |
| Howard | Corn      | NI        | WHITE      |      | 191   | 191   |  | 0      | 0.0%     |
| Howard | Corn      | NON-IRROC | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Howard | Corn      | NON-IRROC | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Howard | Corn      | NON-IRROC | HAMOS      |      | 101   | 101   |  | 0      | 0.0%     |
| Howard | Corn      | NON-IRROC | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name  | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|--------|------------|-----------|-------|------|-------|-------|--|--------|----------|
|        |            |           |       | Area | Yield | Yield |  |        |          |
| Howard | Corn       | NON-IRROC | WHITE |      | 143   | 143   |  | 0      | 0.0%     |
| Howard | Corn       | NON-IRROT | GSG   |      | 143   | 143   |  | 0      | 0.0%     |
| Howard | Corn       | NON-IRROT | HAMLS |      | 143   | 143   |  | 0      | 0.0%     |
| Howard | Corn       | NON-IRROT | HAMOS |      | 101   | 101   |  | 0      | 0.0%     |
| Howard | Corn       | NON-IRROT | WAXY  |      | 143   | 143   |  | 0      | 0.0%     |
| Howard | Corn       | NON-IRROT | WHITE |      | 143   | 143   |  | 0      | 0.0%     |
| Howard | Dry Beans  | I         | DRK   |      | 2023  | 2023  |  | 0      | 0.0%     |
| Howard | Dry Beans  | I         | LRK   |      | 2023  | 2023  |  | 0      | 0.0%     |
| Howard | Dry Beans  | IRR OC    | DRK   |      | 1315  | 1315  |  | 0      | 0.0%     |
| Howard | Dry Beans  | IRR OC    | LRK   |      | 1315  | 1315  |  | 0      | 0.0%     |
| Howard | Dry Beans  | IRR OT    | DRK   |      | 1315  | 1315  |  | 0      | 0.0%     |
| Howard | Dry Beans  | IRR OT    | LRK   |      | 1315  | 1315  |  | 0      | 0.0%     |
| Howard | Dry Beans  | NI        | DRK   |      | 1759  | 1759  |  | 0      | 0.0%     |
| Howard | Dry Beans  | NI        | LRK   |      | 1759  | 1759  |  | 0      | 0.0%     |
| Howard | Dry Beans  | NON-IRROC | DRK   |      | 1143  | 1143  |  | 0      | 0.0%     |
| Howard | Dry Beans  | NON-IRROC | LRK   |      | 1143  | 1143  |  | 0      | 0.0%     |
| Howard | Dry Beans  | NON-IRROT | DRK   |      | 1143  | 1143  |  | 0      | 0.0%     |
| Howard | Dry Beans  | NON-IRROT | LRK   |      | 1143  | 1143  |  | 0      | 0.0%     |
| Howard | Green Peas | I         | SESP  |      | 3684  | 3684  |  | 0      | 0.0%     |
| Howard | Green Peas | I         | SLSP  |      | 3195  | 3195  |  | 0      | 0.0%     |
| Howard | Green Peas | I         | SMSP  |      | 3758  | 3758  |  | 0      | 0.0%     |
| Howard | Green Peas | IRR OC    | SESP  |      | 2395  | 2395  |  | 0      | 0.0%     |
| Howard | Green Peas | IRR OC    | SLSP  |      | 2077  | 2077  |  | 0      | 0.0%     |
| Howard | Green Peas | IRR OC    | SMSP  |      | 2443  | 2443  |  | 0      | 0.0%     |
| Howard | Green Peas | IRR OT    | SESP  |      | 2395  | 2395  |  | 0      | 0.0%     |
| Howard | Green Peas | IRR OT    | SLSP  |      | 2077  | 2077  |  | 0      | 0.0%     |
| Howard | Green Peas | IRR OT    | SMSP  |      | 2443  | 2443  |  | 0      | 0.0%     |
| Howard | Green Peas | NI        | SESP  |      | 3176  | 3176  |  | 0      | 0.0%     |
| Howard | Green Peas | NI        | SLSP  |      | 2754  | 2754  |  | 0      | 0.0%     |
| Howard | Green Peas | NI        | SMSP  |      | 3240  | 3240  |  | 0      | 0.0%     |
| Howard | Green Peas | NON-IRROC | SESP  |      | 2064  | 2064  |  | 0      | 0.0%     |
| Howard | Green Peas | NON-IRROC | SLSP  |      | 1790  | 1790  |  | 0      | 0.0%     |
| Howard | Green Peas | NON-IRROC | SMSP  |      | 2106  | 2106  |  | 0      | 0.0%     |
| Howard | Green Peas | NON-IRROT | SESP  |      | 2064  | 2064  |  | 0      | 0.0%     |
| Howard | Green Peas | NON-IRROT | SLSP  |      | 1790  | 1790  |  | 0      | 0.0%     |
| Howard | Green Peas | NON-IRROT | SMSP  |      | 2106  | 2106  |  | 0      | 0.0%     |
| Howard | Oats       | I         | S     |      | 82    | 77    |  | -5     | -6.1%    |
| Howard | Oats       | IRR OC    | S     |      | 82    | 69    |  | -13    | -15.9%   |
| Howard | Oats       | IRR OT    | S     |      | 82    | 69    |  | -13    | -15.9%   |
| Howard | Oats       | NI        | S     |      | 82    | 77    |  | -5     | -6.1%    |
| Howard | Oats       | NON-IRROC | S     |      | 82    | 69    |  | -13    | -15.9%   |
| Howard | Oats       | NON-IRROT | S     |      | 82    | 69    |  | -13    | -15.9%   |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Howard | Soybeans  | I         | ALLOTHFDGD |      | 50    | 57    | 7      | 14.0%    |
| Howard | Soybeans  | I         | COMM       |      | 54    | 57    | 3      | 5.6%     |
| Howard | Soybeans  | I         | HP         |      | 50    | 53    | 3      | 6.0%     |
| Howard | Soybeans  | I         | LLA        |      | 50    | 53    | 3      | 6.0%     |
| Howard | Soybeans  | I         | LSF        |      | 50    | 53    | 3      | 6.0%     |
| Howard | Soybeans  | I         | LSFG       |      | 46    | 48    | 2      | 4.3%     |
| Howard | Soybeans  | I         | SSFG       |      | 38    | 40    | 2      | 5.3%     |
| Howard | Soybeans  | IRR OC    | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Howard | Soybeans  | IRR OC    | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Howard | Soybeans  | IRR OC    | HP         |      | 35    | 37    | 2      | 5.7%     |
| Howard | Soybeans  | IRR OC    | LLA        |      | 35    | 37    | 2      | 5.7%     |
| Howard | Soybeans  | IRR OC    | LSF        |      | 35    | 37    | 2      | 5.7%     |
| Howard | Soybeans  | IRR OC    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Howard | Soybeans  | IRR OC    | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Howard | Soybeans  | IRR OT    | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Howard | Soybeans  | IRR OT    | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Howard | Soybeans  | IRR OT    | HP         |      | 35    | 37    | 2      | 5.7%     |
| Howard | Soybeans  | IRR OT    | LLA        |      | 35    | 37    | 2      | 5.7%     |
| Howard | Soybeans  | IRR OT    | LSF        |      | 35    | 37    | 2      | 5.7%     |
| Howard | Soybeans  | IRR OT    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Howard | Soybeans  | IRR OT    | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Howard | Soybeans  | NI        | ALLOTHFDGD |      | 49    | 56    | 7      | 14.3%    |
| Howard | Soybeans  | NI        | COMM       |      | 53    | 56    | 3      | 5.7%     |
| Howard | Soybeans  | NI        | HP         |      | 49    | 52    | 3      | 6.1%     |
| Howard | Soybeans  | NI        | LLA        |      | 49    | 52    | 3      | 6.1%     |
| Howard | Soybeans  | NI        | LSF        |      | 49    | 52    | 3      | 6.1%     |
| Howard | Soybeans  | NI        | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Howard | Soybeans  | NI        | SSFG       |      | 37    | 39    | 2      | 5.4%     |
| Howard | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Howard | Soybeans  | NON-IRROC | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Howard | Soybeans  | NON-IRROC | HP         |      | 34    | 36    | 2      | 5.9%     |
| Howard | Soybeans  | NON-IRROC | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Howard | Soybeans  | NON-IRROC | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Howard | Soybeans  | NON-IRROC | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Howard | Soybeans  | NON-IRROC | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Howard | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Howard | Soybeans  | NON-IRROT | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Howard | Soybeans  | NON-IRROT | HP         |      | 34    | 36    | 2      | 5.9%     |
| Howard | Soybeans  | NON-IRROT | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Howard | Soybeans  | NON-IRROT | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Howard | Soybeans  | NON-IRROT | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Howard | Soybeans  | NON-IRROT | SSFG       |      | 26    | 27    | 1      | 3.8%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name  | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|----------|------------|-----------|-------|------|-------|-------|--|--------|----------|
|          |            |           |       | Area | Yield | Yield |  |        |          |
| Howard   | Sweet Corn | I         | EGW   |      | 6.9   | 6.9   |  | 0      | 0.0%     |
| Howard   | Sweet Corn | I         | OG    |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Howard   | Sweet Corn | IRR OC    | EGW   |      | 4.5   | 4.5   |  | 0      | 0.0%     |
| Howard   | Sweet Corn | IRR OC    | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Howard   | Sweet Corn | IRR OT    | EGW   |      | 4.5   | 4.5   |  | 0      | 0.0%     |
| Howard   | Sweet Corn | IRR OT    | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Howard   | Sweet Corn | NI        | EGW   |      | 6.9   | 6.9   |  | 0      | 0.0%     |
| Howard   | Sweet Corn | NI        | OG    |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Howard   | Sweet Corn | NON-IRROC | EGW   |      | 4.5   | 4.5   |  | 0      | 0.0%     |
| Howard   | Sweet Corn | NON-IRROC | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Howard   | Sweet Corn | NON-IRROT | EGW   |      | 4.5   | 4.5   |  | 0      | 0.0%     |
| Howard   | Sweet Corn | NON-IRROT | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Howard   | Wheat      | I         | S     |      | 31    | 31    |  | 0      | 0.0%     |
| Howard   | Wheat      | IRR OC    | S     |      | 20    | 20    |  | 0      | 0.0%     |
| Howard   | Wheat      | IRR OT    | S     |      | 20    | 20    |  | 0      | 0.0%     |
| Howard   | Wheat      | NI        | S     |      | 31    | 31    |  | 0      | 0.0%     |
| Howard   | Wheat      | NON-IRROC | S     |      | 20    | 20    |  | 0      | 0.0%     |
| Howard   | Wheat      | NON-IRROT | S     |      | 20    | 20    |  | 0      | 0.0%     |
| Humboldt | Corn       | I         | GSG   |      | 200   | 200   |  | 0      | 0.0%     |
| Humboldt | Corn       | I         | HAMLS |      | 200   | 200   |  | 0      | 0.0%     |
| Humboldt | Corn       | I         | WAXY  |      | 200   | 200   |  | 0      | 0.0%     |
| Humboldt | Corn       | I         | WHITE |      | 200   | 200   |  | 0      | 0.0%     |
| Humboldt | Corn       | IRR OC    | GSG   |      | 150   | 150   |  | 0      | 0.0%     |
| Humboldt | Corn       | IRR OC    | HAMLS |      | 150   | 150   |  | 0      | 0.0%     |
| Humboldt | Corn       | IRR OC    | WAXY  |      | 150   | 150   |  | 0      | 0.0%     |
| Humboldt | Corn       | IRR OC    | WHITE |      | 150   | 150   |  | 0      | 0.0%     |
| Humboldt | Corn       | IRR OT    | GSG   |      | 150   | 150   |  | 0      | 0.0%     |
| Humboldt | Corn       | IRR OT    | HAMLS |      | 150   | 150   |  | 0      | 0.0%     |
| Humboldt | Corn       | IRR OT    | WAXY  |      | 150   | 150   |  | 0      | 0.0%     |
| Humboldt | Corn       | IRR OT    | WHITE |      | 150   | 150   |  | 0      | 0.0%     |
| Humboldt | Corn       | NI        | GSG   |      | 193   | 193   |  | 0      | 0.0%     |
| Humboldt | Corn       | NI        | HAMLS |      | 193   | 193   |  | 0      | 0.0%     |
| Humboldt | Corn       | NI        | WAXY  |      | 193   | 193   |  | 0      | 0.0%     |
| Humboldt | Corn       | NI        | WHITE |      | 193   | 193   |  | 0      | 0.0%     |
| Humboldt | Corn       | NON-IRROC | GSG   |      | 145   | 145   |  | 0      | 0.0%     |
| Humboldt | Corn       | NON-IRROC | HAMLS |      | 145   | 145   |  | 0      | 0.0%     |
| Humboldt | Corn       | NON-IRROC | WAXY  |      | 145   | 145   |  | 0      | 0.0%     |
| Humboldt | Corn       | NON-IRROC | WHITE |      | 145   | 145   |  | 0      | 0.0%     |
| Humboldt | Corn       | NON-IRROT | GSG   |      | 145   | 145   |  | 0      | 0.0%     |
| Humboldt | Corn       | NON-IRROT | HAMLS |      | 145   | 145   |  | 0      | 0.0%     |
| Humboldt | Corn       | NON-IRROT | WAXY  |      | 145   | 145   |  | 0      | 0.0%     |
| Humboldt | Corn       | NON-IRROT | WHITE |      | 145   | 145   |  | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Humboldt | Oats      | I         | S          |      | 73    | 72    | -1     | -1.4%    |
| Humboldt | Oats      | IRR OC    | S          |      | 73    | 65    | -8     | -11.0%   |
| Humboldt | Oats      | IRR OT    | S          |      | 73    | 65    | -8     | -11.0%   |
| Humboldt | Oats      | NI        | S          |      | 73    | 72    | -1     | -1.4%    |
| Humboldt | Oats      | NON-IRROC | S          |      | 73    | 65    | -8     | -11.0%   |
| Humboldt | Oats      | NON-IRROT | S          |      | 73    | 65    | -8     | -11.0%   |
| Humboldt | Soybeans  | I         | ALLOTHFDGD |      | 52    | 61    | 9      | 17.3%    |
| Humboldt | Soybeans  | I         | COMM       |      | 56    | 61    | 5      | 8.9%     |
| Humboldt | Soybeans  | I         | HP         |      | 52    | 56    | 4      | 7.7%     |
| Humboldt | Soybeans  | I         | LLA        |      | 52    | 56    | 4      | 7.7%     |
| Humboldt | Soybeans  | I         | LSF        |      | 52    | 56    | 4      | 7.7%     |
| Humboldt | Soybeans  | I         | LSFG       |      | 48    | 52    | 4      | 8.3%     |
| Humboldt | Soybeans  | I         | SSFG       |      | 39    | 43    | 4      | 10.3%    |
| Humboldt | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 43    | 7      | 19.4%    |
| Humboldt | Soybeans  | IRR OC    | COMM       |      | 39    | 43    | 4      | 10.3%    |
| Humboldt | Soybeans  | IRR OC    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Humboldt | Soybeans  | IRR OC    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Humboldt | Soybeans  | IRR OC    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Humboldt | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | IRR OC    | SSFG       |      | 27    | 30    | 3      | 11.1%    |
| Humboldt | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 43    | 7      | 19.4%    |
| Humboldt | Soybeans  | IRR OT    | COMM       |      | 39    | 43    | 4      | 10.3%    |
| Humboldt | Soybeans  | IRR OT    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Humboldt | Soybeans  | IRR OT    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Humboldt | Soybeans  | IRR OT    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Humboldt | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | IRR OT    | SSFG       |      | 27    | 30    | 3      | 11.1%    |
| Humboldt | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Humboldt | Soybeans  | NC IRROC  | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Humboldt | Soybeans  | NC IRROC  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NC IRROC  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NC IRROC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NC IRROC  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Humboldt | Soybeans  | NC IRROC  | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Humboldt | Soybeans  | NC IRROT  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Humboldt | Soybeans  | NC IRROT  | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Humboldt | Soybeans  | NC IRROT  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NC IRROT  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NC IRROT  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NC IRROT  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Humboldt | Soybeans  | NC IRROT  | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Humboldt | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|------------|------------|------|-------|-------|--------|----------|
|          |           |            |            |      | Yield | Yield |        |          |
| Humboldt | Soybeans  | NC NIOC    | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Humboldt | Soybeans  | NC NIOC    | HP         |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NC NIOC    | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NC NIOC    | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NC NIOC    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Humboldt | Soybeans  | NC NIOC    | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Humboldt | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Humboldt | Soybeans  | NC NIOT    | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Humboldt | Soybeans  | NC NIOT    | HP         |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NC NIOT    | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NC NIOT    | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NC NIOT    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Humboldt | Soybeans  | NC NIOT    | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Humboldt | Soybeans  | NI         | ALLOTHFDGD |      | 49    | 56    | 7      | 14.3%    |
| Humboldt | Soybeans  | NI         | COMM       |      | 53    | 56    | 3      | 5.7%     |
| Humboldt | Soybeans  | NI         | HP         |      | 49    | 52    | 3      | 6.1%     |
| Humboldt | Soybeans  | NI         | LLA        |      | 49    | 52    | 3      | 6.1%     |
| Humboldt | Soybeans  | NI         | LSF        |      | 49    | 52    | 3      | 6.1%     |
| Humboldt | Soybeans  | NI         | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Humboldt | Soybeans  | NI         | SSFG       |      | 37    | 39    | 2      | 5.4%     |
| Humboldt | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Humboldt | Soybeans  | NON-IRROC  | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Humboldt | Soybeans  | NON-IRROC  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NON-IRROC  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NON-IRROC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NON-IRROC  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Humboldt | Soybeans  | NON-IRROC  | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Humboldt | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Humboldt | Soybeans  | NON-IRROT  | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Humboldt | Soybeans  | NON-IRROT  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NON-IRROT  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NON-IRROT  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Humboldt | Soybeans  | NON-IRROT  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Humboldt | Soybeans  | NON-IRROT  | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Humboldt | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 49    | 56    | 7      | 14.3%    |
| Humboldt | Soybeans  | NONCON IRR | COMM       |      | 53    | 56    | 3      | 5.7%     |
| Humboldt | Soybeans  | NONCON IRR | HP         |      | 49    | 52    | 3      | 6.1%     |
| Humboldt | Soybeans  | NONCON IRR | LLA        |      | 49    | 52    | 3      | 6.1%     |
| Humboldt | Soybeans  | NONCON IRR | LSF        |      | 49    | 52    | 3      | 6.1%     |
| Humboldt | Soybeans  | NONCON IRR | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Humboldt | Soybeans  | NONCON IRR | SSFG       |      | 37    | 39    | 2      | 5.4%     |
| Humboldt | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 49    | 56    | 7      | 14.3%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice  | Type  | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|-------|------|-------|-------|--------|----------|
|          |           |           |       |      | Yield | Yield |        |          |
| Humboldt | Soybeans  | NONCON NI | COMM  |      | 53    | 56    | 3      | 5.7%     |
| Humboldt | Soybeans  | NONCON NI | HP    |      | 49    | 52    | 3      | 6.1%     |
| Humboldt | Soybeans  | NONCON NI | LLA   |      | 49    | 52    | 3      | 6.1%     |
| Humboldt | Soybeans  | NONCON NI | LSF   |      | 49    | 52    | 3      | 6.1%     |
| Humboldt | Soybeans  | NONCON NI | LSFG  |      | 45    | 48    | 3      | 6.7%     |
| Humboldt | Soybeans  | NONCON NI | SSFG  |      | 37    | 39    | 2      | 5.4%     |
| Ida      | Barley    | IRR OC    | S     |      | 39    | 39    | 0      | 0.0%     |
| Ida      | Barley    | IRR OT    | S     |      | 39    | 39    | 0      | 0.0%     |
| Ida      | Barley    | IRRIGATED | S     |      | 52    | 52    | 0      | 0.0%     |
| Ida      | Barley    | NON IRR   | S     |      | 52    | 52    | 0      | 0.0%     |
| Ida      | Barley    | NON-IRROC | S     |      | 39    | 39    | 0      | 0.0%     |
| Ida      | Barley    | NON-IRROT | S     |      | 39    | 39    | 0      | 0.0%     |
| Ida      | Corn      | I         | GSG   |      | 207   | 207   | 0      | 0.0%     |
| Ida      | Corn      | I         | HAMLS |      | 207   | 207   | 0      | 0.0%     |
| Ida      | Corn      | I         | HAMOS |      | 145   | 145   | 0      | 0.0%     |
| Ida      | Corn      | I         | WAXY  |      | 207   | 207   | 0      | 0.0%     |
| Ida      | Corn      | I         | WHITE |      | 207   | 207   | 0      | 0.0%     |
| Ida      | Corn      | IRR OC    | GSG   |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | IRR OC    | HAMLS |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | IRR OC    | HAMOS |      | 109   | 109   | 0      | 0.0%     |
| Ida      | Corn      | IRR OC    | WAXY  |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | IRR OC    | WHITE |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | IRR OT    | GSG   |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | IRR OT    | HAMLS |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | IRR OT    | HAMOS |      | 109   | 109   | 0      | 0.0%     |
| Ida      | Corn      | IRR OT    | WAXY  |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | IRR OT    | WHITE |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | NI        | GSG   |      | 207   | 207   | 0      | 0.0%     |
| Ida      | Corn      | NI        | HAMLS |      | 207   | 207   | 0      | 0.0%     |
| Ida      | Corn      | NI        | HAMOS |      | 145   | 145   | 0      | 0.0%     |
| Ida      | Corn      | NI        | WAXY  |      | 207   | 207   | 0      | 0.0%     |
| Ida      | Corn      | NI        | WHITE |      | 207   | 207   | 0      | 0.0%     |
| Ida      | Corn      | NON-IRROC | GSG   |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | NON-IRROC | HAMLS |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | NON-IRROC | HAMOS |      | 109   | 109   | 0      | 0.0%     |
| Ida      | Corn      | NON-IRROC | WAXY  |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | NON-IRROC | WHITE |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | NON-IRROT | GSG   |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | NON-IRROT | HAMLS |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | NON-IRROT | HAMOS |      | 109   | 109   | 0      | 0.0%     |
| Ida      | Corn      | NON-IRROT | WAXY  |      | 155   | 155   | 0      | 0.0%     |
| Ida      | Corn      | NON-IRROT | WHITE |      | 155   | 155   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Ia     | Oats      | I         | S          |      | 85    | 85    | 0      | 0.0%     |
| Ia     | Oats      | IRR OC    | S          |      | 85    | 77    | -8     | -9.4%    |
| Ia     | Oats      | IRR OT    | S          |      | 85    | 77    | -8     | -9.4%    |
| Ia     | Oats      | NI        | S          |      | 85    | 85    | 0      | 0.0%     |
| Ia     | Oats      | NON-IRROC | S          |      | 85    | 77    | -8     | -9.4%    |
| Ia     | Oats      | NON-IRROT | S          |      | 85    | 77    | -8     | -9.4%    |
| Ia     | Popcorn   | I         | NTS        |      | 5249  | 5249  | 0      | 0.0%     |
| Ia     | Popcorn   | IRR OC    | NTS        |      | 3674  | 3674  | 0      | 0.0%     |
| Ia     | Popcorn   | IRR OT    | NTS        |      | 3674  | 3674  | 0      | 0.0%     |
| Ia     | Popcorn   | NI        | NTS        |      | 4581  | 4581  | 0      | 0.0%     |
| Ia     | Popcorn   | NON-IRROC | NTS        |      | 3207  | 3207  | 0      | 0.0%     |
| Ia     | Popcorn   | NON-IRROT | NTS        |      | 3207  | 3207  | 0      | 0.0%     |
| Ia     | Soybeans  | I         | ALLOTHFDGD |      | 55    | 62    | 7      | 12.7%    |
| Ia     | Soybeans  | I         | COMM       |      | 59    | 62    | 3      | 5.1%     |
| Ia     | Soybeans  | I         | HP         |      | 55    | 57    | 2      | 3.6%     |
| Ia     | Soybeans  | I         | LLA        |      | 55    | 57    | 2      | 3.6%     |
| Ia     | Soybeans  | I         | LSF        |      | 55    | 57    | 2      | 3.6%     |
| Ia     | Soybeans  | I         | LSFG       |      | 50    | 53    | 3      | 6.0%     |
| Ia     | Soybeans  | I         | SSFG       |      | 41    | 43    | 2      | 4.9%     |
| Ia     | Soybeans  | IRR OC    | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Ia     | Soybeans  | IRR OC    | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Ia     | Soybeans  | IRR OC    | HP         |      | 39    | 40    | 1      | 2.6%     |
| Ia     | Soybeans  | IRR OC    | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Ia     | Soybeans  | IRR OC    | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Ia     | Soybeans  | IRR OC    | LSFG       |      | 35    | 37    | 2      | 5.7%     |
| Ia     | Soybeans  | IRR OC    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Ia     | Soybeans  | IRR OT    | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Ia     | Soybeans  | IRR OT    | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Ia     | Soybeans  | IRR OT    | HP         |      | 39    | 40    | 1      | 2.6%     |
| Ia     | Soybeans  | IRR OT    | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Ia     | Soybeans  | IRR OT    | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Ia     | Soybeans  | IRR OT    | LSFG       |      | 35    | 37    | 2      | 5.7%     |
| Ia     | Soybeans  | IRR OT    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Ia     | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Ia     | Soybeans  | NC IRROC  | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Ia     | Soybeans  | NC IRROC  | HP         |      | 33    | 34    | 1      | 3.0%     |
| Ia     | Soybeans  | NC IRROC  | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Ia     | Soybeans  | NC IRROC  | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Ia     | Soybeans  | NC IRROC  | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Ia     | Soybeans  | NC IRROC  | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Ia     | Soybeans  | NC IRROT  | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Ia     | Soybeans  | NC IRROT  | COMM       |      | 36    | 37    | 1      | 2.8%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|------------|------------|------|-------|-------|--------|----------|
|        |           |            |            |      | Yield | Yield |        |          |
| Ida    | Soybeans  | NC IRRROT  | HP         |      | 33    | 34    | 1      | 3.0%     |
| Ida    | Soybeans  | NC IRRROT  | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Ida    | Soybeans  | NC IRRROT  | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Ida    | Soybeans  | NC IRRROT  | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Ida    | Soybeans  | NC IRRROT  | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Ida    | Soybeans  | NC NIOC    | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Ida    | Soybeans  | NC NIOC    | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Ida    | Soybeans  | NC NIOC    | HP         |      | 33    | 34    | 1      | 3.0%     |
| Ida    | Soybeans  | NC NIOC    | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Ida    | Soybeans  | NC NIOC    | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Ida    | Soybeans  | NC NIOC    | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Ida    | Soybeans  | NC NIOC    | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Ida    | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Ida    | Soybeans  | NC NIOT    | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Ida    | Soybeans  | NC NIOT    | HP         |      | 33    | 34    | 1      | 3.0%     |
| Ida    | Soybeans  | NC NIOT    | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Ida    | Soybeans  | NC NIOT    | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Ida    | Soybeans  | NC NIOT    | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Ida    | Soybeans  | NC NIOT    | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Ida    | Soybeans  | NI         | ALLOTHFDGD |      | 55    | 62    | 7      | 12.7%    |
| Ida    | Soybeans  | NI         | COMM       |      | 59    | 62    | 3      | 5.1%     |
| Ida    | Soybeans  | NI         | HP         |      | 55    | 57    | 2      | 3.6%     |
| Ida    | Soybeans  | NI         | LLA        |      | 55    | 57    | 2      | 3.6%     |
| Ida    | Soybeans  | NI         | LSF        |      | 55    | 57    | 2      | 3.6%     |
| Ida    | Soybeans  | NI         | LSFG       |      | 50    | 53    | 3      | 6.0%     |
| Ida    | Soybeans  | NI         | SSFG       |      | 41    | 43    | 2      | 4.9%     |
| Ida    | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Ida    | Soybeans  | NON-IRROC  | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Ida    | Soybeans  | NON-IRROC  | HP         |      | 39    | 40    | 1      | 2.6%     |
| Ida    | Soybeans  | NON-IRROC  | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Ida    | Soybeans  | NON-IRROC  | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Ida    | Soybeans  | NON-IRROC  | LSFG       |      | 35    | 37    | 2      | 5.7%     |
| Ida    | Soybeans  | NON-IRROC  | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Ida    | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Ida    | Soybeans  | NON-IRROT  | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Ida    | Soybeans  | NON-IRROT  | HP         |      | 39    | 40    | 1      | 2.6%     |
| Ida    | Soybeans  | NON-IRROT  | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Ida    | Soybeans  | NON-IRROT  | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Ida    | Soybeans  | NON-IRROT  | LSFG       |      | 35    | 37    | 2      | 5.7%     |
| Ida    | Soybeans  | NON-IRROT  | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Ida    | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 47    | 53    | 6      | 12.8%    |
| Ida    | Soybeans  | NONCON IRR | COMM       |      | 51    | 53    | 2      | 3.9%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice   | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|------------|------------|------|-------|-------|--|--------|----------|
|        |           |            |            | Area | Yield | Yield |  |        |          |
| Iowa   | Soybeans  | NONCON IRR | HP         |      | 47    | 49    |  | 2      | 4.3%     |
| Iowa   | Soybeans  | NONCON IRR | LLA        |      | 47    | 49    |  | 2      | 4.3%     |
| Iowa   | Soybeans  | NONCON IRR | LSF        |      | 47    | 49    |  | 2      | 4.3%     |
| Iowa   | Soybeans  | NONCON IRR | LSFG       |      | 43    | 45    |  | 2      | 4.7%     |
| Iowa   | Soybeans  | NONCON IRR | SSFG       |      | 36    | 37    |  | 1      | 2.8%     |
| Iowa   | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 47    | 53    |  | 6      | 12.8%    |
| Iowa   | Soybeans  | NONCON NI  | COMM       |      | 51    | 53    |  | 2      | 3.9%     |
| Iowa   | Soybeans  | NONCON NI  | HP         |      | 47    | 49    |  | 2      | 4.3%     |
| Iowa   | Soybeans  | NONCON NI  | LLA        |      | 47    | 49    |  | 2      | 4.3%     |
| Iowa   | Soybeans  | NONCON NI  | LSF        |      | 47    | 49    |  | 2      | 4.3%     |
| Iowa   | Soybeans  | NONCON NI  | LSFG       |      | 43    | 45    |  | 2      | 4.7%     |
| Iowa   | Soybeans  | NONCON NI  | SSFG       |      | 36    | 37    |  | 1      | 2.8%     |
| Iowa   | Corn      | I          | BLUE       |      | 104   | 104   |  | 0      | 0.0%     |
| Iowa   | Corn      | I          | GSG        |      | 189   | 189   |  | 0      | 0.0%     |
| Iowa   | Corn      | I          | HAMLS      |      | 189   | 189   |  | 0      | 0.0%     |
| Iowa   | Corn      | I          | WAXY       |      | 189   | 189   |  | 0      | 0.0%     |
| Iowa   | Corn      | I          | WHITE      |      | 189   | 189   |  | 0      | 0.0%     |
| Iowa   | Corn      | IRR OC     | BLUE       |      | 78    | 78    |  | 0      | 0.0%     |
| Iowa   | Corn      | IRR OC     | GSG        |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | IRR OC     | HAMLS      |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | IRR OC     | WAXY       |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | IRR OC     | WHITE      |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | IRR OT     | BLUE       |      | 78    | 78    |  | 0      | 0.0%     |
| Iowa   | Corn      | IRR OT     | GSG        |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | IRR OT     | HAMLS      |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | IRR OT     | WAXY       |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | IRR OT     | WHITE      |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | NI         | BLUE       |      | 104   | 104   |  | 0      | 0.0%     |
| Iowa   | Corn      | NI         | GSG        |      | 189   | 189   |  | 0      | 0.0%     |
| Iowa   | Corn      | NI         | HAMLS      |      | 189   | 189   |  | 0      | 0.0%     |
| Iowa   | Corn      | NI         | WAXY       |      | 189   | 189   |  | 0      | 0.0%     |
| Iowa   | Corn      | NI         | WHITE      |      | 189   | 189   |  | 0      | 0.0%     |
| Iowa   | Corn      | NON-IRROC  | BLUE       |      | 78    | 78    |  | 0      | 0.0%     |
| Iowa   | Corn      | NON-IRROC  | GSG        |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | NON-IRROC  | HAMLS      |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | NON-IRROC  | WAXY       |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | NON-IRROC  | WHITE      |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | NON-IRROT  | BLUE       |      | 78    | 78    |  | 0      | 0.0%     |
| Iowa   | Corn      | NON-IRROT  | GSG        |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | NON-IRROT  | HAMLS      |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | NON-IRROT  | WAXY       |      | 142   | 142   |  | 0      | 0.0%     |
| Iowa   | Corn      | NON-IRROT  | WHITE      |      | 142   | 142   |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Iowa   | Oats      | I         | S          |      | 63    | 62    | -1     | -1.6%    |
| Iowa   | Oats      | IRR OC    | S          |      | 63    | 56    | -7     | -11.1%   |
| Iowa   | Oats      | IRR OT    | S          |      | 63    | 56    | -7     | -11.1%   |
| Iowa   | Oats      | NI        | S          |      | 63    | 62    | -1     | -1.6%    |
| Iowa   | Oats      | NON-IRROC | S          |      | 63    | 56    | -7     | -11.1%   |
| Iowa   | Oats      | NON-IRROT | S          |      | 63    | 56    | -7     | -11.1%   |
| Iowa   | Soybeans  | I         | ALLOTHFDGD |      | 53    | 61    | 8      | 15.1%    |
| Iowa   | Soybeans  | I         | COMM       |      | 57    | 61    | 4      | 7.0%     |
| Iowa   | Soybeans  | I         | HP         |      | 53    | 56    | 3      | 5.7%     |
| Iowa   | Soybeans  | I         | LLA        |      | 53    | 56    | 3      | 5.7%     |
| Iowa   | Soybeans  | I         | LSF        |      | 53    | 56    | 3      | 5.7%     |
| Iowa   | Soybeans  | I         | LSFG       |      | 48    | 52    | 4      | 8.3%     |
| Iowa   | Soybeans  | I         | SSFG       |      | 40    | 43    | 3      | 7.5%     |
| Iowa   | Soybeans  | IRR OC    | ALLOTHFDGD |      | 37    | 43    | 6      | 16.2%    |
| Iowa   | Soybeans  | IRR OC    | COMM       |      | 40    | 43    | 3      | 7.5%     |
| Iowa   | Soybeans  | IRR OC    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Iowa   | Soybeans  | IRR OC    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Iowa   | Soybeans  | IRR OC    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Iowa   | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Iowa   | Soybeans  | IRR OC    | SSFG       |      | 28    | 30    | 2      | 7.1%     |
| Iowa   | Soybeans  | IRR OT    | ALLOTHFDGD |      | 37    | 43    | 6      | 16.2%    |
| Iowa   | Soybeans  | IRR OT    | COMM       |      | 40    | 43    | 3      | 7.5%     |
| Iowa   | Soybeans  | IRR OT    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Iowa   | Soybeans  | IRR OT    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Iowa   | Soybeans  | IRR OT    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Iowa   | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Iowa   | Soybeans  | IRR OT    | SSFG       |      | 28    | 30    | 2      | 7.1%     |
| Iowa   | Soybeans  | NI        | ALLOTHFDGD |      | 50    | 55    | 5      | 10.0%    |
| Iowa   | Soybeans  | NI        | COMM       |      | 54    | 55    | 1      | 1.9%     |
| Iowa   | Soybeans  | NI        | HP         |      | 50    | 51    | 1      | 2.0%     |
| Iowa   | Soybeans  | NI        | LLA        |      | 50    | 51    | 1      | 2.0%     |
| Iowa   | Soybeans  | NI        | LSF        |      | 50    | 51    | 1      | 2.0%     |
| Iowa   | Soybeans  | NI        | LSFG       |      | 46    | 47    | 1      | 2.2%     |
| Iowa   | Soybeans  | NI        | SSFG       |      | 38    | 39    | 1      | 2.6%     |
| Iowa   | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 35    | 39    | 4      | 11.4%    |
| Iowa   | Soybeans  | NON-IRROC | COMM       |      | 38    | 39    | 1      | 2.6%     |
| Iowa   | Soybeans  | NON-IRROC | HP         |      | 35    | 36    | 1      | 2.9%     |
| Iowa   | Soybeans  | NON-IRROC | LLA        |      | 35    | 36    | 1      | 2.9%     |
| Iowa   | Soybeans  | NON-IRROC | LSF        |      | 35    | 36    | 1      | 2.9%     |
| Iowa   | Soybeans  | NON-IRROC | LSFG       |      | 32    | 33    | 1      | 3.1%     |
| Iowa   | Soybeans  | NON-IRROC | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Iowa   | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 35    | 39    | 4      | 11.4%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|---------|-----------|-----------|-------|------|-------|-------|--|--------|----------|
|         |           |           |       | Area | Yield | Yield |  |        |          |
| Iowa    | Soybeans  | NON-IRROT | COMM  |      | 38    | 39    |  | 1      | 2.6%     |
| Iowa    | Soybeans  | NON-IRROT | HP    |      | 35    | 36    |  | 1      | 2.9%     |
| Iowa    | Soybeans  | NON-IRROT | LLA   |      | 35    | 36    |  | 1      | 2.9%     |
| Iowa    | Soybeans  | NON-IRROT | LSF   |      | 35    | 36    |  | 1      | 2.9%     |
| Iowa    | Soybeans  | NON-IRROT | LSFG  |      | 32    | 33    |  | 1      | 3.1%     |
| Iowa    | Soybeans  | NON-IRROT | SSFG  |      | 27    | 27    |  | 0      | 0.0%     |
| Jackson | Corn      | I         | GSG   |      | 191   | 191   |  | 0      | 0.0%     |
| Jackson | Corn      | I         | GSS   |      | 28.8  | 28.8  |  | 0      | 0.0%     |
| Jackson | Corn      | I         | HAMLS |      | 191   | 191   |  | 0      | 0.0%     |
| Jackson | Corn      | I         | WAXY  |      | 191   | 191   |  | 0      | 0.0%     |
| Jackson | Corn      | I         | WHITE |      | 191   | 191   |  | 0      | 0.0%     |
| Jackson | Corn      | IRR OC    | GSG   |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | IRR OC    | GSS   |      | 21.6  | 21.6  |  | 0      | 0.0%     |
| Jackson | Corn      | IRR OC    | HAMLS |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | IRR OC    | WAXY  |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | IRR OC    | WHITE |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | IRR OT    | GSG   |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | IRR OT    | GSS   |      | 21.6  | 21.6  |  | 0      | 0.0%     |
| Jackson | Corn      | IRR OT    | HAMLS |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | IRR OT    | WAXY  |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | IRR OT    | WHITE |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | NI        | GSG   |      | 191   | 191   |  | 0      | 0.0%     |
| Jackson | Corn      | NI        | GSS   |      | 28.8  | 28.8  |  | 0      | 0.0%     |
| Jackson | Corn      | NI        | HAMLS |      | 191   | 191   |  | 0      | 0.0%     |
| Jackson | Corn      | NI        | WAXY  |      | 191   | 191   |  | 0      | 0.0%     |
| Jackson | Corn      | NI        | WHITE |      | 191   | 191   |  | 0      | 0.0%     |
| Jackson | Corn      | NON-IRROC | GSG   |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | NON-IRROC | GSS   |      | 21.6  | 21.6  |  | 0      | 0.0%     |
| Jackson | Corn      | NON-IRROC | HAMLS |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | NON-IRROC | WAXY  |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | NON-IRROC | WHITE |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | NON-IRROT | GSG   |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | NON-IRROT | GSS   |      | 21.6  | 21.6  |  | 0      | 0.0%     |
| Jackson | Corn      | NON-IRROT | HAMLS |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | NON-IRROT | WAXY  |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Corn      | NON-IRROT | WHITE |      | 143   | 143   |  | 0      | 0.0%     |
| Jackson | Oats      | I         | S     |      | 65    | 71    |  | 6      | 9.2%     |
| Jackson | Oats      | IRR OC    | S     |      | 65    | 64    |  | -1     | -1.5%    |
| Jackson | Oats      | IRR OT    | S     |      | 65    | 64    |  | -1     | -1.5%    |
| Jackson | Oats      | NI        | S     |      | 65    | 71    |  | 6      | 9.2%     |
| Jackson | Oats      | NON-IRROC | S     |      | 65    | 64    |  | -1     | -1.5%    |
| Jackson | Oats      | NON-IRROT | S     |      | 65    | 64    |  | -1     | -1.5%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Jackson | Soybeans  | I         | ALLOTHFDGD |      | 52    | 60    | 8      | 15.4%    |
| Jackson | Soybeans  | I         | COMM       |      | 56    | 60    | 4      | 7.1%     |
| Jackson | Soybeans  | I         | HP         |      | 52    | 56    | 4      | 7.7%     |
| Jackson | Soybeans  | I         | LLA        |      | 52    | 56    | 4      | 7.7%     |
| Jackson | Soybeans  | I         | LSF        |      | 52    | 56    | 4      | 7.7%     |
| Jackson | Soybeans  | I         | LSFG       |      | 48    | 51    | 3      | 6.3%     |
| Jackson | Soybeans  | I         | SSFG       |      | 39    | 42    | 3      | 7.7%     |
| Jackson | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 42    | 6      | 16.7%    |
| Jackson | Soybeans  | IRR OC    | COMM       |      | 39    | 42    | 3      | 7.7%     |
| Jackson | Soybeans  | IRR OC    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Jackson | Soybeans  | IRR OC    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Jackson | Soybeans  | IRR OC    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Jackson | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Jackson | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Jackson | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 42    | 6      | 16.7%    |
| Jackson | Soybeans  | IRR OT    | COMM       |      | 39    | 42    | 3      | 7.7%     |
| Jackson | Soybeans  | IRR OT    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Jackson | Soybeans  | IRR OT    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Jackson | Soybeans  | IRR OT    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Jackson | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Jackson | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Jackson | Soybeans  | NI        | ALLOTHFDGD |      | 51    | 59    | 8      | 15.7%    |
| Jackson | Soybeans  | NI        | COMM       |      | 55    | 59    | 4      | 7.3%     |
| Jackson | Soybeans  | NI        | HP         |      | 51    | 55    | 4      | 7.8%     |
| Jackson | Soybeans  | NI        | LLA        |      | 51    | 55    | 4      | 7.8%     |
| Jackson | Soybeans  | NI        | LSF        |      | 51    | 55    | 4      | 7.8%     |
| Jackson | Soybeans  | NI        | LSFG       |      | 47    | 50    | 3      | 6.4%     |
| Jackson | Soybeans  | NI        | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Jackson | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Jackson | Soybeans  | NON-IRROC | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Jackson | Soybeans  | NON-IRROC | HP         |      | 36    | 39    | 3      | 8.3%     |
| Jackson | Soybeans  | NON-IRROC | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Jackson | Soybeans  | NON-IRROC | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Jackson | Soybeans  | NON-IRROC | LSFG       |      | 33    | 35    | 2      | 6.1%     |
| Jackson | Soybeans  | NON-IRROC | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Jackson | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Jackson | Soybeans  | NON-IRROT | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Jackson | Soybeans  | NON-IRROT | HP         |      | 36    | 39    | 3      | 8.3%     |
| Jackson | Soybeans  | NON-IRROT | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Jackson | Soybeans  | NON-IRROT | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Jackson | Soybeans  | NON-IRROT | LSFG       |      | 33    | 35    | 2      | 6.1%     |
| Jackson | Soybeans  | NON-IRROT | SSFG       |      | 27    | 29    | 2      | 7.4%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Jasper | Corn      | I         | BLUE       |      | 109   | 109   | 0      | 0.0%     |
| Jasper | Corn      | I         | GSG        |      | 199   | 199   | 0      | 0.0%     |
| Jasper | Corn      | I         | HAMLS      |      | 199   | 199   | 0      | 0.0%     |
| Jasper | Corn      | I         | WAXY       |      | 199   | 199   | 0      | 0.0%     |
| Jasper | Corn      | I         | WHITE      |      | 199   | 199   | 0      | 0.0%     |
| Jasper | Corn      | IRR OC    | BLUE       |      | 82    | 82    | 0      | 0.0%     |
| Jasper | Corn      | IRR OC    | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | IRR OC    | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | IRR OC    | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | IRR OC    | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | IRR OT    | BLUE       |      | 82    | 82    | 0      | 0.0%     |
| Jasper | Corn      | IRR OT    | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | IRR OT    | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | IRR OT    | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | IRR OT    | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | NI        | BLUE       |      | 109   | 109   | 0      | 0.0%     |
| Jasper | Corn      | NI        | GSG        |      | 199   | 199   | 0      | 0.0%     |
| Jasper | Corn      | NI        | HAMLS      |      | 199   | 199   | 0      | 0.0%     |
| Jasper | Corn      | NI        | WAXY       |      | 199   | 199   | 0      | 0.0%     |
| Jasper | Corn      | NI        | WHITE      |      | 199   | 199   | 0      | 0.0%     |
| Jasper | Corn      | NON-IRROC | BLUE       |      | 82    | 82    | 0      | 0.0%     |
| Jasper | Corn      | NON-IRROC | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | NON-IRROC | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | NON-IRROC | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | NON-IRROC | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | NON-IRROT | BLUE       |      | 82    | 82    | 0      | 0.0%     |
| Jasper | Corn      | NON-IRROT | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | NON-IRROT | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | NON-IRROT | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Corn      | NON-IRROT | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Jasper | Oats      | I         | S          |      | 71    | 74    | 3      | 4.2%     |
| Jasper | Oats      | IRR OC    | S          |      | 71    | 67    | -4     | -5.6%    |
| Jasper | Oats      | IRR OT    | S          |      | 71    | 67    | -4     | -5.6%    |
| Jasper | Oats      | NI        | S          |      | 71    | 74    | 3      | 4.2%     |
| Jasper | Oats      | NON-IRROC | S          |      | 71    | 67    | -4     | -5.6%    |
| Jasper | Oats      | NON-IRROT | S          |      | 71    | 67    | -4     | -5.6%    |
| Jasper | Soybeans  | I         | ALLOTHFDGD |      | 53    | 59    | 6      | 11.3%    |
| Jasper | Soybeans  | I         | COMM       |      | 57    | 59    | 2      | 3.5%     |
| Jasper | Soybeans  | I         | HP         |      | 53    | 55    | 2      | 3.8%     |
| Jasper | Soybeans  | I         | LLA        |      | 53    | 55    | 2      | 3.8%     |
| Jasper | Soybeans  | I         | LSF        |      | 53    | 55    | 2      | 3.8%     |
| Jasper | Soybeans  | I         | LSFG       |      | 48    | 50    | 2      | 4.2%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|           |           |           |            |      | Yield | Yield |        |          |
| Jasper    | Soybeans  | I         | SSFG       |      | 40    | 41    | 1      | 2.5%     |
| Jasper    | Soybeans  | IRR OC    | ALLOTHFDGD |      | 37    | 41    | 4      | 10.8%    |
| Jasper    | Soybeans  | IRR OC    | COMM       |      | 40    | 41    | 1      | 2.5%     |
| Jasper    | Soybeans  | IRR OC    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Jasper    | Soybeans  | IRR OC    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Jasper    | Soybeans  | IRR OC    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Jasper    | Soybeans  | IRR OC    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Jasper    | Soybeans  | IRR OC    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Jasper    | Soybeans  | IRR OT    | ALLOTHFDGD |      | 37    | 41    | 4      | 10.8%    |
| Jasper    | Soybeans  | IRR OT    | COMM       |      | 40    | 41    | 1      | 2.5%     |
| Jasper    | Soybeans  | IRR OT    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Jasper    | Soybeans  | IRR OT    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Jasper    | Soybeans  | IRR OT    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Jasper    | Soybeans  | IRR OT    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Jasper    | Soybeans  | IRR OT    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Jasper    | Soybeans  | NI        | ALLOTHFDGD |      | 53    | 59    | 6      | 11.3%    |
| Jasper    | Soybeans  | NI        | COMM       |      | 57    | 59    | 2      | 3.5%     |
| Jasper    | Soybeans  | NI        | HP         |      | 53    | 55    | 2      | 3.8%     |
| Jasper    | Soybeans  | NI        | LLA        |      | 53    | 55    | 2      | 3.8%     |
| Jasper    | Soybeans  | NI        | LSF        |      | 53    | 55    | 2      | 3.8%     |
| Jasper    | Soybeans  | NI        | LSFG       |      | 48    | 50    | 2      | 4.2%     |
| Jasper    | Soybeans  | NI        | SSFG       |      | 40    | 41    | 1      | 2.5%     |
| Jasper    | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 37    | 41    | 4      | 10.8%    |
| Jasper    | Soybeans  | NON-IRROC | COMM       |      | 40    | 41    | 1      | 2.5%     |
| Jasper    | Soybeans  | NON-IRROC | HP         |      | 37    | 39    | 2      | 5.4%     |
| Jasper    | Soybeans  | NON-IRROC | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Jasper    | Soybeans  | NON-IRROC | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Jasper    | Soybeans  | NON-IRROC | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Jasper    | Soybeans  | NON-IRROC | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Jasper    | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 37    | 41    | 4      | 10.8%    |
| Jasper    | Soybeans  | NON-IRROT | COMM       |      | 40    | 41    | 1      | 2.5%     |
| Jasper    | Soybeans  | NON-IRROT | HP         |      | 37    | 39    | 2      | 5.4%     |
| Jasper    | Soybeans  | NON-IRROT | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Jasper    | Soybeans  | NON-IRROT | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Jasper    | Soybeans  | NON-IRROT | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Jasper    | Soybeans  | NON-IRROT | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Jefferson | Corn      | I         | BLUE       |      | 112   | 112   | 0      | 0.0%     |
| Jefferson | Corn      | I         | GSG        |      | 204   | 204   | 0      | 0.0%     |
| Jefferson | Corn      | I         | HAMLS      |      | 204   | 204   | 0      | 0.0%     |
| Jefferson | Corn      | I         | WAXY       |      | 204   | 204   | 0      | 0.0%     |
| Jefferson | Corn      | I         | WHITE      |      | 204   | 204   | 0      | 0.0%     |
| Jefferson | Corn      | IRR OC    | BLUE       |      | 84    | 84    | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County    | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|           |           |           |            |      | Yield | Yield |        |          |
| Jefferson | Corn      | IRR OC    | GSG        |      | 153   | 153   | 0      | 0.0%     |
| Jefferson | Corn      | IRR OC    | HAMLS      |      | 153   | 153   | 0      | 0.0%     |
| Jefferson | Corn      | IRR OC    | WAXY       |      | 153   | 153   | 0      | 0.0%     |
| Jefferson | Corn      | IRR OC    | WHITE      |      | 153   | 153   | 0      | 0.0%     |
| Jefferson | Corn      | IRR OT    | BLUE       |      | 84    | 84    | 0      | 0.0%     |
| Jefferson | Corn      | IRR OT    | GSG        |      | 153   | 153   | 0      | 0.0%     |
| Jefferson | Corn      | IRR OT    | HAMLS      |      | 153   | 153   | 0      | 0.0%     |
| Jefferson | Corn      | IRR OT    | WAXY       |      | 153   | 153   | 0      | 0.0%     |
| Jefferson | Corn      | IRR OT    | WHITE      |      | 153   | 153   | 0      | 0.0%     |
| Jefferson | Corn      | NI        | BLUE       |      | 92    | 92    | 0      | 0.0%     |
| Jefferson | Corn      | NI        | GSG        |      | 168   | 168   | 0      | 0.0%     |
| Jefferson | Corn      | NI        | HAMLS      |      | 168   | 168   | 0      | 0.0%     |
| Jefferson | Corn      | NI        | WAXY       |      | 168   | 168   | 0      | 0.0%     |
| Jefferson | Corn      | NI        | WHITE      |      | 168   | 168   | 0      | 0.0%     |
| Jefferson | Corn      | NON-IRROC | BLUE       |      | 69    | 69    | 0      | 0.0%     |
| Jefferson | Corn      | NON-IRROC | GSG        |      | 126   | 126   | 0      | 0.0%     |
| Jefferson | Corn      | NON-IRROC | HAMLS      |      | 126   | 126   | 0      | 0.0%     |
| Jefferson | Corn      | NON-IRROC | WAXY       |      | 126   | 126   | 0      | 0.0%     |
| Jefferson | Corn      | NON-IRROC | WHITE      |      | 126   | 126   | 0      | 0.0%     |
| Jefferson | Corn      | NON-IRROT | BLUE       |      | 69    | 69    | 0      | 0.0%     |
| Jefferson | Corn      | NON-IRROT | GSG        |      | 126   | 126   | 0      | 0.0%     |
| Jefferson | Corn      | NON-IRROT | HAMLS      |      | 126   | 126   | 0      | 0.0%     |
| Jefferson | Corn      | NON-IRROT | WAXY       |      | 126   | 126   | 0      | 0.0%     |
| Jefferson | Corn      | NON-IRROT | WHITE      |      | 126   | 126   | 0      | 0.0%     |
| Jefferson | Oats      | I         | S          |      | 49    | 59    | 10     | 20.4%    |
| Jefferson | Oats      | IRR OC    | S          |      | 49    | 53    | 4      | 8.2%     |
| Jefferson | Oats      | IRR OT    | S          |      | 49    | 53    | 4      | 8.2%     |
| Jefferson | Oats      | NI        | S          |      | 49    | 59    | 10     | 20.4%    |
| Jefferson | Oats      | NON-IRROC | S          |      | 49    | 53    | 4      | 8.2%     |
| Jefferson | Oats      | NON-IRROT | S          |      | 49    | 53    | 4      | 8.2%     |
| Jefferson | Soybeans  | I         | ALLOTHFDGD |      | 53    | 59    | 6      | 11.3%    |
| Jefferson | Soybeans  | I         | COMM       |      | 57    | 59    | 2      | 3.5%     |
| Jefferson | Soybeans  | I         | HP         |      | 53    | 55    | 2      | 3.8%     |
| Jefferson | Soybeans  | I         | LLA        |      | 53    | 55    | 2      | 3.8%     |
| Jefferson | Soybeans  | I         | LSF        |      | 53    | 55    | 2      | 3.8%     |
| Jefferson | Soybeans  | I         | LSFG       |      | 48    | 50    | 2      | 4.2%     |
| Jefferson | Soybeans  | I         | SSFG       |      | 40    | 41    | 1      | 2.5%     |
| Jefferson | Soybeans  | IRR OC    | ALLOTHFDGD |      | 37    | 41    | 4      | 10.8%    |
| Jefferson | Soybeans  | IRR OC    | COMM       |      | 40    | 41    | 1      | 2.5%     |
| Jefferson | Soybeans  | IRR OC    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Jefferson | Soybeans  | IRR OC    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Jefferson | Soybeans  | IRR OC    | LSF        |      | 37    | 39    | 2      | 5.4%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County    | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|           |           |           |            |      | Yield | Yield |        |          |
| Jefferson | Soybeans  | IRR OC    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Jefferson | Soybeans  | IRR OC    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Jefferson | Soybeans  | IRR OT    | ALLOTHFDGD |      | 37    | 41    | 4      | 10.8%    |
| Jefferson | Soybeans  | IRR OT    | COMM       |      | 40    | 41    | 1      | 2.5%     |
| Jefferson | Soybeans  | IRR OT    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Jefferson | Soybeans  | IRR OT    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Jefferson | Soybeans  | IRR OT    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Jefferson | Soybeans  | IRR OT    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Jefferson | Soybeans  | IRR OT    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Jefferson | Soybeans  | NI        | ALLOTHFDGD |      | 46    | 52    | 6      | 13.0%    |
| Jefferson | Soybeans  | NI        | COMM       |      | 50    | 52    | 2      | 4.0%     |
| Jefferson | Soybeans  | NI        | HP         |      | 46    | 48    | 2      | 4.3%     |
| Jefferson | Soybeans  | NI        | LLA        |      | 46    | 48    | 2      | 4.3%     |
| Jefferson | Soybeans  | NI        | LSF        |      | 46    | 48    | 2      | 4.3%     |
| Jefferson | Soybeans  | NI        | LSFG       |      | 43    | 44    | 1      | 2.3%     |
| Jefferson | Soybeans  | NI        | SSFG       |      | 35    | 36    | 1      | 2.9%     |
| Jefferson | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 32    | 36    | 4      | 12.5%    |
| Jefferson | Soybeans  | NON-IRROC | COMM       |      | 35    | 36    | 1      | 2.9%     |
| Jefferson | Soybeans  | NON-IRROC | HP         |      | 32    | 34    | 2      | 6.3%     |
| Jefferson | Soybeans  | NON-IRROC | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Jefferson | Soybeans  | NON-IRROC | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Jefferson | Soybeans  | NON-IRROC | LSFG       |      | 30    | 31    | 1      | 3.3%     |
| Jefferson | Soybeans  | NON-IRROC | SSFG       |      | 25    | 25    | 0      | 0.0%     |
| Jefferson | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 32    | 36    | 4      | 12.5%    |
| Jefferson | Soybeans  | NON-IRROT | COMM       |      | 35    | 36    | 1      | 2.9%     |
| Jefferson | Soybeans  | NON-IRROT | HP         |      | 32    | 34    | 2      | 6.3%     |
| Jefferson | Soybeans  | NON-IRROT | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Jefferson | Soybeans  | NON-IRROT | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Jefferson | Soybeans  | NON-IRROT | LSFG       |      | 30    | 31    | 1      | 3.3%     |
| Jefferson | Soybeans  | NON-IRROT | SSFG       |      | 25    | 25    | 0      | 0.0%     |
| Johnson   | Corn      | I         | BLUE       |      | 117   | 117   | 0      | 0.0%     |
| Johnson   | Corn      | I         | GSG        |      | 213   | 213   | 0      | 0.0%     |
| Johnson   | Corn      | I         | HAMLS      |      | 213   | 213   | 0      | 0.0%     |
| Johnson   | Corn      | I         | WAXY       |      | 213   | 213   | 0      | 0.0%     |
| Johnson   | Corn      | I         | WHITE      |      | 213   | 213   | 0      | 0.0%     |
| Johnson   | Corn      | IRR OC    | BLUE       |      | 88    | 88    | 0      | 0.0%     |
| Johnson   | Corn      | IRR OC    | GSG        |      | 160   | 160   | 0      | 0.0%     |
| Johnson   | Corn      | IRR OC    | HAMLS      |      | 160   | 160   | 0      | 0.0%     |
| Johnson   | Corn      | IRR OC    | WAXY       |      | 160   | 160   | 0      | 0.0%     |
| Johnson   | Corn      | IRR OC    | WHITE      |      | 160   | 160   | 0      | 0.0%     |
| Johnson   | Corn      | IRR OT    | BLUE       |      | 88    | 88    | 0      | 0.0%     |
| Johnson   | Corn      | IRR OT    | GSG        |      | 160   | 160   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|         |           |           |            | Area | Yield | Yield |  |        |          |
| Johnson | Corn      | IRR OT    | HAMLS      |      | 160   | 160   |  | 0      | 0.0%     |
| Johnson | Corn      | IRR OT    | WAXY       |      | 160   | 160   |  | 0      | 0.0%     |
| Johnson | Corn      | IRR OT    | WHITE      |      | 160   | 160   |  | 0      | 0.0%     |
| Johnson | Corn      | NI        | BLUE       |      | 103   | 103   |  | 0      | 0.0%     |
| Johnson | Corn      | NI        | GSG        |      | 187   | 187   |  | 0      | 0.0%     |
| Johnson | Corn      | NI        | HAMLS      |      | 187   | 187   |  | 0      | 0.0%     |
| Johnson | Corn      | NI        | WAXY       |      | 187   | 187   |  | 0      | 0.0%     |
| Johnson | Corn      | NI        | WHITE      |      | 187   | 187   |  | 0      | 0.0%     |
| Johnson | Corn      | NON-IRROC | BLUE       |      | 77    | 77    |  | 0      | 0.0%     |
| Johnson | Corn      | NON-IRROC | GSG        |      | 140   | 140   |  | 0      | 0.0%     |
| Johnson | Corn      | NON-IRROC | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Johnson | Corn      | NON-IRROC | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Johnson | Corn      | NON-IRROC | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Johnson | Corn      | NON-IRROT | BLUE       |      | 77    | 77    |  | 0      | 0.0%     |
| Johnson | Corn      | NON-IRROT | GSG        |      | 140   | 140   |  | 0      | 0.0%     |
| Johnson | Corn      | NON-IRROT | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Johnson | Corn      | NON-IRROT | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Johnson | Corn      | NON-IRROT | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Johnson | Oats      | I         | S          |      | 63    | 68    |  | 5      | 7.9%     |
| Johnson | Oats      | IRR OC    | S          |      | 63    | 61    |  | -2     | -3.2%    |
| Johnson | Oats      | IRR OT    | S          |      | 63    | 61    |  | -2     | -3.2%    |
| Johnson | Oats      | NI        | S          |      | 63    | 68    |  | 5      | 7.9%     |
| Johnson | Oats      | NON-IRROC | S          |      | 63    | 61    |  | -2     | -3.2%    |
| Johnson | Oats      | NON-IRROT | S          |      | 63    | 61    |  | -2     | -3.2%    |
| Johnson | Soybeans  | I         | ALLOTHFDGD |      | 52    | 60    |  | 8      | 15.4%    |
| Johnson | Soybeans  | I         | COMM       |      | 56    | 60    |  | 4      | 7.1%     |
| Johnson | Soybeans  | I         | HP         |      | 52    | 56    |  | 4      | 7.7%     |
| Johnson | Soybeans  | I         | LLA        |      | 52    | 56    |  | 4      | 7.7%     |
| Johnson | Soybeans  | I         | LSF        |      | 52    | 56    |  | 4      | 7.7%     |
| Johnson | Soybeans  | I         | LSFG       |      | 48    | 51    |  | 3      | 6.3%     |
| Johnson | Soybeans  | I         | SSFG       |      | 39    | 42    |  | 3      | 7.7%     |
| Johnson | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 42    |  | 6      | 16.7%    |
| Johnson | Soybeans  | IRR OC    | COMM       |      | 39    | 42    |  | 3      | 7.7%     |
| Johnson | Soybeans  | IRR OC    | HP         |      | 36    | 39    |  | 3      | 8.3%     |
| Johnson | Soybeans  | IRR OC    | LLA        |      | 36    | 39    |  | 3      | 8.3%     |
| Johnson | Soybeans  | IRR OC    | LSF        |      | 36    | 39    |  | 3      | 8.3%     |
| Johnson | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    |  | 2      | 5.9%     |
| Johnson | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Johnson | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 42    |  | 6      | 16.7%    |
| Johnson | Soybeans  | IRR OT    | COMM       |      | 39    | 42    |  | 3      | 7.7%     |
| Johnson | Soybeans  | IRR OT    | HP         |      | 36    | 39    |  | 3      | 8.3%     |
| Johnson | Soybeans  | IRR OT    | LLA        |      | 36    | 39    |  | 3      | 8.3%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Johnson | Soybeans  | IRR OT    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Johnson | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Johnson | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Johnson | Soybeans  | NI        | ALLOTHFDGD |      | 50    | 56    | 6      | 12.0%    |
| Johnson | Soybeans  | NI        | COMM       |      | 54    | 56    | 2      | 3.7%     |
| Johnson | Soybeans  | NI        | HP         |      | 50    | 52    | 2      | 4.0%     |
| Johnson | Soybeans  | NI        | LLA        |      | 50    | 52    | 2      | 4.0%     |
| Johnson | Soybeans  | NI        | LSF        |      | 50    | 52    | 2      | 4.0%     |
| Johnson | Soybeans  | NI        | LSFG       |      | 46    | 48    | 2      | 4.3%     |
| Johnson | Soybeans  | NI        | SSFG       |      | 38    | 39    | 1      | 2.6%     |
| Johnson | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 35    | 39    | 4      | 11.4%    |
| Johnson | Soybeans  | NON-IRROC | COMM       |      | 38    | 39    | 1      | 2.6%     |
| Johnson | Soybeans  | NON-IRROC | HP         |      | 35    | 36    | 1      | 2.9%     |
| Johnson | Soybeans  | NON-IRROC | LLA        |      | 35    | 36    | 1      | 2.9%     |
| Johnson | Soybeans  | NON-IRROC | LSF        |      | 35    | 36    | 1      | 2.9%     |
| Johnson | Soybeans  | NON-IRROC | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Johnson | Soybeans  | NON-IRROC | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Johnson | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 35    | 39    | 4      | 11.4%    |
| Johnson | Soybeans  | NON-IRROT | COMM       |      | 38    | 39    | 1      | 2.6%     |
| Johnson | Soybeans  | NON-IRROT | HP         |      | 35    | 36    | 1      | 2.9%     |
| Johnson | Soybeans  | NON-IRROT | LLA        |      | 35    | 36    | 1      | 2.9%     |
| Johnson | Soybeans  | NON-IRROT | LSF        |      | 35    | 36    | 1      | 2.9%     |
| Johnson | Soybeans  | NON-IRROT | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Johnson | Soybeans  | NON-IRROT | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Jones   | Corn      | I         | GSG        |      | 192   | 192   | 0      | 0.0%     |
| Jones   | Corn      | I         | HAMLS      |      | 192   | 192   | 0      | 0.0%     |
| Jones   | Corn      | I         | WAXY       |      | 192   | 192   | 0      | 0.0%     |
| Jones   | Corn      | I         | WHITE      |      | 192   | 192   | 0      | 0.0%     |
| Jones   | Corn      | IRR OC    | GSG        |      | 144   | 144   | 0      | 0.0%     |
| Jones   | Corn      | IRR OC    | HAMLS      |      | 144   | 144   | 0      | 0.0%     |
| Jones   | Corn      | IRR OC    | WAXY       |      | 144   | 144   | 0      | 0.0%     |
| Jones   | Corn      | IRR OC    | WHITE      |      | 144   | 144   | 0      | 0.0%     |
| Jones   | Corn      | IRR OT    | GSG        |      | 144   | 144   | 0      | 0.0%     |
| Jones   | Corn      | IRR OT    | HAMLS      |      | 144   | 144   | 0      | 0.0%     |
| Jones   | Corn      | IRR OT    | WAXY       |      | 144   | 144   | 0      | 0.0%     |
| Jones   | Corn      | IRR OT    | WHITE      |      | 144   | 144   | 0      | 0.0%     |
| Jones   | Corn      | NI        | GSG        |      | 192   | 192   | 0      | 0.0%     |
| Jones   | Corn      | NI        | HAMLS      |      | 192   | 192   | 0      | 0.0%     |
| Jones   | Corn      | NI        | WAXY       |      | 192   | 192   | 0      | 0.0%     |
| Jones   | Corn      | NI        | WHITE      |      | 192   | 192   | 0      | 0.0%     |
| Jones   | Corn      | NON-IRROC | GSG        |      | 144   | 144   | 0      | 0.0%     |
| Jones   | Corn      | NON-IRROC | HAMLS      |      | 144   | 144   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |    | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|----|--------|----------|
|        |           |           |            | Area | Yield | Yield |    |        |          |
| Jones  | Corn      | NON-IRROC | WAXY       |      | 144   | 144   | 0  | 0.0%   |          |
| Jones  | Corn      | NON-IRROC | WHITE      |      | 144   | 144   | 0  | 0.0%   |          |
| Jones  | Corn      | NON-IRROT | GSG        |      | 144   | 144   | 0  | 0.0%   |          |
| Jones  | Corn      | NON-IRROT | HAMLS      |      | 144   | 144   | 0  | 0.0%   |          |
| Jones  | Corn      | NON-IRROT | WAXY       |      | 144   | 144   | 0  | 0.0%   |          |
| Jones  | Corn      | NON-IRROT | WHITE      |      | 144   | 144   | 0  | 0.0%   |          |
| Jones  | Oats      | I         | S          |      | 62    | 63    | 1  | 1.6%   |          |
| Jones  | Oats      | IRR OC    | S          |      | 62    | 57    | -5 | -8.1%  |          |
| Jones  | Oats      | IRR OT    | S          |      | 62    | 57    | -5 | -8.1%  |          |
| Jones  | Oats      | NI        | S          |      | 62    | 63    | 1  | 1.6%   |          |
| Jones  | Oats      | NON-IRROC | S          |      | 62    | 57    | -5 | -8.1%  |          |
| Jones  | Oats      | NON-IRROT | S          |      | 62    | 57    | -5 | -8.1%  |          |
| Jones  | Soybeans  | I         | ALLOTHFDGD |      | 53    | 60    | 7  | 13.2%  |          |
| Jones  | Soybeans  | I         | COMM       |      | 57    | 60    | 3  | 5.3%   |          |
| Jones  | Soybeans  | I         | HP         |      | 53    | 56    | 3  | 5.7%   |          |
| Jones  | Soybeans  | I         | LLA        |      | 53    | 56    | 3  | 5.7%   |          |
| Jones  | Soybeans  | I         | LSF        |      | 53    | 56    | 3  | 5.7%   |          |
| Jones  | Soybeans  | I         | LSFG       |      | 48    | 51    | 3  | 6.3%   |          |
| Jones  | Soybeans  | I         | SSFG       |      | 40    | 42    | 2  | 5.0%   |          |
| Jones  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 37    | 42    | 5  | 13.5%  |          |
| Jones  | Soybeans  | IRR OC    | COMM       |      | 40    | 42    | 2  | 5.0%   |          |
| Jones  | Soybeans  | IRR OC    | HP         |      | 37    | 39    | 2  | 5.4%   |          |
| Jones  | Soybeans  | IRR OC    | LLA        |      | 37    | 39    | 2  | 5.4%   |          |
| Jones  | Soybeans  | IRR OC    | LSF        |      | 37    | 39    | 2  | 5.4%   |          |
| Jones  | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    | 2  | 5.9%   |          |
| Jones  | Soybeans  | IRR OC    | SSFG       |      | 28    | 29    | 1  | 3.6%   |          |
| Jones  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 37    | 42    | 5  | 13.5%  |          |
| Jones  | Soybeans  | IRR OT    | COMM       |      | 40    | 42    | 2  | 5.0%   |          |
| Jones  | Soybeans  | IRR OT    | HP         |      | 37    | 39    | 2  | 5.4%   |          |
| Jones  | Soybeans  | IRR OT    | LLA        |      | 37    | 39    | 2  | 5.4%   |          |
| Jones  | Soybeans  | IRR OT    | LSF        |      | 37    | 39    | 2  | 5.4%   |          |
| Jones  | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2  | 5.9%   |          |
| Jones  | Soybeans  | IRR OT    | SSFG       |      | 28    | 29    | 1  | 3.6%   |          |
| Jones  | Soybeans  | NI        | ALLOTHFDGD |      | 53    | 59    | 6  | 11.3%  |          |
| Jones  | Soybeans  | NI        | COMM       |      | 57    | 59    | 2  | 3.5%   |          |
| Jones  | Soybeans  | NI        | HP         |      | 53    | 55    | 2  | 3.8%   |          |
| Jones  | Soybeans  | NI        | LLA        |      | 53    | 55    | 2  | 3.8%   |          |
| Jones  | Soybeans  | NI        | LSF        |      | 53    | 55    | 2  | 3.8%   |          |
| Jones  | Soybeans  | NI        | LSFG       |      | 48    | 50    | 2  | 4.2%   |          |
| Jones  | Soybeans  | NI        | SSFG       |      | 40    | 41    | 1  | 2.5%   |          |
| Jones  | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 37    | 41    | 4  | 10.8%  |          |
| Jones  | Soybeans  | NON-IRROC | COMM       |      | 40    | 41    | 1  | 2.5%   |          |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Jones  | Soybeans  | NON-IRROC | HP         |      | 37    | 39    | 2      | 5.4%     |
| Jones  | Soybeans  | NON-IRROC | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Jones  | Soybeans  | NON-IRROC | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Jones  | Soybeans  | NON-IRROC | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Jones  | Soybeans  | NON-IRROC | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Jones  | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 37    | 41    | 4      | 10.8%    |
| Jones  | Soybeans  | NON-IRROT | COMM       |      | 40    | 41    | 1      | 2.5%     |
| Jones  | Soybeans  | NON-IRROT | HP         |      | 37    | 39    | 2      | 5.4%     |
| Jones  | Soybeans  | NON-IRROT | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Jones  | Soybeans  | NON-IRROT | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Jones  | Soybeans  | NON-IRROT | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Jones  | Soybeans  | NON-IRROT | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Keokuk | Corn      | I         | BLUE       |      | 109   | 109   | 0      | 0.0%     |
| Keokuk | Corn      | I         | GSG        |      | 199   | 199   | 0      | 0.0%     |
| Keokuk | Corn      | I         | HAMLS      |      | 199   | 199   | 0      | 0.0%     |
| Keokuk | Corn      | I         | WAXY       |      | 199   | 199   | 0      | 0.0%     |
| Keokuk | Corn      | I         | WHITE      |      | 199   | 199   | 0      | 0.0%     |
| Keokuk | Corn      | IRR OC    | BLUE       |      | 82    | 82    | 0      | 0.0%     |
| Keokuk | Corn      | IRR OC    | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Keokuk | Corn      | IRR OC    | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Keokuk | Corn      | IRR OC    | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Keokuk | Corn      | IRR OC    | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Keokuk | Corn      | IRR OT    | BLUE       |      | 82    | 82    | 0      | 0.0%     |
| Keokuk | Corn      | IRR OT    | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Keokuk | Corn      | IRR OT    | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Keokuk | Corn      | IRR OT    | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Keokuk | Corn      | IRR OT    | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Keokuk | Corn      | NI        | BLUE       |      | 101   | 101   | 0      | 0.0%     |
| Keokuk | Corn      | NI        | GSG        |      | 184   | 184   | 0      | 0.0%     |
| Keokuk | Corn      | NI        | HAMLS      |      | 184   | 184   | 0      | 0.0%     |
| Keokuk | Corn      | NI        | WAXY       |      | 184   | 184   | 0      | 0.0%     |
| Keokuk | Corn      | NI        | WHITE      |      | 184   | 184   | 0      | 0.0%     |
| Keokuk | Corn      | NON-IRROC | BLUE       |      | 76    | 76    | 0      | 0.0%     |
| Keokuk | Corn      | NON-IRROC | GSG        |      | 138   | 138   | 0      | 0.0%     |
| Keokuk | Corn      | NON-IRROC | HAMLS      |      | 138   | 138   | 0      | 0.0%     |
| Keokuk | Corn      | NON-IRROC | WAXY       |      | 138   | 138   | 0      | 0.0%     |
| Keokuk | Corn      | NON-IRROC | WHITE      |      | 138   | 138   | 0      | 0.0%     |
| Keokuk | Corn      | NON-IRROT | BLUE       |      | 76    | 76    | 0      | 0.0%     |
| Keokuk | Corn      | NON-IRROT | GSG        |      | 138   | 138   | 0      | 0.0%     |
| Keokuk | Corn      | NON-IRROT | HAMLS      |      | 138   | 138   | 0      | 0.0%     |
| Keokuk | Corn      | NON-IRROT | WAXY       |      | 138   | 138   | 0      | 0.0%     |
| Keokuk | Corn      | NON-IRROT | WHITE      |      | 138   | 138   | 0      | 0.0%     |



## Iowa

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name     | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|---------------|-----------|------------|------|-------|-------|--|--------|----------|
|        |               |           |            | Area | Yield | Yield |  |        |          |
| Keokuk | Grain Sorghum | I         | NTS        |      | 112   | 112   |  | 0      | 0.0%     |
| Keokuk | Grain Sorghum | IRR OC    | NTS        |      | 73    | 73    |  | 0      | 0.0%     |
| Keokuk | Grain Sorghum | IRR OT    | NTS        |      | 73    | 73    |  | 0      | 0.0%     |
| Keokuk | Grain Sorghum | NI        | NTS        |      | 112   | 112   |  | 0      | 0.0%     |
| Keokuk | Grain Sorghum | NON-IRROC | NTS        |      | 73    | 73    |  | 0      | 0.0%     |
| Keokuk | Grain Sorghum | NON-IRROT | NTS        |      | 73    | 73    |  | 0      | 0.0%     |
| Keokuk | Oats          | I         | S          |      | 58    | 70    |  | 12     | 20.7%    |
| Keokuk | Oats          | IRR OC    | S          |      | 58    | 63    |  | 5      | 8.6%     |
| Keokuk | Oats          | IRR OT    | S          |      | 58    | 63    |  | 5      | 8.6%     |
| Keokuk | Oats          | NI        | S          |      | 58    | 70    |  | 12     | 20.7%    |
| Keokuk | Oats          | NON-IRROC | S          |      | 58    | 63    |  | 5      | 8.6%     |
| Keokuk | Oats          | NON-IRROT | S          |      | 58    | 63    |  | 5      | 8.6%     |
| Keokuk | Soybeans      | I         | ALLOTHFDGD |      | 53    | 59    |  | 6      | 11.3%    |
| Keokuk | Soybeans      | I         | COMM       |      | 57    | 59    |  | 2      | 3.5%     |
| Keokuk | Soybeans      | I         | HP         |      | 53    | 55    |  | 2      | 3.8%     |
| Keokuk | Soybeans      | I         | LLA        |      | 53    | 55    |  | 2      | 3.8%     |
| Keokuk | Soybeans      | I         | LSF        |      | 53    | 55    |  | 2      | 3.8%     |
| Keokuk | Soybeans      | I         | LSFG       |      | 48    | 50    |  | 2      | 4.2%     |
| Keokuk | Soybeans      | I         | SSFG       |      | 40    | 41    |  | 1      | 2.5%     |
| Keokuk | Soybeans      | IRR OC    | ALLOTHFDGD |      | 37    | 41    |  | 4      | 10.8%    |
| Keokuk | Soybeans      | IRR OC    | COMM       |      | 40    | 41    |  | 1      | 2.5%     |
| Keokuk | Soybeans      | IRR OC    | HP         |      | 37    | 39    |  | 2      | 5.4%     |
| Keokuk | Soybeans      | IRR OC    | LLA        |      | 37    | 39    |  | 2      | 5.4%     |
| Keokuk | Soybeans      | IRR OC    | LSF        |      | 37    | 39    |  | 2      | 5.4%     |
| Keokuk | Soybeans      | IRR OC    | LSFG       |      | 34    | 35    |  | 1      | 2.9%     |
| Keokuk | Soybeans      | IRR OC    | SSFG       |      | 28    | 29    |  | 1      | 3.6%     |
| Keokuk | Soybeans      | IRR OT    | ALLOTHFDGD |      | 37    | 41    |  | 4      | 10.8%    |
| Keokuk | Soybeans      | IRR OT    | COMM       |      | 40    | 41    |  | 1      | 2.5%     |
| Keokuk | Soybeans      | IRR OT    | HP         |      | 37    | 39    |  | 2      | 5.4%     |
| Keokuk | Soybeans      | IRR OT    | LLA        |      | 37    | 39    |  | 2      | 5.4%     |
| Keokuk | Soybeans      | IRR OT    | LSF        |      | 37    | 39    |  | 2      | 5.4%     |
| Keokuk | Soybeans      | IRR OT    | LSFG       |      | 34    | 35    |  | 1      | 2.9%     |
| Keokuk | Soybeans      | IRR OT    | SSFG       |      | 28    | 29    |  | 1      | 3.6%     |
| Keokuk | Soybeans      | NI        | ALLOTHFDGD |      | 49    | 55    |  | 6      | 12.2%    |
| Keokuk | Soybeans      | NI        | COMM       |      | 53    | 55    |  | 2      | 3.8%     |
| Keokuk | Soybeans      | NI        | HP         |      | 49    | 51    |  | 2      | 4.1%     |
| Keokuk | Soybeans      | NI        | LLA        |      | 49    | 51    |  | 2      | 4.1%     |
| Keokuk | Soybeans      | NI        | LSF        |      | 49    | 51    |  | 2      | 4.1%     |
| Keokuk | Soybeans      | NI        | LSFG       |      | 45    | 47    |  | 2      | 4.4%     |
| Keokuk | Soybeans      | NI        | SSFG       |      | 37    | 39    |  | 2      | 5.4%     |
| Keokuk | Soybeans      | NON-IRROC | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Keokuk | Soybeans      | NON-IRROC | COMM       |      | 37    | 39    |  | 2      | 5.4%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name  | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|---------|------------|-----------|------------|------|-------|-------|--|--------|----------|
|         |            |           |            | Area | Yield | Yield |  |        |          |
| Keokuk  | Soybeans   | NON-IRROC | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Keokuk  | Soybeans   | NON-IRROC | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Keokuk  | Soybeans   | NON-IRROC | LSF        |      | 34    | 36    |  | 2      | 5.9%     |
| Keokuk  | Soybeans   | NON-IRROC | LSFG       |      | 32    | 33    |  | 1      | 3.1%     |
| Keokuk  | Soybeans   | NON-IRROC | SSFG       |      | 26    | 27    |  | 1      | 3.8%     |
| Keokuk  | Soybeans   | NON-IRROT | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Keokuk  | Soybeans   | NON-IRROT | COMM       |      | 37    | 39    |  | 2      | 5.4%     |
| Keokuk  | Soybeans   | NON-IRROT | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Keokuk  | Soybeans   | NON-IRROT | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Keokuk  | Soybeans   | NON-IRROT | LSF        |      | 34    | 36    |  | 2      | 5.9%     |
| Keokuk  | Soybeans   | NON-IRROT | LSFG       |      | 32    | 33    |  | 1      | 3.1%     |
| Keokuk  | Soybeans   | NON-IRROT | SSFG       |      | 26    | 27    |  | 1      | 3.8%     |
| Kossuth | Corn       | I         | GSG        |      | 208   | 208   |  | 0      | 0.0%     |
| Kossuth | Corn       | I         | HAMLS      |      | 208   | 208   |  | 0      | 0.0%     |
| Kossuth | Corn       | I         | WAXY       |      | 208   | 208   |  | 0      | 0.0%     |
| Kossuth | Corn       | I         | WHITE      |      | 208   | 208   |  | 0      | 0.0%     |
| Kossuth | Corn       | IRR OC    | GSG        |      | 156   | 156   |  | 0      | 0.0%     |
| Kossuth | Corn       | IRR OC    | HAMLS      |      | 156   | 156   |  | 0      | 0.0%     |
| Kossuth | Corn       | IRR OC    | WAXY       |      | 156   | 156   |  | 0      | 0.0%     |
| Kossuth | Corn       | IRR OC    | WHITE      |      | 156   | 156   |  | 0      | 0.0%     |
| Kossuth | Corn       | IRR OT    | GSG        |      | 156   | 156   |  | 0      | 0.0%     |
| Kossuth | Corn       | IRR OT    | HAMLS      |      | 156   | 156   |  | 0      | 0.0%     |
| Kossuth | Corn       | IRR OT    | WAXY       |      | 156   | 156   |  | 0      | 0.0%     |
| Kossuth | Corn       | IRR OT    | WHITE      |      | 156   | 156   |  | 0      | 0.0%     |
| Kossuth | Corn       | NI        | GSG        |      | 193   | 193   |  | 0      | 0.0%     |
| Kossuth | Corn       | NI        | HAMLS      |      | 193   | 193   |  | 0      | 0.0%     |
| Kossuth | Corn       | NI        | WAXY       |      | 193   | 193   |  | 0      | 0.0%     |
| Kossuth | Corn       | NI        | WHITE      |      | 193   | 193   |  | 0      | 0.0%     |
| Kossuth | Corn       | NON-IRROC | GSG        |      | 145   | 145   |  | 0      | 0.0%     |
| Kossuth | Corn       | NON-IRROC | HAMLS      |      | 145   | 145   |  | 0      | 0.0%     |
| Kossuth | Corn       | NON-IRROC | WAXY       |      | 145   | 145   |  | 0      | 0.0%     |
| Kossuth | Corn       | NON-IRROC | WHITE      |      | 145   | 145   |  | 0      | 0.0%     |
| Kossuth | Corn       | NON-IRROT | GSG        |      | 145   | 145   |  | 0      | 0.0%     |
| Kossuth | Corn       | NON-IRROT | HAMLS      |      | 145   | 145   |  | 0      | 0.0%     |
| Kossuth | Corn       | NON-IRROT | WAXY       |      | 145   | 145   |  | 0      | 0.0%     |
| Kossuth | Corn       | NON-IRROT | WHITE      |      | 145   | 145   |  | 0      | 0.0%     |
| Kossuth | Green Peas | I         | SESP       |      | 3182  | 3182  |  | 0      | 0.0%     |
| Kossuth | Green Peas | I         | SLSP       |      | 3380  | 3380  |  | 0      | 0.0%     |
| Kossuth | Green Peas | I         | SMSP       |      | 3579  | 3579  |  | 0      | 0.0%     |
| Kossuth | Green Peas | IRR OC    | SESP       |      | 2068  | 2068  |  | 0      | 0.0%     |
| Kossuth | Green Peas | IRR OC    | SLSP       |      | 2197  | 2197  |  | 0      | 0.0%     |
| Kossuth | Green Peas | IRR OC    | SMSP       |      | 2326  | 2326  |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name  | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|------------|-----------|------------|------|-------|-------|--------|----------|
|         |            |           |            |      | Yield | Yield |        |          |
| Kossuth | Green Peas | IRR OT    | SESP       |      | 2068  | 2068  | 0      | 0.0%     |
| Kossuth | Green Peas | IRR OT    | SLSP       |      | 2197  | 2197  | 0      | 0.0%     |
| Kossuth | Green Peas | IRR OT    | SMSP       |      | 2326  | 2326  | 0      | 0.0%     |
| Kossuth | Green Peas | NI        | SESP       |      | 2743  | 2743  | 0      | 0.0%     |
| Kossuth | Green Peas | NI        | SLSP       |      | 2914  | 2914  | 0      | 0.0%     |
| Kossuth | Green Peas | NI        | SMSP       |      | 3085  | 3085  | 0      | 0.0%     |
| Kossuth | Green Peas | NON-IRROC | SESP       |      | 1783  | 1783  | 0      | 0.0%     |
| Kossuth | Green Peas | NON-IRROC | SLSP       |      | 1894  | 1894  | 0      | 0.0%     |
| Kossuth | Green Peas | NON-IRROC | SMSP       |      | 2005  | 2005  | 0      | 0.0%     |
| Kossuth | Green Peas | NON-IRROT | SESP       |      | 1783  | 1783  | 0      | 0.0%     |
| Kossuth | Green Peas | NON-IRROT | SLSP       |      | 1894  | 1894  | 0      | 0.0%     |
| Kossuth | Green Peas | NON-IRROT | SMSP       |      | 2005  | 2005  | 0      | 0.0%     |
| Kossuth | Oats       | I         | S          |      | 73    | 72    | -1     | -1.4%    |
| Kossuth | Oats       | IRR OC    | S          |      | 73    | 65    | -8     | -11.0%   |
| Kossuth | Oats       | IRR OT    | S          |      | 73    | 65    | -8     | -11.0%   |
| Kossuth | Oats       | NI        | S          |      | 73    | 72    | -1     | -1.4%    |
| Kossuth | Oats       | NON-IRROC | S          |      | 73    | 65    | -8     | -11.0%   |
| Kossuth | Oats       | NON-IRROT | S          |      | 73    | 65    | -8     | -11.0%   |
| Kossuth | Popcorn    | I         | NTS        |      | 4910  | 4910  | 0      | 0.0%     |
| Kossuth | Popcorn    | IRR OC    | NTS        |      | 3437  | 3437  | 0      | 0.0%     |
| Kossuth | Popcorn    | IRR OT    | NTS        |      | 3437  | 3437  | 0      | 0.0%     |
| Kossuth | Popcorn    | NI        | NTS        |      | 4910  | 4910  | 0      | 0.0%     |
| Kossuth | Popcorn    | NON-IRROC | NTS        |      | 3437  | 3437  | 0      | 0.0%     |
| Kossuth | Popcorn    | NON-IRROT | NTS        |      | 3437  | 3437  | 0      | 0.0%     |
| Kossuth | Soybeans   | I         | ALLOTHFDGD |      | 52    | 59    | 7      | 13.5%    |
| Kossuth | Soybeans   | I         | COMM       |      | 56    | 59    | 3      | 5.4%     |
| Kossuth | Soybeans   | I         | HP         |      | 52    | 55    | 3      | 5.8%     |
| Kossuth | Soybeans   | I         | LLA        |      | 52    | 55    | 3      | 5.8%     |
| Kossuth | Soybeans   | I         | LSF        |      | 52    | 55    | 3      | 5.8%     |
| Kossuth | Soybeans   | I         | LSFG       |      | 48    | 50    | 2      | 4.2%     |
| Kossuth | Soybeans   | I         | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Kossuth | Soybeans   | IRR OC    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Kossuth | Soybeans   | IRR OC    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Kossuth | Soybeans   | IRR OC    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans   | IRR OC    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans   | IRR OC    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans   | IRR OC    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Kossuth | Soybeans   | IRR OC    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Kossuth | Soybeans   | IRR OT    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Kossuth | Soybeans   | IRR OT    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Kossuth | Soybeans   | IRR OT    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans   | IRR OT    | LLA        |      | 36    | 39    | 3      | 8.3%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Kossuth | Soybeans  | IRR OT    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans  | IRR OT    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Kossuth | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Kossuth | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Kossuth | Soybeans  | NC IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans  | NC IRROC  | HP         |      | 33    | 36    | 3      | 9.1%     |
| Kossuth | Soybeans  | NC IRROC  | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Kossuth | Soybeans  | NC IRROC  | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Kossuth | Soybeans  | NC IRROC  | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Kossuth | Soybeans  | NC IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Kossuth | Soybeans  | NC IRRROT | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Kossuth | Soybeans  | NC IRRROT | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans  | NC IRRROT | HP         |      | 33    | 36    | 3      | 9.1%     |
| Kossuth | Soybeans  | NC IRRROT | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Kossuth | Soybeans  | NC IRRROT | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Kossuth | Soybeans  | NC IRRROT | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Kossuth | Soybeans  | NC IRRROT | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Kossuth | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Kossuth | Soybeans  | NC NIOC   | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans  | NC NIOC   | HP         |      | 33    | 36    | 3      | 9.1%     |
| Kossuth | Soybeans  | NC NIOC   | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Kossuth | Soybeans  | NC NIOC   | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Kossuth | Soybeans  | NC NIOC   | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Kossuth | Soybeans  | NC NIOC   | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Kossuth | Soybeans  | NC NIOT   | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Kossuth | Soybeans  | NC NIOT   | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans  | NC NIOT   | HP         |      | 33    | 36    | 3      | 9.1%     |
| Kossuth | Soybeans  | NC NIOT   | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Kossuth | Soybeans  | NC NIOT   | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Kossuth | Soybeans  | NC NIOT   | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Kossuth | Soybeans  | NC NIOT   | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Kossuth | Soybeans  | NI        | ALLOTHFDGD |      | 52    | 59    | 7      | 13.5%    |
| Kossuth | Soybeans  | NI        | COMM       |      | 56    | 59    | 3      | 5.4%     |
| Kossuth | Soybeans  | NI        | HP         |      | 52    | 55    | 3      | 5.8%     |
| Kossuth | Soybeans  | NI        | LLA        |      | 52    | 55    | 3      | 5.8%     |
| Kossuth | Soybeans  | NI        | LSF        |      | 52    | 55    | 3      | 5.8%     |
| Kossuth | Soybeans  | NI        | LSFG       |      | 48    | 50    | 2      | 4.2%     |
| Kossuth | Soybeans  | NI        | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Kossuth | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Kossuth | Soybeans  | NON-IRROC | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Kossuth | Soybeans  | NON-IRROC | HP         |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans  | NON-IRROC | LLA        |      | 36    | 39    | 3      | 8.3%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name  | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|------------|------------|------------|------|-------|-------|--------|----------|
|         |            |            |            |      | Yield | Yield |        |          |
| Kossuth | Soybeans   | NON-IRROC  | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans   | NON-IRROC  | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Kossuth | Soybeans   | NON-IRROC  | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Kossuth | Soybeans   | NON-IRROT  | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Kossuth | Soybeans   | NON-IRROT  | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Kossuth | Soybeans   | NON-IRROT  | HP         |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans   | NON-IRROT  | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans   | NON-IRROT  | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans   | NON-IRROT  | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Kossuth | Soybeans   | NON-IRROT  | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Kossuth | Soybeans   | NONCON IRR | ALLOTHFDGD |      | 47    | 56    | 9      | 19.1%    |
| Kossuth | Soybeans   | NONCON IRR | COMM       |      | 51    | 56    | 5      | 9.8%     |
| Kossuth | Soybeans   | NONCON IRR | HP         |      | 47    | 52    | 5      | 10.6%    |
| Kossuth | Soybeans   | NONCON IRR | LLA        |      | 47    | 52    | 5      | 10.6%    |
| Kossuth | Soybeans   | NONCON IRR | LSF        |      | 47    | 52    | 5      | 10.6%    |
| Kossuth | Soybeans   | NONCON IRR | LSFG       |      | 43    | 48    | 5      | 11.6%    |
| Kossuth | Soybeans   | NONCON IRR | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Soybeans   | NONCON NI  | ALLOTHFDGD |      | 47    | 56    | 9      | 19.1%    |
| Kossuth | Soybeans   | NONCON NI  | COMM       |      | 51    | 56    | 5      | 9.8%     |
| Kossuth | Soybeans   | NONCON NI  | HP         |      | 47    | 52    | 5      | 10.6%    |
| Kossuth | Soybeans   | NONCON NI  | LLA        |      | 47    | 52    | 5      | 10.6%    |
| Kossuth | Soybeans   | NONCON NI  | LSF        |      | 47    | 52    | 5      | 10.6%    |
| Kossuth | Soybeans   | NONCON NI  | LSFG       |      | 43    | 48    | 5      | 11.6%    |
| Kossuth | Soybeans   | NONCON NI  | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Kossuth | Sweet Corn | I          | EGW        |      | 7.2   | 7.2   | 0      | 0.0%     |
| Kossuth | Sweet Corn | I          | OG         |      | 7.2   | 7.2   | 0      | 0.0%     |
| Kossuth | Sweet Corn | IRR OC     | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Kossuth | Sweet Corn | IRR OC     | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Kossuth | Sweet Corn | IRR OT     | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Kossuth | Sweet Corn | IRR OT     | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Kossuth | Sweet Corn | NI         | EGW        |      | 7.2   | 7.2   | 0      | 0.0%     |
| Kossuth | Sweet Corn | NI         | OG         |      | 7.2   | 7.2   | 0      | 0.0%     |
| Kossuth | Sweet Corn | NON-IRROC  | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Kossuth | Sweet Corn | NON-IRROC  | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Kossuth | Sweet Corn | NON-IRROT  | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Kossuth | Sweet Corn | NON-IRROT  | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Lee     | Corn       | I          | GSG        |      | 202   | 202   | 0      | 0.0%     |
| Lee     | Corn       | I          | HAMLS      |      | 202   | 202   | 0      | 0.0%     |
| Lee     | Corn       | I          | WAXY       |      | 202   | 202   | 0      | 0.0%     |
| Lee     | Corn       | I          | WHITE      |      | 202   | 202   | 0      | 0.0%     |
| Lee     | Corn       | IRR OC     | GSG        |      | 152   | 152   | 0      | 0.0%     |
| Lee     | Corn       | IRR OC     | HAMLS      |      | 152   | 152   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Lee    | Corn      | IRR OC    | WAXY       |      | 152   | 152   |  | 0      | 0.0%     |
| Lee    | Corn      | IRR OC    | WHITE      |      | 152   | 152   |  | 0      | 0.0%     |
| Lee    | Corn      | IRR OT    | GSG        |      | 152   | 152   |  | 0      | 0.0%     |
| Lee    | Corn      | IRR OT    | HAMLS      |      | 152   | 152   |  | 0      | 0.0%     |
| Lee    | Corn      | IRR OT    | WAXY       |      | 152   | 152   |  | 0      | 0.0%     |
| Lee    | Corn      | IRR OT    | WHITE      |      | 152   | 152   |  | 0      | 0.0%     |
| Lee    | Corn      | NI        | GSG        |      | 172   | 172   |  | 0      | 0.0%     |
| Lee    | Corn      | NI        | HAMLS      |      | 172   | 172   |  | 0      | 0.0%     |
| Lee    | Corn      | NI        | WAXY       |      | 172   | 172   |  | 0      | 0.0%     |
| Lee    | Corn      | NI        | WHITE      |      | 172   | 172   |  | 0      | 0.0%     |
| Lee    | Corn      | NON-IRROC | GSG        |      | 129   | 129   |  | 0      | 0.0%     |
| Lee    | Corn      | NON-IRROC | HAMLS      |      | 129   | 129   |  | 0      | 0.0%     |
| Lee    | Corn      | NON-IRROC | WAXY       |      | 129   | 129   |  | 0      | 0.0%     |
| Lee    | Corn      | NON-IRROC | WHITE      |      | 129   | 129   |  | 0      | 0.0%     |
| Lee    | Corn      | NON-IRROT | GSG        |      | 129   | 129   |  | 0      | 0.0%     |
| Lee    | Corn      | NON-IRROT | HAMLS      |      | 129   | 129   |  | 0      | 0.0%     |
| Lee    | Corn      | NON-IRROT | WAXY       |      | 129   | 129   |  | 0      | 0.0%     |
| Lee    | Corn      | NON-IRROT | WHITE      |      | 129   | 129   |  | 0      | 0.0%     |
| Lee    | Oats      | I         | S          |      | 45    | 45    |  | 0      | 0.0%     |
| Lee    | Oats      | IRR OC    | S          |      | 45    | 41    |  | -4     | -8.9%    |
| Lee    | Oats      | IRR OT    | S          |      | 45    | 41    |  | -4     | -8.9%    |
| Lee    | Oats      | NI        | S          |      | 45    | 45    |  | 0      | 0.0%     |
| Lee    | Oats      | NON-IRROC | S          |      | 45    | 41    |  | -4     | -8.9%    |
| Lee    | Oats      | NON-IRROT | S          |      | 45    | 41    |  | -4     | -8.9%    |
| Lee    | Soybeans  | I         | ALLOTHFDGD |      | 50    | 56    |  | 6      | 12.0%    |
| Lee    | Soybeans  | I         | COMM       |      | 54    | 56    |  | 2      | 3.7%     |
| Lee    | Soybeans  | I         | HP         |      | 50    | 52    |  | 2      | 4.0%     |
| Lee    | Soybeans  | I         | LLA        |      | 50    | 52    |  | 2      | 4.0%     |
| Lee    | Soybeans  | I         | LSF        |      | 50    | 52    |  | 2      | 4.0%     |
| Lee    | Soybeans  | I         | LSFG       |      | 46    | 48    |  | 2      | 4.3%     |
| Lee    | Soybeans  | I         | SSFG       |      | 38    | 39    |  | 1      | 2.6%     |
| Lee    | Soybeans  | IRR OC    | ALLOTHFDGD |      | 35    | 39    |  | 4      | 11.4%    |
| Lee    | Soybeans  | IRR OC    | COMM       |      | 38    | 39    |  | 1      | 2.6%     |
| Lee    | Soybeans  | IRR OC    | HP         |      | 35    | 36    |  | 1      | 2.9%     |
| Lee    | Soybeans  | IRR OC    | LLA        |      | 35    | 36    |  | 1      | 2.9%     |
| Lee    | Soybeans  | IRR OC    | LSF        |      | 35    | 36    |  | 1      | 2.9%     |
| Lee    | Soybeans  | IRR OC    | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Lee    | Soybeans  | IRR OC    | SSFG       |      | 27    | 27    |  | 0      | 0.0%     |
| Lee    | Soybeans  | IRR OT    | ALLOTHFDGD |      | 35    | 39    |  | 4      | 11.4%    |
| Lee    | Soybeans  | IRR OT    | COMM       |      | 38    | 39    |  | 1      | 2.6%     |
| Lee    | Soybeans  | IRR OT    | HP         |      | 35    | 36    |  | 1      | 2.9%     |
| Lee    | Soybeans  | IRR OT    | LLA        |      | 35    | 36    |  | 1      | 2.9%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Lee    | Soybeans  | IRR OT    | LSF        |      | 35    | 36    | 1      | 2.9%     |
| Lee    | Soybeans  | IRR OT    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Lee    | Soybeans  | IRR OT    | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Lee    | Soybeans  | NI        | ALLOTHFDGD |      | 49    | 56    | 7      | 14.3%    |
| Lee    | Soybeans  | NI        | COMM       |      | 53    | 56    | 3      | 5.7%     |
| Lee    | Soybeans  | NI        | HP         |      | 49    | 52    | 3      | 6.1%     |
| Lee    | Soybeans  | NI        | LLA        |      | 49    | 52    | 3      | 6.1%     |
| Lee    | Soybeans  | NI        | LSF        |      | 49    | 52    | 3      | 6.1%     |
| Lee    | Soybeans  | NI        | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Lee    | Soybeans  | NI        | SSFG       |      | 37    | 39    | 2      | 5.4%     |
| Lee    | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Lee    | Soybeans  | NON-IRROC | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Lee    | Soybeans  | NON-IRROC | HP         |      | 34    | 36    | 2      | 5.9%     |
| Lee    | Soybeans  | NON-IRROC | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Lee    | Soybeans  | NON-IRROC | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Lee    | Soybeans  | NON-IRROC | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Lee    | Soybeans  | NON-IRROC | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Lee    | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Lee    | Soybeans  | NON-IRROT | COMM       |      | 37    | 39    | 2      | 5.4%     |
| Lee    | Soybeans  | NON-IRROT | HP         |      | 34    | 36    | 2      | 5.9%     |
| Lee    | Soybeans  | NON-IRROT | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Lee    | Soybeans  | NON-IRROT | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Lee    | Soybeans  | NON-IRROT | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Lee    | Soybeans  | NON-IRROT | SSFG       |      | 26    | 27    | 1      | 3.8%     |
| Linn   | Corn      | I         | GSG        |      | 191   | 191   | 0      | 0.0%     |
| Linn   | Corn      | I         | HAMLS      |      | 191   | 191   | 0      | 0.0%     |
| Linn   | Corn      | I         | WAXY       |      | 191   | 191   | 0      | 0.0%     |
| Linn   | Corn      | I         | WHITE      |      | 191   | 191   | 0      | 0.0%     |
| Linn   | Corn      | IRR OC    | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | IRR OC    | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | IRR OC    | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | IRR OC    | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | IRR OT    | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | IRR OT    | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | IRR OT    | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | IRR OT    | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | NI        | GSG        |      | 191   | 191   | 0      | 0.0%     |
| Linn   | Corn      | NI        | HAMLS      |      | 191   | 191   | 0      | 0.0%     |
| Linn   | Corn      | NI        | WAXY       |      | 191   | 191   | 0      | 0.0%     |
| Linn   | Corn      | NI        | WHITE      |      | 191   | 191   | 0      | 0.0%     |
| Linn   | Corn      | NON-IRROC | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | NON-IRROC | HAMLS      |      | 143   | 143   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Linn   | Corn      | NON-IRROC | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | NON-IRROC | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | NON-IRROT | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | NON-IRROT | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | NON-IRROT | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Corn      | NON-IRROT | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Linn   | Oats      | I         | S          |      | 64    | 62    | -2     | -3.1%    |
| Linn   | Oats      | IRR OC    | S          |      | 64    | 56    | -8     | -12.5%   |
| Linn   | Oats      | IRR OT    | S          |      | 64    | 56    | -8     | -12.5%   |
| Linn   | Oats      | NI        | S          |      | 64    | 62    | -2     | -3.1%    |
| Linn   | Oats      | NON-IRROC | S          |      | 64    | 56    | -8     | -12.5%   |
| Linn   | Oats      | NON-IRROT | S          |      | 64    | 56    | -8     | -12.5%   |
| Linn   | Soybeans  | I         | ALLOTHFDGD |      | 52    | 60    | 8      | 15.4%    |
| Linn   | Soybeans  | I         | COMM       |      | 56    | 60    | 4      | 7.1%     |
| Linn   | Soybeans  | I         | HP         |      | 52    | 56    | 4      | 7.7%     |
| Linn   | Soybeans  | I         | LLA        |      | 52    | 56    | 4      | 7.7%     |
| Linn   | Soybeans  | I         | LSF        |      | 52    | 56    | 4      | 7.7%     |
| Linn   | Soybeans  | I         | LSFG       |      | 48    | 51    | 3      | 6.3%     |
| Linn   | Soybeans  | I         | SSFG       |      | 39    | 42    | 3      | 7.7%     |
| Linn   | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 42    | 6      | 16.7%    |
| Linn   | Soybeans  | IRR OC    | COMM       |      | 39    | 42    | 3      | 7.7%     |
| Linn   | Soybeans  | IRR OC    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Linn   | Soybeans  | IRR OC    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Linn   | Soybeans  | IRR OC    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Linn   | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Linn   | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Linn   | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 42    | 6      | 16.7%    |
| Linn   | Soybeans  | IRR OT    | COMM       |      | 39    | 42    | 3      | 7.7%     |
| Linn   | Soybeans  | IRR OT    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Linn   | Soybeans  | IRR OT    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Linn   | Soybeans  | IRR OT    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Linn   | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Linn   | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Linn   | Soybeans  | NI        | ALLOTHFDGD |      | 51    | 57    | 6      | 11.8%    |
| Linn   | Soybeans  | NI        | COMM       |      | 55    | 57    | 2      | 3.6%     |
| Linn   | Soybeans  | NI        | HP         |      | 51    | 53    | 2      | 3.9%     |
| Linn   | Soybeans  | NI        | LLA        |      | 51    | 53    | 2      | 3.9%     |
| Linn   | Soybeans  | NI        | LSF        |      | 51    | 53    | 2      | 3.9%     |
| Linn   | Soybeans  | NI        | LSFG       |      | 47    | 48    | 1      | 2.1%     |
| Linn   | Soybeans  | NI        | SSFG       |      | 39    | 40    | 1      | 2.6%     |
| Linn   | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 36    | 40    | 4      | 11.1%    |
| Linn   | Soybeans  | NON-IRROC | COMM       |      | 39    | 40    | 1      | 2.6%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Linn   | Soybeans  | NON-IRROC | HP         |      | 36    | 37    |  | 1      | 2.8%     |
| Linn   | Soybeans  | NON-IRROC | LLA        |      | 36    | 37    |  | 1      | 2.8%     |
| Linn   | Soybeans  | NON-IRROC | LSF        |      | 36    | 37    |  | 1      | 2.8%     |
| Linn   | Soybeans  | NON-IRROC | LSFG       |      | 33    | 34    |  | 1      | 3.0%     |
| Linn   | Soybeans  | NON-IRROC | SSFG       |      | 27    | 28    |  | 1      | 3.7%     |
| Linn   | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 36    | 40    |  | 4      | 11.1%    |
| Linn   | Soybeans  | NON-IRROT | COMM       |      | 39    | 40    |  | 1      | 2.6%     |
| Linn   | Soybeans  | NON-IRROT | HP         |      | 36    | 37    |  | 1      | 2.8%     |
| Linn   | Soybeans  | NON-IRROT | LLA        |      | 36    | 37    |  | 1      | 2.8%     |
| Linn   | Soybeans  | NON-IRROT | LSF        |      | 36    | 37    |  | 1      | 2.8%     |
| Linn   | Soybeans  | NON-IRROT | LSFG       |      | 33    | 34    |  | 1      | 3.0%     |
| Linn   | Soybeans  | NON-IRROT | SSFG       |      | 27    | 28    |  | 1      | 3.7%     |
| Louisa | Corn      | I         | BLUE       |      | 108   | 108   |  | 0      | 0.0%     |
| Louisa | Corn      | I         | GSG        |      | 196   | 196   |  | 0      | 0.0%     |
| Louisa | Corn      | I         | HAMLS      |      | 196   | 196   |  | 0      | 0.0%     |
| Louisa | Corn      | I         | WAXY       |      | 196   | 196   |  | 0      | 0.0%     |
| Louisa | Corn      | I         | WHITE      |      | 196   | 196   |  | 0      | 0.0%     |
| Louisa | Corn      | IRR OC    | BLUE       |      | 81    | 81    |  | 0      | 0.0%     |
| Louisa | Corn      | IRR OC    | GSG        |      | 147   | 147   |  | 0      | 0.0%     |
| Louisa | Corn      | IRR OC    | HAMLS      |      | 147   | 147   |  | 0      | 0.0%     |
| Louisa | Corn      | IRR OC    | WAXY       |      | 147   | 147   |  | 0      | 0.0%     |
| Louisa | Corn      | IRR OC    | WHITE      |      | 147   | 147   |  | 0      | 0.0%     |
| Louisa | Corn      | IRR OT    | BLUE       |      | 81    | 81    |  | 0      | 0.0%     |
| Louisa | Corn      | IRR OT    | GSG        |      | 147   | 147   |  | 0      | 0.0%     |
| Louisa | Corn      | IRR OT    | HAMLS      |      | 147   | 147   |  | 0      | 0.0%     |
| Louisa | Corn      | IRR OT    | WAXY       |      | 147   | 147   |  | 0      | 0.0%     |
| Louisa | Corn      | IRR OT    | WHITE      |      | 147   | 147   |  | 0      | 0.0%     |
| Louisa | Corn      | NI        | BLUE       |      | 103   | 103   |  | 0      | 0.0%     |
| Louisa | Corn      | NI        | GSG        |      | 187   | 187   |  | 0      | 0.0%     |
| Louisa | Corn      | NI        | HAMLS      |      | 187   | 187   |  | 0      | 0.0%     |
| Louisa | Corn      | NI        | WAXY       |      | 187   | 187   |  | 0      | 0.0%     |
| Louisa | Corn      | NI        | WHITE      |      | 187   | 187   |  | 0      | 0.0%     |
| Louisa | Corn      | NON-IRROC | BLUE       |      | 77    | 77    |  | 0      | 0.0%     |
| Louisa | Corn      | NON-IRROC | GSG        |      | 140   | 140   |  | 0      | 0.0%     |
| Louisa | Corn      | NON-IRROC | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Louisa | Corn      | NON-IRROC | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Louisa | Corn      | NON-IRROC | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Louisa | Corn      | NON-IRROT | BLUE       |      | 77    | 77    |  | 0      | 0.0%     |
| Louisa | Corn      | NON-IRROT | GSG        |      | 140   | 140   |  | 0      | 0.0%     |
| Louisa | Corn      | NON-IRROT | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Louisa | Corn      | NON-IRROT | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Louisa | Corn      | NON-IRROT | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Louisa | Oats      | I         | S          |      | 54    | 65    | 11     | 20.4%    |
| Louisa | Oats      | IRR OC    | S          |      | 54    | 59    | 5      | 9.3%     |
| Louisa | Oats      | IRR OT    | S          |      | 54    | 59    | 5      | 9.3%     |
| Louisa | Oats      | NI        | S          |      | 54    | 65    | 11     | 20.4%    |
| Louisa | Oats      | NON-IRROC | S          |      | 54    | 59    | 5      | 9.3%     |
| Louisa | Oats      | NON-IRROT | S          |      | 54    | 59    | 5      | 9.3%     |
| Louisa | Potatoes  | I         | R          |      | 230   | 230   | 0      | 0.0%     |
| Louisa | Potatoes  | I         | RU         |      | 230   | 230   | 0      | 0.0%     |
| Louisa | Potatoes  | I         | W          |      | 221   | 221   | 0      | 0.0%     |
| Louisa | Potatoes  | IRR OC    | R          |      | 196   | 196   | 0      | 0.0%     |
| Louisa | Potatoes  | IRR OC    | RU         |      | 196   | 196   | 0      | 0.0%     |
| Louisa | Potatoes  | IRR OC    | W          |      | 188   | 188   | 0      | 0.0%     |
| Louisa | Potatoes  | IRR OT    | R          |      | 196   | 196   | 0      | 0.0%     |
| Louisa | Potatoes  | IRR OT    | RU         |      | 196   | 196   | 0      | 0.0%     |
| Louisa | Potatoes  | IRR OT    | W          |      | 188   | 188   | 0      | 0.0%     |
| Louisa | Potatoes  | NI        | R          |      | 130   | 130   | 0      | 0.0%     |
| Louisa | Potatoes  | NI        | RU         |      | 130   | 130   | 0      | 0.0%     |
| Louisa | Potatoes  | NI        | W          |      | 130   | 130   | 0      | 0.0%     |
| Louisa | Potatoes  | NON-IRROC | R          |      | 111   | 111   | 0      | 0.0%     |
| Louisa | Potatoes  | NON-IRROC | RU         |      | 111   | 111   | 0      | 0.0%     |
| Louisa | Potatoes  | NON-IRROC | W          |      | 111   | 111   | 0      | 0.0%     |
| Louisa | Potatoes  | NON-IRROT | R          |      | 111   | 111   | 0      | 0.0%     |
| Louisa | Potatoes  | NON-IRROT | RU         |      | 111   | 111   | 0      | 0.0%     |
| Louisa | Potatoes  | NON-IRROT | W          |      | 111   | 111   | 0      | 0.0%     |
| Louisa | Soybeans  | I         | ALLOTHFDGD |      | 52    | 58    | 6      | 11.5%    |
| Louisa | Soybeans  | I         | COMM       |      | 56    | 58    | 2      | 3.6%     |
| Louisa | Soybeans  | I         | HP         |      | 52    | 54    | 2      | 3.8%     |
| Louisa | Soybeans  | I         | LLA        |      | 52    | 54    | 2      | 3.8%     |
| Louisa | Soybeans  | I         | LSF        |      | 52    | 54    | 2      | 3.8%     |
| Louisa | Soybeans  | I         | LSFG       |      | 48    | 49    | 1      | 2.1%     |
| Louisa | Soybeans  | I         | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Louisa | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Louisa | Soybeans  | IRR OC    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Louisa | Soybeans  | IRR OC    | HP         |      | 36    | 38    | 2      | 5.6%     |
| Louisa | Soybeans  | IRR OC    | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Louisa | Soybeans  | IRR OC    | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Louisa | Soybeans  | IRR OC    | LSFG       |      | 34    | 34    | 0      | 0.0%     |
| Louisa | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Louisa | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Louisa | Soybeans  | IRR OT    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Louisa | Soybeans  | IRR OT    | HP         |      | 36    | 38    | 2      | 5.6%     |
| Louisa | Soybeans  | IRR OT    | LLA        |      | 36    | 38    | 2      | 5.6%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Louisa | Soybeans  | IRR OT    | LSF        |      | 36    | 38    |  | 2      | 5.6%     |
| Louisa | Soybeans  | IRR OT    | LSFG       |      | 34    | 34    |  | 0      | 0.0%     |
| Louisa | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Louisa | Soybeans  | NI        | ALLOTHFDGD |      | 50    | 57    |  | 7      | 14.0%    |
| Louisa | Soybeans  | NI        | COMM       |      | 54    | 57    |  | 3      | 5.6%     |
| Louisa | Soybeans  | NI        | HP         |      | 50    | 53    |  | 3      | 6.0%     |
| Louisa | Soybeans  | NI        | LLA        |      | 50    | 53    |  | 3      | 6.0%     |
| Louisa | Soybeans  | NI        | LSF        |      | 50    | 53    |  | 3      | 6.0%     |
| Louisa | Soybeans  | NI        | LSFG       |      | 46    | 48    |  | 2      | 4.3%     |
| Louisa | Soybeans  | NI        | SSFG       |      | 38    | 40    |  | 2      | 5.3%     |
| Louisa | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 35    | 40    |  | 5      | 14.3%    |
| Louisa | Soybeans  | NON-IRROC | COMM       |      | 38    | 40    |  | 2      | 5.3%     |
| Louisa | Soybeans  | NON-IRROC | HP         |      | 35    | 37    |  | 2      | 5.7%     |
| Louisa | Soybeans  | NON-IRROC | LLA        |      | 35    | 37    |  | 2      | 5.7%     |
| Louisa | Soybeans  | NON-IRROC | LSF        |      | 35    | 37    |  | 2      | 5.7%     |
| Louisa | Soybeans  | NON-IRROC | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Louisa | Soybeans  | NON-IRROC | SSFG       |      | 27    | 28    |  | 1      | 3.7%     |
| Louisa | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 35    | 40    |  | 5      | 14.3%    |
| Louisa | Soybeans  | NON-IRROT | COMM       |      | 38    | 40    |  | 2      | 5.3%     |
| Louisa | Soybeans  | NON-IRROT | HP         |      | 35    | 37    |  | 2      | 5.7%     |
| Louisa | Soybeans  | NON-IRROT | LLA        |      | 35    | 37    |  | 2      | 5.7%     |
| Louisa | Soybeans  | NON-IRROT | LSF        |      | 35    | 37    |  | 2      | 5.7%     |
| Louisa | Soybeans  | NON-IRROT | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Louisa | Soybeans  | NON-IRROT | SSFG       |      | 27    | 28    |  | 1      | 3.7%     |
| Lucas  | Corn      | I         | GSG        |      | 184   | 184   |  | 0      | 0.0%     |
| Lucas  | Corn      | I         | HAMLS      |      | 184   | 184   |  | 0      | 0.0%     |
| Lucas  | Corn      | I         | WAXY       |      | 184   | 184   |  | 0      | 0.0%     |
| Lucas  | Corn      | I         | WHITE      |      | 184   | 184   |  | 0      | 0.0%     |
| Lucas  | Corn      | IRR OC    | GSG        |      | 138   | 138   |  | 0      | 0.0%     |
| Lucas  | Corn      | IRR OC    | HAMLS      |      | 138   | 138   |  | 0      | 0.0%     |
| Lucas  | Corn      | IRR OC    | WAXY       |      | 138   | 138   |  | 0      | 0.0%     |
| Lucas  | Corn      | IRR OC    | WHITE      |      | 138   | 138   |  | 0      | 0.0%     |
| Lucas  | Corn      | IRR OT    | GSG        |      | 138   | 138   |  | 0      | 0.0%     |
| Lucas  | Corn      | IRR OT    | HAMLS      |      | 138   | 138   |  | 0      | 0.0%     |
| Lucas  | Corn      | IRR OT    | WAXY       |      | 138   | 138   |  | 0      | 0.0%     |
| Lucas  | Corn      | IRR OT    | WHITE      |      | 138   | 138   |  | 0      | 0.0%     |
| Lucas  | Corn      | NI        | GSG        |      | 138   | 138   |  | 0      | 0.0%     |
| Lucas  | Corn      | NI        | HAMLS      |      | 138   | 138   |  | 0      | 0.0%     |
| Lucas  | Corn      | NI        | WAXY       |      | 138   | 138   |  | 0      | 0.0%     |
| Lucas  | Corn      | NI        | WHITE      |      | 138   | 138   |  | 0      | 0.0%     |
| Lucas  | Corn      | NON-IRROC | GSG        |      | 104   | 104   |  | 0      | 0.0%     |
| Lucas  | Corn      | NON-IRROC | HAMLS      |      | 104   | 104   |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |       | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|-------|--------|----------|
|        |           |           |            | Area | Yield | Yield | Yield |        |          |
| Lucas  | Corn      | NON-IRROC | WAXY       |      | 104   | 104   |       | 0      | 0.0%     |
| Lucas  | Corn      | NON-IRROC | WHITE      |      | 104   | 104   |       | 0      | 0.0%     |
| Lucas  | Corn      | NON-IRROT | GSG        |      | 104   | 104   |       | 0      | 0.0%     |
| Lucas  | Corn      | NON-IRROT | HAMLS      |      | 104   | 104   |       | 0      | 0.0%     |
| Lucas  | Corn      | NON-IRROT | WAXY       |      | 104   | 104   |       | 0      | 0.0%     |
| Lucas  | Corn      | NON-IRROT | WHITE      |      | 104   | 104   |       | 0      | 0.0%     |
| Lucas  | Oats      | I         | S          |      | 40    | 36    |       | -4     | -10.0%   |
| Lucas  | Oats      | IRR OC    | S          |      | 40    | 32    |       | -8     | -20.0%   |
| Lucas  | Oats      | IRR OT    | S          |      | 40    | 32    |       | -8     | -20.0%   |
| Lucas  | Oats      | NI        | S          |      | 40    | 36    |       | -4     | -10.0%   |
| Lucas  | Oats      | NON-IRROC | S          |      | 40    | 32    |       | -8     | -20.0%   |
| Lucas  | Oats      | NON-IRROT | S          |      | 40    | 32    |       | -8     | -20.0%   |
| Lucas  | Soybeans  | I         | ALLOTHFDGD |      | 40    | 45    |       | 5      | 12.5%    |
| Lucas  | Soybeans  | I         | COMM       |      | 43    | 45    |       | 2      | 4.7%     |
| Lucas  | Soybeans  | I         | HP         |      | 40    | 42    |       | 2      | 5.0%     |
| Lucas  | Soybeans  | I         | LLA        |      | 40    | 42    |       | 2      | 5.0%     |
| Lucas  | Soybeans  | I         | LSF        |      | 40    | 42    |       | 2      | 5.0%     |
| Lucas  | Soybeans  | I         | LSFG       |      | 37    | 38    |       | 1      | 2.7%     |
| Lucas  | Soybeans  | I         | SSFG       |      | 30    | 32    |       | 2      | 6.7%     |
| Lucas  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 28    | 32    |       | 4      | 14.3%    |
| Lucas  | Soybeans  | IRR OC    | COMM       |      | 30    | 32    |       | 2      | 6.7%     |
| Lucas  | Soybeans  | IRR OC    | HP         |      | 28    | 29    |       | 1      | 3.6%     |
| Lucas  | Soybeans  | IRR OC    | LLA        |      | 28    | 29    |       | 1      | 3.6%     |
| Lucas  | Soybeans  | IRR OC    | LSF        |      | 28    | 29    |       | 1      | 3.6%     |
| Lucas  | Soybeans  | IRR OC    | LSFG       |      | 26    | 27    |       | 1      | 3.8%     |
| Lucas  | Soybeans  | IRR OC    | SSFG       |      | 21    | 22    |       | 1      | 4.8%     |
| Lucas  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 28    | 32    |       | 4      | 14.3%    |
| Lucas  | Soybeans  | IRR OT    | COMM       |      | 30    | 32    |       | 2      | 6.7%     |
| Lucas  | Soybeans  | IRR OT    | HP         |      | 28    | 29    |       | 1      | 3.6%     |
| Lucas  | Soybeans  | IRR OT    | LLA        |      | 28    | 29    |       | 1      | 3.6%     |
| Lucas  | Soybeans  | IRR OT    | LSF        |      | 28    | 29    |       | 1      | 3.6%     |
| Lucas  | Soybeans  | IRR OT    | LSFG       |      | 26    | 27    |       | 1      | 3.8%     |
| Lucas  | Soybeans  | IRR OT    | SSFG       |      | 21    | 22    |       | 1      | 4.8%     |
| Lucas  | Soybeans  | NI        | ALLOTHFDGD |      | 40    | 45    |       | 5      | 12.5%    |
| Lucas  | Soybeans  | NI        | COMM       |      | 43    | 45    |       | 2      | 4.7%     |
| Lucas  | Soybeans  | NI        | HP         |      | 40    | 42    |       | 2      | 5.0%     |
| Lucas  | Soybeans  | NI        | LLA        |      | 40    | 42    |       | 2      | 5.0%     |
| Lucas  | Soybeans  | NI        | LSF        |      | 40    | 42    |       | 2      | 5.0%     |
| Lucas  | Soybeans  | NI        | LSFG       |      | 37    | 38    |       | 1      | 2.7%     |
| Lucas  | Soybeans  | NI        | SSFG       |      | 30    | 32    |       | 2      | 6.7%     |
| Lucas  | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 28    | 32    |       | 4      | 14.3%    |
| Lucas  | Soybeans  | NON-IRROC | COMM       |      | 30    | 32    |       | 2      | 6.7%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Lucas  | Soybeans  | NON-IRROC | HP         |      | 28    | 29    |  | 1      | 3.6%     |
| Lucas  | Soybeans  | NON-IRROC | LLA        |      | 28    | 29    |  | 1      | 3.6%     |
| Lucas  | Soybeans  | NON-IRROC | LSF        |      | 28    | 29    |  | 1      | 3.6%     |
| Lucas  | Soybeans  | NON-IRROC | LSFG       |      | 26    | 27    |  | 1      | 3.8%     |
| Lucas  | Soybeans  | NON-IRROC | SSFG       |      | 21    | 22    |  | 1      | 4.8%     |
| Lucas  | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 28    | 32    |  | 4      | 14.3%    |
| Lucas  | Soybeans  | NON-IRROT | COMM       |      | 30    | 32    |  | 2      | 6.7%     |
| Lucas  | Soybeans  | NON-IRROT | HP         |      | 28    | 29    |  | 1      | 3.6%     |
| Lucas  | Soybeans  | NON-IRROT | LLA        |      | 28    | 29    |  | 1      | 3.6%     |
| Lucas  | Soybeans  | NON-IRROT | LSF        |      | 28    | 29    |  | 1      | 3.6%     |
| Lucas  | Soybeans  | NON-IRROT | LSFG       |      | 26    | 27    |  | 1      | 3.8%     |
| Lucas  | Soybeans  | NON-IRROT | SSFG       |      | 21    | 22    |  | 1      | 4.8%     |
| Lyon   | Corn      | I         | BLUE       |      | 112   | 112   |  | 0      | 0.0%     |
| Lyon   | Corn      | I         | GSG        |      | 203   | 203   |  | 0      | 0.0%     |
| Lyon   | Corn      | I         | GSS        |      | 23.7  | 23.7  |  | 0      | 0.0%     |
| Lyon   | Corn      | I         | HAMLS      |      | 203   | 203   |  | 0      | 0.0%     |
| Lyon   | Corn      | I         | WAXY       |      | 203   | 203   |  | 0      | 0.0%     |
| Lyon   | Corn      | I         | WHITE      |      | 203   | 203   |  | 0      | 0.0%     |
| Lyon   | Corn      | IRR OC    | BLUE       |      | 84    | 84    |  | 0      | 0.0%     |
| Lyon   | Corn      | IRR OC    | GSG        |      | 152   | 152   |  | 0      | 0.0%     |
| Lyon   | Corn      | IRR OC    | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Lyon   | Corn      | IRR OC    | HAMLS      |      | 152   | 152   |  | 0      | 0.0%     |
| Lyon   | Corn      | IRR OC    | WAXY       |      | 152   | 152   |  | 0      | 0.0%     |
| Lyon   | Corn      | IRR OC    | WHITE      |      | 152   | 152   |  | 0      | 0.0%     |
| Lyon   | Corn      | IRR OT    | BLUE       |      | 84    | 84    |  | 0      | 0.0%     |
| Lyon   | Corn      | IRR OT    | GSG        |      | 152   | 152   |  | 0      | 0.0%     |
| Lyon   | Corn      | IRR OT    | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Lyon   | Corn      | IRR OT    | HAMLS      |      | 152   | 152   |  | 0      | 0.0%     |
| Lyon   | Corn      | IRR OT    | WAXY       |      | 152   | 152   |  | 0      | 0.0%     |
| Lyon   | Corn      | IRR OT    | WHITE      |      | 152   | 152   |  | 0      | 0.0%     |
| Lyon   | Corn      | NI        | BLUE       |      | 109   | 109   |  | 0      | 0.0%     |
| Lyon   | Corn      | NI        | GSG        |      | 198   | 198   |  | 0      | 0.0%     |
| Lyon   | Corn      | NI        | GSS        |      | 23.7  | 23.7  |  | 0      | 0.0%     |
| Lyon   | Corn      | NI        | HAMLS      |      | 198   | 198   |  | 0      | 0.0%     |
| Lyon   | Corn      | NI        | WAXY       |      | 198   | 198   |  | 0      | 0.0%     |
| Lyon   | Corn      | NI        | WHITE      |      | 198   | 198   |  | 0      | 0.0%     |
| Lyon   | Corn      | NON-IRROC | BLUE       |      | 82    | 82    |  | 0      | 0.0%     |
| Lyon   | Corn      | NON-IRROC | GSG        |      | 149   | 149   |  | 0      | 0.0%     |
| Lyon   | Corn      | NON-IRROC | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Lyon   | Corn      | NON-IRROC | HAMLS      |      | 149   | 149   |  | 0      | 0.0%     |
| Lyon   | Corn      | NON-IRROC | WAXY       |      | 149   | 149   |  | 0      | 0.0%     |
| Lyon   | Corn      | NON-IRROC | WHITE      |      | 149   | 149   |  | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Lyon   | Corn      | NON-IRROT | BLUE       |      | 82    | 82    |  | 0      | 0.0%     |
| Lyon   | Corn      | NON-IRROT | GSG        |      | 149   | 149   |  | 0      | 0.0%     |
| Lyon   | Corn      | NON-IRROT | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Lyon   | Corn      | NON-IRROT | HAMLS      |      | 149   | 149   |  | 0      | 0.0%     |
| Lyon   | Corn      | NON-IRROT | WAXY       |      | 149   | 149   |  | 0      | 0.0%     |
| Lyon   | Corn      | NON-IRROT | WHITE      |      | 149   | 149   |  | 0      | 0.0%     |
| Lyon   | Oats      | I         | S          |      | 79    | 77    |  | -2     | -2.5%    |
| Lyon   | Oats      | IRR OC    | S          |      | 79    | 69    |  | -10    | -12.7%   |
| Lyon   | Oats      | IRR OT    | S          |      | 79    | 69    |  | -10    | -12.7%   |
| Lyon   | Oats      | NI        | S          |      | 79    | 77    |  | -2     | -2.5%    |
| Lyon   | Oats      | NON-IRROC | S          |      | 79    | 69    |  | -10    | -12.7%   |
| Lyon   | Oats      | NON-IRROT | S          |      | 79    | 69    |  | -10    | -12.7%   |
| Lyon   | Soybeans  | I         | ALLOTHFDGD |      | 55    | 62    |  | 7      | 12.7%    |
| Lyon   | Soybeans  | I         | COMM       |      | 59    | 62    |  | 3      | 5.1%     |
| Lyon   | Soybeans  | I         | HP         |      | 55    | 57    |  | 2      | 3.6%     |
| Lyon   | Soybeans  | I         | LLA        |      | 55    | 57    |  | 2      | 3.6%     |
| Lyon   | Soybeans  | I         | LSF        |      | 55    | 57    |  | 2      | 3.6%     |
| Lyon   | Soybeans  | I         | LSFG       |      | 50    | 53    |  | 3      | 6.0%     |
| Lyon   | Soybeans  | I         | SSFG       |      | 41    | 43    |  | 2      | 4.9%     |
| Lyon   | Soybeans  | IRR OC    | ALLOTHFDGD |      | 39    | 43    |  | 4      | 10.3%    |
| Lyon   | Soybeans  | IRR OC    | COMM       |      | 41    | 43    |  | 2      | 4.9%     |
| Lyon   | Soybeans  | IRR OC    | HP         |      | 39    | 40    |  | 1      | 2.6%     |
| Lyon   | Soybeans  | IRR OC    | LLA        |      | 39    | 40    |  | 1      | 2.6%     |
| Lyon   | Soybeans  | IRR OC    | LSF        |      | 39    | 40    |  | 1      | 2.6%     |
| Lyon   | Soybeans  | IRR OC    | LSFG       |      | 35    | 37    |  | 2      | 5.7%     |
| Lyon   | Soybeans  | IRR OC    | SSFG       |      | 29    | 30    |  | 1      | 3.4%     |
| Lyon   | Soybeans  | IRR OT    | ALLOTHFDGD |      | 39    | 43    |  | 4      | 10.3%    |
| Lyon   | Soybeans  | IRR OT    | COMM       |      | 41    | 43    |  | 2      | 4.9%     |
| Lyon   | Soybeans  | IRR OT    | HP         |      | 39    | 40    |  | 1      | 2.6%     |
| Lyon   | Soybeans  | IRR OT    | LLA        |      | 39    | 40    |  | 1      | 2.6%     |
| Lyon   | Soybeans  | IRR OT    | LSF        |      | 39    | 40    |  | 1      | 2.6%     |
| Lyon   | Soybeans  | IRR OT    | LSFG       |      | 35    | 37    |  | 2      | 5.7%     |
| Lyon   | Soybeans  | IRR OT    | SSFG       |      | 29    | 30    |  | 1      | 3.4%     |
| Lyon   | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 38    | 43    |  | 5      | 13.2%    |
| Lyon   | Soybeans  | NC IRROC  | COMM       |      | 41    | 43    |  | 2      | 4.9%     |
| Lyon   | Soybeans  | NC IRROC  | HP         |      | 38    | 39    |  | 1      | 2.6%     |
| Lyon   | Soybeans  | NC IRROC  | LLA        |      | 38    | 39    |  | 1      | 2.6%     |
| Lyon   | Soybeans  | NC IRROC  | LSF        |      | 38    | 39    |  | 1      | 2.6%     |
| Lyon   | Soybeans  | NC IRROC  | LSFG       |      | 34    | 36    |  | 2      | 5.9%     |
| Lyon   | Soybeans  | NC IRROC  | SSFG       |      | 29    | 30    |  | 1      | 3.4%     |
| Lyon   | Soybeans  | NC IRROT  | ALLOTHFDGD |      | 38    | 43    |  | 5      | 13.2%    |
| Lyon   | Soybeans  | NC IRROT  | COMM       |      | 41    | 43    |  | 2      | 4.9%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|------------|------------|------|-------|-------|--------|----------|
|        |           |            |            |      | Yield | Yield |        |          |
| Lyon   | Soybeans  | NC IRRROT  | HP         |      | 38    | 39    | 1      | 2.6%     |
| Lyon   | Soybeans  | NC IRRROT  | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Lyon   | Soybeans  | NC IRRROT  | LSF        |      | 38    | 39    | 1      | 2.6%     |
| Lyon   | Soybeans  | NC IRRROT  | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Lyon   | Soybeans  | NC IRRROT  | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Lyon   | Soybeans  | NC NIOC    | ALLOTHFDGD |      | 38    | 43    | 5      | 13.2%    |
| Lyon   | Soybeans  | NC NIOC    | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Lyon   | Soybeans  | NC NIOC    | HP         |      | 38    | 39    | 1      | 2.6%     |
| Lyon   | Soybeans  | NC NIOC    | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Lyon   | Soybeans  | NC NIOC    | LSF        |      | 38    | 39    | 1      | 2.6%     |
| Lyon   | Soybeans  | NC NIOC    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Lyon   | Soybeans  | NC NIOC    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Lyon   | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 38    | 43    | 5      | 13.2%    |
| Lyon   | Soybeans  | NC NIOT    | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Lyon   | Soybeans  | NC NIOT    | HP         |      | 38    | 39    | 1      | 2.6%     |
| Lyon   | Soybeans  | NC NIOT    | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Lyon   | Soybeans  | NC NIOT    | LSF        |      | 38    | 39    | 1      | 2.6%     |
| Lyon   | Soybeans  | NC NIOT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Lyon   | Soybeans  | NC NIOT    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Lyon   | Soybeans  | NI         | ALLOTHFDGD |      | 55    | 62    | 7      | 12.7%    |
| Lyon   | Soybeans  | NI         | COMM       |      | 59    | 62    | 3      | 5.1%     |
| Lyon   | Soybeans  | NI         | HP         |      | 55    | 57    | 2      | 3.6%     |
| Lyon   | Soybeans  | NI         | LLA        |      | 55    | 57    | 2      | 3.6%     |
| Lyon   | Soybeans  | NI         | LSF        |      | 55    | 57    | 2      | 3.6%     |
| Lyon   | Soybeans  | NI         | LSFG       |      | 50    | 53    | 3      | 6.0%     |
| Lyon   | Soybeans  | NI         | SSFG       |      | 41    | 43    | 2      | 4.9%     |
| Lyon   | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Lyon   | Soybeans  | NON-IRROC  | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Lyon   | Soybeans  | NON-IRROC  | HP         |      | 39    | 40    | 1      | 2.6%     |
| Lyon   | Soybeans  | NON-IRROC  | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Lyon   | Soybeans  | NON-IRROC  | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Lyon   | Soybeans  | NON-IRROC  | LSFG       |      | 35    | 37    | 2      | 5.7%     |
| Lyon   | Soybeans  | NON-IRROC  | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Lyon   | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Lyon   | Soybeans  | NON-IRROT  | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Lyon   | Soybeans  | NON-IRROT  | HP         |      | 39    | 40    | 1      | 2.6%     |
| Lyon   | Soybeans  | NON-IRROT  | LLA        |      | 39    | 40    | 1      | 2.6%     |
| Lyon   | Soybeans  | NON-IRROT  | LSF        |      | 39    | 40    | 1      | 2.6%     |
| Lyon   | Soybeans  | NON-IRROT  | LSFG       |      | 35    | 37    | 2      | 5.7%     |
| Lyon   | Soybeans  | NON-IRROT  | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Lyon   | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 54    | 61    | 7      | 13.0%    |
| Lyon   | Soybeans  | NONCON IRR | COMM       |      | 58    | 61    | 3      | 5.2%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|------------|------------|------|-------|-------|--------|----------|
|         |           |            |            |      | Yield | Yield |        |          |
| Lyon    | Soybeans  | NONCON IRR | HP         |      | 54    | 56    | 2      | 3.7%     |
| Lyon    | Soybeans  | NONCON IRR | LLA        |      | 54    | 56    | 2      | 3.7%     |
| Lyon    | Soybeans  | NONCON IRR | LSF        |      | 54    | 56    | 2      | 3.7%     |
| Lyon    | Soybeans  | NONCON IRR | LSFG       |      | 49    | 52    | 3      | 6.1%     |
| Lyon    | Soybeans  | NONCON IRR | SSFG       |      | 41    | 43    | 2      | 4.9%     |
| Lyon    | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 54    | 61    | 7      | 13.0%    |
| Lyon    | Soybeans  | NONCON NI  | COMM       |      | 58    | 61    | 3      | 5.2%     |
| Lyon    | Soybeans  | NONCON NI  | HP         |      | 54    | 56    | 2      | 3.7%     |
| Lyon    | Soybeans  | NONCON NI  | LLA        |      | 54    | 56    | 2      | 3.7%     |
| Lyon    | Soybeans  | NONCON NI  | LSF        |      | 54    | 56    | 2      | 3.7%     |
| Lyon    | Soybeans  | NONCON NI  | LSFG       |      | 49    | 52    | 3      | 6.1%     |
| Lyon    | Soybeans  | NONCON NI  | SSFG       |      | 41    | 43    | 2      | 4.9%     |
| Lyon    | Wheat     | I          | S          |      | 34    | 41    | 7      | 20.6%    |
| Lyon    | Wheat     | IRR OC     | S          |      | 22    | 27    | 5      | 22.7%    |
| Lyon    | Wheat     | IRR OT     | S          |      | 22    | 27    | 5      | 22.7%    |
| Lyon    | Wheat     | NI         | S          |      | 34    | 41    | 7      | 20.6%    |
| Lyon    | Wheat     | NON-IRROC  | S          |      | 22    | 27    | 5      | 22.7%    |
| Lyon    | Wheat     | NON-IRROT  | S          |      | 22    | 27    | 5      | 22.7%    |
| Madison | Corn      | I          | GSG        |      | 195   | 195   | 0      | 0.0%     |
| Madison | Corn      | I          | HAMLS      |      | 195   | 195   | 0      | 0.0%     |
| Madison | Corn      | I          | WAXY       |      | 195   | 195   | 0      | 0.0%     |
| Madison | Corn      | I          | WHITE      |      | 195   | 195   | 0      | 0.0%     |
| Madison | Corn      | IRR OC     | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Madison | Corn      | IRR OC     | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Madison | Corn      | IRR OC     | WAXY       |      | 146   | 146   | 0      | 0.0%     |
| Madison | Corn      | IRR OC     | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Madison | Corn      | IRR OT     | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Madison | Corn      | IRR OT     | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Madison | Corn      | IRR OT     | WAXY       |      | 146   | 146   | 0      | 0.0%     |
| Madison | Corn      | IRR OT     | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Madison | Corn      | NI         | GSG        |      | 168   | 168   | 0      | 0.0%     |
| Madison | Corn      | NI         | HAMLS      |      | 168   | 168   | 0      | 0.0%     |
| Madison | Corn      | NI         | WAXY       |      | 168   | 168   | 0      | 0.0%     |
| Madison | Corn      | NI         | WHITE      |      | 168   | 168   | 0      | 0.0%     |
| Madison | Corn      | NON-IRROC  | GSG        |      | 126   | 126   | 0      | 0.0%     |
| Madison | Corn      | NON-IRROC  | HAMLS      |      | 126   | 126   | 0      | 0.0%     |
| Madison | Corn      | NON-IRROC  | WAXY       |      | 126   | 126   | 0      | 0.0%     |
| Madison | Corn      | NON-IRROC  | WHITE      |      | 126   | 126   | 0      | 0.0%     |
| Madison | Corn      | NON-IRROT  | GSG        |      | 126   | 126   | 0      | 0.0%     |
| Madison | Corn      | NON-IRROT  | HAMLS      |      | 126   | 126   | 0      | 0.0%     |
| Madison | Corn      | NON-IRROT  | WAXY       |      | 126   | 126   | 0      | 0.0%     |
| Madison | Corn      | NON-IRROT  | WHITE      |      | 126   | 126   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Madison | Oats      | I         | S          |      | 40    | 33    | -7     | -17.5%   |
| Madison | Oats      | IRR OC    | S          |      | 40    | 30    | -10    | -25.0%   |
| Madison | Oats      | IRR OT    | S          |      | 40    | 30    | -10    | -25.0%   |
| Madison | Oats      | NI        | S          |      | 40    | 33    | -7     | -17.5%   |
| Madison | Oats      | NON-IRROC | S          |      | 40    | 30    | -10    | -25.0%   |
| Madison | Oats      | NON-IRROT | S          |      | 40    | 30    | -10    | -25.0%   |
| Madison | Soybeans  | I         | ALLOTHFDGD |      | 45    | 53    | 8      | 17.8%    |
| Madison | Soybeans  | I         | COMM       |      | 49    | 53    | 4      | 8.2%     |
| Madison | Soybeans  | I         | HP         |      | 45    | 49    | 4      | 8.9%     |
| Madison | Soybeans  | I         | LLA        |      | 45    | 49    | 4      | 8.9%     |
| Madison | Soybeans  | I         | LSF        |      | 45    | 49    | 4      | 8.9%     |
| Madison | Soybeans  | I         | LSFG       |      | 42    | 45    | 3      | 7.1%     |
| Madison | Soybeans  | I         | SSFG       |      | 34    | 37    | 3      | 8.8%     |
| Madison | Soybeans  | IRR OC    | ALLOTHFDGD |      | 32    | 37    | 5      | 15.6%    |
| Madison | Soybeans  | IRR OC    | COMM       |      | 34    | 37    | 3      | 8.8%     |
| Madison | Soybeans  | IRR OC    | HP         |      | 32    | 34    | 2      | 6.3%     |
| Madison | Soybeans  | IRR OC    | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Madison | Soybeans  | IRR OC    | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Madison | Soybeans  | IRR OC    | LSFG       |      | 29    | 32    | 3      | 10.3%    |
| Madison | Soybeans  | IRR OC    | SSFG       |      | 24    | 26    | 2      | 8.3%     |
| Madison | Soybeans  | IRR OT    | ALLOTHFDGD |      | 32    | 37    | 5      | 15.6%    |
| Madison | Soybeans  | IRR OT    | COMM       |      | 34    | 37    | 3      | 8.8%     |
| Madison | Soybeans  | IRR OT    | HP         |      | 32    | 34    | 2      | 6.3%     |
| Madison | Soybeans  | IRR OT    | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Madison | Soybeans  | IRR OT    | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Madison | Soybeans  | IRR OT    | LSFG       |      | 29    | 32    | 3      | 10.3%    |
| Madison | Soybeans  | IRR OT    | SSFG       |      | 24    | 26    | 2      | 8.3%     |
| Madison | Soybeans  | NI        | ALLOTHFDGD |      | 45    | 53    | 8      | 17.8%    |
| Madison | Soybeans  | NI        | COMM       |      | 49    | 53    | 4      | 8.2%     |
| Madison | Soybeans  | NI        | HP         |      | 45    | 49    | 4      | 8.9%     |
| Madison | Soybeans  | NI        | LLA        |      | 45    | 49    | 4      | 8.9%     |
| Madison | Soybeans  | NI        | LSF        |      | 45    | 49    | 4      | 8.9%     |
| Madison | Soybeans  | NI        | LSFG       |      | 42    | 45    | 3      | 7.1%     |
| Madison | Soybeans  | NI        | SSFG       |      | 34    | 37    | 3      | 8.8%     |
| Madison | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 32    | 37    | 5      | 15.6%    |
| Madison | Soybeans  | NON-IRROC | COMM       |      | 34    | 37    | 3      | 8.8%     |
| Madison | Soybeans  | NON-IRROC | HP         |      | 32    | 34    | 2      | 6.3%     |
| Madison | Soybeans  | NON-IRROC | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Madison | Soybeans  | NON-IRROC | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Madison | Soybeans  | NON-IRROC | LSFG       |      | 29    | 32    | 3      | 10.3%    |
| Madison | Soybeans  | NON-IRROC | SSFG       |      | 24    | 26    | 2      | 8.3%     |
| Madison | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 32    | 37    | 5      | 15.6%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name     | Practice  | Type  | Area | 2023  | 2024  | Change | % Change |
|---------|---------------|-----------|-------|------|-------|-------|--------|----------|
|         |               |           |       |      | Yield | Yield |        |          |
| Madison | Soybeans      | NON-IRROT | COMM  |      | 34    | 37    | 3      | 8.8%     |
| Madison | Soybeans      | NON-IRROT | HP    |      | 32    | 34    | 2      | 6.3%     |
| Madison | Soybeans      | NON-IRROT | LLA   |      | 32    | 34    | 2      | 6.3%     |
| Madison | Soybeans      | NON-IRROT | LSF   |      | 32    | 34    | 2      | 6.3%     |
| Madison | Soybeans      | NON-IRROT | LSFG  |      | 29    | 32    | 3      | 10.3%    |
| Madison | Soybeans      | NON-IRROT | SSFG  |      | 24    | 26    | 2      | 8.3%     |
| Mahaska | Corn          | I         | GSG   |      | 200   | 200   | 0      | 0.0%     |
| Mahaska | Corn          | I         | HAMLS |      | 200   | 200   | 0      | 0.0%     |
| Mahaska | Corn          | I         | WAXY  |      | 200   | 200   | 0      | 0.0%     |
| Mahaska | Corn          | I         | WHITE |      | 200   | 200   | 0      | 0.0%     |
| Mahaska | Corn          | IRR OC    | GSG   |      | 150   | 150   | 0      | 0.0%     |
| Mahaska | Corn          | IRR OC    | HAMLS |      | 150   | 150   | 0      | 0.0%     |
| Mahaska | Corn          | IRR OC    | WAXY  |      | 150   | 150   | 0      | 0.0%     |
| Mahaska | Corn          | IRR OC    | WHITE |      | 150   | 150   | 0      | 0.0%     |
| Mahaska | Corn          | IRR OT    | GSG   |      | 150   | 150   | 0      | 0.0%     |
| Mahaska | Corn          | IRR OT    | HAMLS |      | 150   | 150   | 0      | 0.0%     |
| Mahaska | Corn          | IRR OT    | WAXY  |      | 150   | 150   | 0      | 0.0%     |
| Mahaska | Corn          | IRR OT    | WHITE |      | 150   | 150   | 0      | 0.0%     |
| Mahaska | Corn          | NI        | GSG   |      | 185   | 185   | 0      | 0.0%     |
| Mahaska | Corn          | NI        | HAMLS |      | 185   | 185   | 0      | 0.0%     |
| Mahaska | Corn          | NI        | WAXY  |      | 185   | 185   | 0      | 0.0%     |
| Mahaska | Corn          | NI        | WHITE |      | 185   | 185   | 0      | 0.0%     |
| Mahaska | Corn          | NON-IRROC | GSG   |      | 139   | 139   | 0      | 0.0%     |
| Mahaska | Corn          | NON-IRROC | HAMLS |      | 139   | 139   | 0      | 0.0%     |
| Mahaska | Corn          | NON-IRROC | WAXY  |      | 139   | 139   | 0      | 0.0%     |
| Mahaska | Corn          | NON-IRROC | WHITE |      | 139   | 139   | 0      | 0.0%     |
| Mahaska | Corn          | NON-IRROT | GSG   |      | 139   | 139   | 0      | 0.0%     |
| Mahaska | Corn          | NON-IRROT | HAMLS |      | 139   | 139   | 0      | 0.0%     |
| Mahaska | Corn          | NON-IRROT | WAXY  |      | 139   | 139   | 0      | 0.0%     |
| Mahaska | Corn          | NON-IRROT | WHITE |      | 139   | 139   | 0      | 0.0%     |
| Mahaska | Grain Sorghum | I         | NTS   |      | 112   | 112   | 0      | 0.0%     |
| Mahaska | Grain Sorghum | IRR OC    | NTS   |      | 73    | 73    | 0      | 0.0%     |
| Mahaska | Grain Sorghum | IRR OT    | NTS   |      | 73    | 73    | 0      | 0.0%     |
| Mahaska | Grain Sorghum | NI        | NTS   |      | 112   | 112   | 0      | 0.0%     |
| Mahaska | Grain Sorghum | NON-IRROC | NTS   |      | 73    | 73    | 0      | 0.0%     |
| Mahaska | Grain Sorghum | NON-IRROT | NTS   |      | 73    | 73    | 0      | 0.0%     |
| Mahaska | Oats          | I         | S     |      | 56    | 67    | 11     | 19.6%    |
| Mahaska | Oats          | IRR OC    | S     |      | 56    | 60    | 4      | 7.1%     |
| Mahaska | Oats          | IRR OT    | S     |      | 56    | 60    | 4      | 7.1%     |
| Mahaska | Oats          | NI        | S     |      | 56    | 67    | 11     | 19.6%    |
| Mahaska | Oats          | NON-IRROC | S     |      | 56    | 60    | 4      | 7.1%     |
| Mahaska | Oats          | NON-IRROT | S     |      | 56    | 60    | 4      | 7.1%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Mahaska | Soybeans  | I         | ALLOTHFDGD |      | 53    | 59    | 6      | 11.3%    |
| Mahaska | Soybeans  | I         | COMM       |      | 57    | 59    | 2      | 3.5%     |
| Mahaska | Soybeans  | I         | HP         |      | 53    | 55    | 2      | 3.8%     |
| Mahaska | Soybeans  | I         | LLA        |      | 53    | 55    | 2      | 3.8%     |
| Mahaska | Soybeans  | I         | LSF        |      | 53    | 55    | 2      | 3.8%     |
| Mahaska | Soybeans  | I         | LSFG       |      | 48    | 50    | 2      | 4.2%     |
| Mahaska | Soybeans  | I         | SSFG       |      | 40    | 41    | 1      | 2.5%     |
| Mahaska | Soybeans  | IRR OC    | ALLOTHFDGD |      | 37    | 41    | 4      | 10.8%    |
| Mahaska | Soybeans  | IRR OC    | COMM       |      | 40    | 41    | 1      | 2.5%     |
| Mahaska | Soybeans  | IRR OC    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Mahaska | Soybeans  | IRR OC    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Mahaska | Soybeans  | IRR OC    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Mahaska | Soybeans  | IRR OC    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Mahaska | Soybeans  | IRR OC    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Mahaska | Soybeans  | IRR OT    | ALLOTHFDGD |      | 37    | 41    | 4      | 10.8%    |
| Mahaska | Soybeans  | IRR OT    | COMM       |      | 40    | 41    | 1      | 2.5%     |
| Mahaska | Soybeans  | IRR OT    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Mahaska | Soybeans  | IRR OT    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Mahaska | Soybeans  | IRR OT    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Mahaska | Soybeans  | IRR OT    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Mahaska | Soybeans  | IRR OT    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Mahaska | Soybeans  | NI        | ALLOTHFDGD |      | 50    | 57    | 7      | 14.0%    |
| Mahaska | Soybeans  | NI        | COMM       |      | 54    | 57    | 3      | 5.6%     |
| Mahaska | Soybeans  | NI        | HP         |      | 50    | 53    | 3      | 6.0%     |
| Mahaska | Soybeans  | NI        | LLA        |      | 50    | 53    | 3      | 6.0%     |
| Mahaska | Soybeans  | NI        | LSF        |      | 50    | 53    | 3      | 6.0%     |
| Mahaska | Soybeans  | NI        | LSFG       |      | 46    | 48    | 2      | 4.3%     |
| Mahaska | Soybeans  | NI        | SSFG       |      | 38    | 40    | 2      | 5.3%     |
| Mahaska | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Mahaska | Soybeans  | NON-IRROC | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Mahaska | Soybeans  | NON-IRROC | HP         |      | 35    | 37    | 2      | 5.7%     |
| Mahaska | Soybeans  | NON-IRROC | LLA        |      | 35    | 37    | 2      | 5.7%     |
| Mahaska | Soybeans  | NON-IRROC | LSF        |      | 35    | 37    | 2      | 5.7%     |
| Mahaska | Soybeans  | NON-IRROC | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Mahaska | Soybeans  | NON-IRROC | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Mahaska | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 35    | 40    | 5      | 14.3%    |
| Mahaska | Soybeans  | NON-IRROT | COMM       |      | 38    | 40    | 2      | 5.3%     |
| Mahaska | Soybeans  | NON-IRROT | HP         |      | 35    | 37    | 2      | 5.7%     |
| Mahaska | Soybeans  | NON-IRROT | LLA        |      | 35    | 37    | 2      | 5.7%     |
| Mahaska | Soybeans  | NON-IRROT | LSF        |      | 35    | 37    | 2      | 5.7%     |
| Mahaska | Soybeans  | NON-IRROT | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Mahaska | Soybeans  | NON-IRROT | SSFG       |      | 27    | 28    | 1      | 3.7%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Marion | Corn      | I         | GSG        |      | 195   | 195   | 0      | 0.0%     |
| Marion | Corn      | I         | HAMLS      |      | 195   | 195   | 0      | 0.0%     |
| Marion | Corn      | I         | WAXY       |      | 195   | 195   | 0      | 0.0%     |
| Marion | Corn      | I         | WHITE      |      | 195   | 195   | 0      | 0.0%     |
| Marion | Corn      | IRR OC    | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Marion | Corn      | IRR OC    | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Marion | Corn      | IRR OC    | WAXY       |      | 146   | 146   | 0      | 0.0%     |
| Marion | Corn      | IRR OC    | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Marion | Corn      | IRR OT    | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Marion | Corn      | IRR OT    | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Marion | Corn      | IRR OT    | WAXY       |      | 146   | 146   | 0      | 0.0%     |
| Marion | Corn      | IRR OT    | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Marion | Corn      | NI        | GSG        |      | 174   | 174   | 0      | 0.0%     |
| Marion | Corn      | NI        | HAMLS      |      | 174   | 174   | 0      | 0.0%     |
| Marion | Corn      | NI        | WAXY       |      | 174   | 174   | 0      | 0.0%     |
| Marion | Corn      | NI        | WHITE      |      | 174   | 174   | 0      | 0.0%     |
| Marion | Corn      | NON-IRROC | GSG        |      | 131   | 131   | 0      | 0.0%     |
| Marion | Corn      | NON-IRROC | HAMLS      |      | 131   | 131   | 0      | 0.0%     |
| Marion | Corn      | NON-IRROC | WAXY       |      | 131   | 131   | 0      | 0.0%     |
| Marion | Corn      | NON-IRROC | WHITE      |      | 131   | 131   | 0      | 0.0%     |
| Marion | Corn      | NON-IRROT | GSG        |      | 131   | 131   | 0      | 0.0%     |
| Marion | Corn      | NON-IRROT | HAMLS      |      | 131   | 131   | 0      | 0.0%     |
| Marion | Corn      | NON-IRROT | WAXY       |      | 131   | 131   | 0      | 0.0%     |
| Marion | Corn      | NON-IRROT | WHITE      |      | 131   | 131   | 0      | 0.0%     |
| Marion | Oats      | I         | S          |      | 42    | 43    | 1      | 2.4%     |
| Marion | Oats      | IRR OC    | S          |      | 42    | 39    | -3     | -7.1%    |
| Marion | Oats      | IRR OT    | S          |      | 42    | 39    | -3     | -7.1%    |
| Marion | Oats      | NI        | S          |      | 42    | 43    | 1      | 2.4%     |
| Marion | Oats      | NON-IRROC | S          |      | 42    | 39    | -3     | -7.1%    |
| Marion | Oats      | NON-IRROT | S          |      | 42    | 39    | -3     | -7.1%    |
| Marion | Soybeans  | I         | ALLOTHFDGD |      | 46    | 53    | 7      | 15.2%    |
| Marion | Soybeans  | I         | COMM       |      | 50    | 53    | 3      | 6.0%     |
| Marion | Soybeans  | I         | HP         |      | 46    | 49    | 3      | 6.5%     |
| Marion | Soybeans  | I         | LLA        |      | 46    | 49    | 3      | 6.5%     |
| Marion | Soybeans  | I         | LSF        |      | 46    | 49    | 3      | 6.5%     |
| Marion | Soybeans  | I         | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Marion | Soybeans  | I         | SSFG       |      | 35    | 37    | 2      | 5.7%     |
| Marion | Soybeans  | IRR OC    | ALLOTHFDGD |      | 32    | 37    | 5      | 15.6%    |
| Marion | Soybeans  | IRR OC    | COMM       |      | 35    | 37    | 2      | 5.7%     |
| Marion | Soybeans  | IRR OC    | HP         |      | 32    | 34    | 2      | 6.3%     |
| Marion | Soybeans  | IRR OC    | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Marion | Soybeans  | IRR OC    | LSF        |      | 32    | 34    | 2      | 6.3%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Marion   | Soybeans  | IRR OC    | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Marion   | Soybeans  | IRR OC    | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Marion   | Soybeans  | IRR OT    | ALLOTHFDGD |      | 32    | 37    | 5      | 15.6%    |
| Marion   | Soybeans  | IRR OT    | COMM       |      | 35    | 37    | 2      | 5.7%     |
| Marion   | Soybeans  | IRR OT    | HP         |      | 32    | 34    | 2      | 6.3%     |
| Marion   | Soybeans  | IRR OT    | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Marion   | Soybeans  | IRR OT    | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Marion   | Soybeans  | IRR OT    | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Marion   | Soybeans  | IRR OT    | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Marion   | Soybeans  | NI        | ALLOTHFDGD |      | 46    | 53    | 7      | 15.2%    |
| Marion   | Soybeans  | NI        | COMM       |      | 50    | 53    | 3      | 6.0%     |
| Marion   | Soybeans  | NI        | HP         |      | 46    | 49    | 3      | 6.5%     |
| Marion   | Soybeans  | NI        | LLA        |      | 46    | 49    | 3      | 6.5%     |
| Marion   | Soybeans  | NI        | LSF        |      | 46    | 49    | 3      | 6.5%     |
| Marion   | Soybeans  | NI        | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Marion   | Soybeans  | NI        | SSFG       |      | 35    | 37    | 2      | 5.7%     |
| Marion   | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 32    | 37    | 5      | 15.6%    |
| Marion   | Soybeans  | NON-IRROC | COMM       |      | 35    | 37    | 2      | 5.7%     |
| Marion   | Soybeans  | NON-IRROC | HP         |      | 32    | 34    | 2      | 6.3%     |
| Marion   | Soybeans  | NON-IRROC | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Marion   | Soybeans  | NON-IRROC | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Marion   | Soybeans  | NON-IRROC | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Marion   | Soybeans  | NON-IRROC | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Marion   | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 32    | 37    | 5      | 15.6%    |
| Marion   | Soybeans  | NON-IRROT | COMM       |      | 35    | 37    | 2      | 5.7%     |
| Marion   | Soybeans  | NON-IRROT | HP         |      | 32    | 34    | 2      | 6.3%     |
| Marion   | Soybeans  | NON-IRROT | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Marion   | Soybeans  | NON-IRROT | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Marion   | Soybeans  | NON-IRROT | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Marion   | Soybeans  | NON-IRROT | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Marshall | Corn      | I         | BLUE       |      | 108   | 108   | 0      | 0.0%     |
| Marshall | Corn      | I         | GSG        |      | 197   | 197   | 0      | 0.0%     |
| Marshall | Corn      | I         | GSS        |      | 25.5  | 25.5  | 0      | 0.0%     |
| Marshall | Corn      | I         | HAMLS      |      | 197   | 197   | 0      | 0.0%     |
| Marshall | Corn      | I         | WAXY       |      | 197   | 197   | 0      | 0.0%     |
| Marshall | Corn      | I         | WHITE      |      | 197   | 197   | 0      | 0.0%     |
| Marshall | Corn      | IRR OC    | BLUE       |      | 81    | 81    | 0      | 0.0%     |
| Marshall | Corn      | IRR OC    | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Marshall | Corn      | IRR OC    | GSS        |      | 19.1  | 19.1  | 0      | 0.0%     |
| Marshall | Corn      | IRR OC    | HAMLS      |      | 148   | 148   | 0      | 0.0%     |
| Marshall | Corn      | IRR OC    | WAXY       |      | 148   | 148   | 0      | 0.0%     |
| Marshall | Corn      | IRR OC    | WHITE      |      | 148   | 148   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|          |           |           |            | Area | Yield | Yield |  |        |          |
| Marshall | Corn      | IRR OT    | BLUE       |      | 81    | 81    |  | 0      | 0.0%     |
| Marshall | Corn      | IRR OT    | GSG        |      | 148   | 148   |  | 0      | 0.0%     |
| Marshall | Corn      | IRR OT    | GSS        |      | 19.1  | 19.1  |  | 0      | 0.0%     |
| Marshall | Corn      | IRR OT    | HAMLS      |      | 148   | 148   |  | 0      | 0.0%     |
| Marshall | Corn      | IRR OT    | WAXY       |      | 148   | 148   |  | 0      | 0.0%     |
| Marshall | Corn      | IRR OT    | WHITE      |      | 148   | 148   |  | 0      | 0.0%     |
| Marshall | Corn      | NI        | BLUE       |      | 108   | 108   |  | 0      | 0.0%     |
| Marshall | Corn      | NI        | GSG        |      | 197   | 197   |  | 0      | 0.0%     |
| Marshall | Corn      | NI        | GSS        |      | 25.5  | 25.5  |  | 0      | 0.0%     |
| Marshall | Corn      | NI        | HAMLS      |      | 197   | 197   |  | 0      | 0.0%     |
| Marshall | Corn      | NI        | WAXY       |      | 197   | 197   |  | 0      | 0.0%     |
| Marshall | Corn      | NI        | WHITE      |      | 197   | 197   |  | 0      | 0.0%     |
| Marshall | Corn      | NON-IRROC | BLUE       |      | 81    | 81    |  | 0      | 0.0%     |
| Marshall | Corn      | NON-IRROC | GSG        |      | 148   | 148   |  | 0      | 0.0%     |
| Marshall | Corn      | NON-IRROC | GSS        |      | 19.1  | 19.1  |  | 0      | 0.0%     |
| Marshall | Corn      | NON-IRROC | HAMLS      |      | 148   | 148   |  | 0      | 0.0%     |
| Marshall | Corn      | NON-IRROC | WAXY       |      | 148   | 148   |  | 0      | 0.0%     |
| Marshall | Corn      | NON-IRROC | WHITE      |      | 148   | 148   |  | 0      | 0.0%     |
| Marshall | Corn      | NON-IRROT | BLUE       |      | 81    | 81    |  | 0      | 0.0%     |
| Marshall | Corn      | NON-IRROT | GSG        |      | 148   | 148   |  | 0      | 0.0%     |
| Marshall | Corn      | NON-IRROT | GSS        |      | 19.1  | 19.1  |  | 0      | 0.0%     |
| Marshall | Corn      | NON-IRROT | HAMLS      |      | 148   | 148   |  | 0      | 0.0%     |
| Marshall | Corn      | NON-IRROT | WAXY       |      | 148   | 148   |  | 0      | 0.0%     |
| Marshall | Corn      | NON-IRROT | WHITE      |      | 148   | 148   |  | 0      | 0.0%     |
| Marshall | Oats      | I         | S          |      | 69    | 74    |  | 5      | 7.2%     |
| Marshall | Oats      | IRR OC    | S          |      | 69    | 67    |  | -2     | -2.9%    |
| Marshall | Oats      | IRR OT    | S          |      | 69    | 67    |  | -2     | -2.9%    |
| Marshall | Oats      | NI        | S          |      | 69    | 74    |  | 5      | 7.2%     |
| Marshall | Oats      | NON-IRROC | S          |      | 69    | 67    |  | -2     | -2.9%    |
| Marshall | Oats      | NON-IRROT | S          |      | 69    | 67    |  | -2     | -2.9%    |
| Marshall | Soybeans  | I         | ALLOTHFDGD |      | 55    | 61    |  | 6      | 10.9%    |
| Marshall | Soybeans  | I         | COMM       |      | 59    | 61    |  | 2      | 3.4%     |
| Marshall | Soybeans  | I         | HP         |      | 55    | 56    |  | 1      | 1.8%     |
| Marshall | Soybeans  | I         | LLA        |      | 55    | 56    |  | 1      | 1.8%     |
| Marshall | Soybeans  | I         | LSF        |      | 55    | 56    |  | 1      | 1.8%     |
| Marshall | Soybeans  | I         | LSFG       |      | 50    | 52    |  | 2      | 4.0%     |
| Marshall | Soybeans  | I         | SSFG       |      | 41    | 43    |  | 2      | 4.9%     |
| Marshall | Soybeans  | IRR OC    | ALLOTHFDGD |      | 39    | 43    |  | 4      | 10.3%    |
| Marshall | Soybeans  | IRR OC    | COMM       |      | 41    | 43    |  | 2      | 4.9%     |
| Marshall | Soybeans  | IRR OC    | HP         |      | 39    | 39    |  | 0      | 0.0%     |
| Marshall | Soybeans  | IRR OC    | LLA        |      | 39    | 39    |  | 0      | 0.0%     |
| Marshall | Soybeans  | IRR OC    | LSF        |      | 39    | 39    |  | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Marshall | Soybeans  | IRR OC    | LSFG       |      | 35    | 36    | 1      | 2.9%     |
| Marshall | Soybeans  | IRR OC    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Marshall | Soybeans  | IRR OT    | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Marshall | Soybeans  | IRR OT    | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Marshall | Soybeans  | IRR OT    | HP         |      | 39    | 39    | 0      | 0.0%     |
| Marshall | Soybeans  | IRR OT    | LLA        |      | 39    | 39    | 0      | 0.0%     |
| Marshall | Soybeans  | IRR OT    | LSF        |      | 39    | 39    | 0      | 0.0%     |
| Marshall | Soybeans  | IRR OT    | LSFG       |      | 35    | 36    | 1      | 2.9%     |
| Marshall | Soybeans  | IRR OT    | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Marshall | Soybeans  | NI        | ALLOTHFDGD |      | 55    | 61    | 6      | 10.9%    |
| Marshall | Soybeans  | NI        | COMM       |      | 59    | 61    | 2      | 3.4%     |
| Marshall | Soybeans  | NI        | HP         |      | 55    | 56    | 1      | 1.8%     |
| Marshall | Soybeans  | NI        | LLA        |      | 55    | 56    | 1      | 1.8%     |
| Marshall | Soybeans  | NI        | LSF        |      | 55    | 56    | 1      | 1.8%     |
| Marshall | Soybeans  | NI        | LSFG       |      | 50    | 52    | 2      | 4.0%     |
| Marshall | Soybeans  | NI        | SSFG       |      | 41    | 43    | 2      | 4.9%     |
| Marshall | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Marshall | Soybeans  | NON-IRROC | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Marshall | Soybeans  | NON-IRROC | HP         |      | 39    | 39    | 0      | 0.0%     |
| Marshall | Soybeans  | NON-IRROC | LLA        |      | 39    | 39    | 0      | 0.0%     |
| Marshall | Soybeans  | NON-IRROC | LSF        |      | 39    | 39    | 0      | 0.0%     |
| Marshall | Soybeans  | NON-IRROC | LSFG       |      | 35    | 36    | 1      | 2.9%     |
| Marshall | Soybeans  | NON-IRROC | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Marshall | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| Marshall | Soybeans  | NON-IRROT | COMM       |      | 41    | 43    | 2      | 4.9%     |
| Marshall | Soybeans  | NON-IRROT | HP         |      | 39    | 39    | 0      | 0.0%     |
| Marshall | Soybeans  | NON-IRROT | LLA        |      | 39    | 39    | 0      | 0.0%     |
| Marshall | Soybeans  | NON-IRROT | LSF        |      | 39    | 39    | 0      | 0.0%     |
| Marshall | Soybeans  | NON-IRROT | LSFG       |      | 35    | 36    | 1      | 2.9%     |
| Marshall | Soybeans  | NON-IRROT | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| Mills    | Corn      | I         | GSG        |      | 201   | 201   | 0      | 0.0%     |
| Mills    | Corn      | I         | HAMLS      |      | 201   | 201   | 0      | 0.0%     |
| Mills    | Corn      | I         | HAMOS      |      | 141   | 141   | 0      | 0.0%     |
| Mills    | Corn      | I         | WAXY       |      | 201   | 201   | 0      | 0.0%     |
| Mills    | Corn      | I         | WHITE      |      | 201   | 201   | 0      | 0.0%     |
| Mills    | Corn      | IRR OC    | GSG        |      | 151   | 151   | 0      | 0.0%     |
| Mills    | Corn      | IRR OC    | HAMLS      |      | 151   | 151   | 0      | 0.0%     |
| Mills    | Corn      | IRR OC    | HAMOS      |      | 106   | 106   | 0      | 0.0%     |
| Mills    | Corn      | IRR OC    | WAXY       |      | 151   | 151   | 0      | 0.0%     |
| Mills    | Corn      | IRR OC    | WHITE      |      | 151   | 151   | 0      | 0.0%     |
| Mills    | Corn      | IRR OT    | GSG        |      | 151   | 151   | 0      | 0.0%     |
| Mills    | Corn      | IRR OT    | HAMLS      |      | 151   | 151   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Mills  | Corn      | IRR OT    | HAMOS      |      | 106   | 106   |  | 0      | 0.0%     |
| Mills  | Corn      | IRR OT    | WAXY       |      | 151   | 151   |  | 0      | 0.0%     |
| Mills  | Corn      | IRR OT    | WHITE      |      | 151   | 151   |  | 0      | 0.0%     |
| Mills  | Corn      | NI        | GSG        |      | 189   | 189   |  | 0      | 0.0%     |
| Mills  | Corn      | NI        | HAMLS      |      | 189   | 189   |  | 0      | 0.0%     |
| Mills  | Corn      | NI        | HAMOS      |      | 132   | 132   |  | 0      | 0.0%     |
| Mills  | Corn      | NI        | WAXY       |      | 189   | 189   |  | 0      | 0.0%     |
| Mills  | Corn      | NI        | WHITE      |      | 189   | 189   |  | 0      | 0.0%     |
| Mills  | Corn      | NON-IRROC | GSG        |      | 142   | 142   |  | 0      | 0.0%     |
| Mills  | Corn      | NON-IRROC | HAMLS      |      | 142   | 142   |  | 0      | 0.0%     |
| Mills  | Corn      | NON-IRROC | HAMOS      |      | 99    | 99    |  | 0      | 0.0%     |
| Mills  | Corn      | NON-IRROC | WAXY       |      | 142   | 142   |  | 0      | 0.0%     |
| Mills  | Corn      | NON-IRROC | WHITE      |      | 142   | 142   |  | 0      | 0.0%     |
| Mills  | Corn      | NON-IRROT | GSG        |      | 142   | 142   |  | 0      | 0.0%     |
| Mills  | Corn      | NON-IRROT | HAMLS      |      | 142   | 142   |  | 0      | 0.0%     |
| Mills  | Corn      | NON-IRROT | HAMOS      |      | 99    | 99    |  | 0      | 0.0%     |
| Mills  | Corn      | NON-IRROT | WAXY       |      | 142   | 142   |  | 0      | 0.0%     |
| Mills  | Corn      | NON-IRROT | WHITE      |      | 142   | 142   |  | 0      | 0.0%     |
| Mills  | Oats      | I         | S          |      | 63    | 63    |  | 0      | 0.0%     |
| Mills  | Oats      | IRR OC    | S          |      | 63    | 57    |  | -6     | -9.5%    |
| Mills  | Oats      | IRR OT    | S          |      | 63    | 57    |  | -6     | -9.5%    |
| Mills  | Oats      | NI        | S          |      | 63    | 63    |  | 0      | 0.0%     |
| Mills  | Oats      | NON-IRROC | S          |      | 63    | 57    |  | -6     | -9.5%    |
| Mills  | Oats      | NON-IRROT | S          |      | 63    | 57    |  | -6     | -9.5%    |
| Mills  | Popcorn   | I         | NTS        |      | 5398  | 5398  |  | 0      | 0.0%     |
| Mills  | Popcorn   | IRR OC    | NTS        |      | 3779  | 3779  |  | 0      | 0.0%     |
| Mills  | Popcorn   | IRR OT    | NTS        |      | 3779  | 3779  |  | 0      | 0.0%     |
| Mills  | Popcorn   | NI        | NTS        |      | 4508  | 4508  |  | 0      | 0.0%     |
| Mills  | Popcorn   | NON-IRROC | NTS        |      | 3156  | 3156  |  | 0      | 0.0%     |
| Mills  | Popcorn   | NON-IRROT | NTS        |      | 3156  | 3156  |  | 0      | 0.0%     |
| Mills  | Soybeans  | I         | ALLOTHFDGD |      | 49    | 60    |  | 11     | 22.4%    |
| Mills  | Soybeans  | I         | COMM       |      | 53    | 60    |  | 7      | 13.2%    |
| Mills  | Soybeans  | I         | HP         |      | 49    | 56    |  | 7      | 14.3%    |
| Mills  | Soybeans  | I         | LLA        |      | 49    | 56    |  | 7      | 14.3%    |
| Mills  | Soybeans  | I         | LSF        |      | 49    | 56    |  | 7      | 14.3%    |
| Mills  | Soybeans  | I         | LSFG       |      | 45    | 51    |  | 6      | 13.3%    |
| Mills  | Soybeans  | I         | SSFG       |      | 37    | 42    |  | 5      | 13.5%    |
| Mills  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 42    |  | 8      | 23.5%    |
| Mills  | Soybeans  | IRR OC    | COMM       |      | 37    | 42    |  | 5      | 13.5%    |
| Mills  | Soybeans  | IRR OC    | HP         |      | 34    | 39    |  | 5      | 14.7%    |
| Mills  | Soybeans  | IRR OC    | LLA        |      | 34    | 39    |  | 5      | 14.7%    |
| Mills  | Soybeans  | IRR OC    | LSF        |      | 34    | 39    |  | 5      | 14.7%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Mills    | Soybeans  | IRR OC    | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Mills    | Soybeans  | IRR OC    | SSFG       |      | 26    | 29    | 3      | 11.5%    |
| Mills    | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 42    | 8      | 23.5%    |
| Mills    | Soybeans  | IRR OT    | COMM       |      | 37    | 42    | 5      | 13.5%    |
| Mills    | Soybeans  | IRR OT    | HP         |      | 34    | 39    | 5      | 14.7%    |
| Mills    | Soybeans  | IRR OT    | LLA        |      | 34    | 39    | 5      | 14.7%    |
| Mills    | Soybeans  | IRR OT    | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Mills    | Soybeans  | IRR OT    | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Mills    | Soybeans  | IRR OT    | SSFG       |      | 26    | 29    | 3      | 11.5%    |
| Mills    | Soybeans  | NI        | ALLOTHFDGD |      | 48    | 56    | 8      | 16.7%    |
| Mills    | Soybeans  | NI        | COMM       |      | 52    | 56    | 4      | 7.7%     |
| Mills    | Soybeans  | NI        | HP         |      | 48    | 52    | 4      | 8.3%     |
| Mills    | Soybeans  | NI        | LLA        |      | 48    | 52    | 4      | 8.3%     |
| Mills    | Soybeans  | NI        | LSF        |      | 48    | 52    | 4      | 8.3%     |
| Mills    | Soybeans  | NI        | LSFG       |      | 44    | 48    | 4      | 9.1%     |
| Mills    | Soybeans  | NI        | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Mills    | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Mills    | Soybeans  | NON-IRROC | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Mills    | Soybeans  | NON-IRROC | HP         |      | 34    | 36    | 2      | 5.9%     |
| Mills    | Soybeans  | NON-IRROC | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Mills    | Soybeans  | NON-IRROC | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Mills    | Soybeans  | NON-IRROC | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Mills    | Soybeans  | NON-IRROC | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Mills    | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Mills    | Soybeans  | NON-IRROT | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Mills    | Soybeans  | NON-IRROT | HP         |      | 34    | 36    | 2      | 5.9%     |
| Mills    | Soybeans  | NON-IRROT | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Mills    | Soybeans  | NON-IRROT | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Mills    | Soybeans  | NON-IRROT | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Mills    | Soybeans  | NON-IRROT | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Mitchell | Corn      | I         | BLUE       |      | 123   | 123   | 0      | 0.0%     |
| Mitchell | Corn      | I         | GSG        |      | 223   | 223   | 0      | 0.0%     |
| Mitchell | Corn      | I         | HAMLS      |      | 223   | 223   | 0      | 0.0%     |
| Mitchell | Corn      | I         | HAMOS      |      | 156   | 156   | 0      | 0.0%     |
| Mitchell | Corn      | I         | WAXY       |      | 223   | 223   | 0      | 0.0%     |
| Mitchell | Corn      | I         | WHITE      |      | 223   | 223   | 0      | 0.0%     |
| Mitchell | Corn      | IRR OC    | BLUE       |      | 92    | 92    | 0      | 0.0%     |
| Mitchell | Corn      | IRR OC    | GSG        |      | 167   | 167   | 0      | 0.0%     |
| Mitchell | Corn      | IRR OC    | HAMLS      |      | 167   | 167   | 0      | 0.0%     |
| Mitchell | Corn      | IRR OC    | HAMOS      |      | 117   | 117   | 0      | 0.0%     |
| Mitchell | Corn      | IRR OC    | WAXY       |      | 167   | 167   | 0      | 0.0%     |
| Mitchell | Corn      | IRR OC    | WHITE      |      | 167   | 167   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name  | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|----------|------------|-----------|-------|------|-------|-------|--|--------|----------|
|          |            |           |       | Area | Yield | Yield |  |        |          |
| Mitchell | Corn       | IRR OT    | BLUE  |      | 92    | 92    |  | 0      | 0.0%     |
| Mitchell | Corn       | IRR OT    | GSG   |      | 167   | 167   |  | 0      | 0.0%     |
| Mitchell | Corn       | IRR OT    | HAMLS |      | 167   | 167   |  | 0      | 0.0%     |
| Mitchell | Corn       | IRR OT    | HAMOS |      | 117   | 117   |  | 0      | 0.0%     |
| Mitchell | Corn       | IRR OT    | WAXY  |      | 167   | 167   |  | 0      | 0.0%     |
| Mitchell | Corn       | IRR OT    | WHITE |      | 167   | 167   |  | 0      | 0.0%     |
| Mitchell | Corn       | NI        | BLUE  |      | 105   | 105   |  | 0      | 0.0%     |
| Mitchell | Corn       | NI        | GSG   |      | 191   | 191   |  | 0      | 0.0%     |
| Mitchell | Corn       | NI        | HAMLS |      | 191   | 191   |  | 0      | 0.0%     |
| Mitchell | Corn       | NI        | HAMOS |      | 134   | 134   |  | 0      | 0.0%     |
| Mitchell | Corn       | NI        | WAXY  |      | 191   | 191   |  | 0      | 0.0%     |
| Mitchell | Corn       | NI        | WHITE |      | 191   | 191   |  | 0      | 0.0%     |
| Mitchell | Corn       | NON-IRROC | BLUE  |      | 79    | 79    |  | 0      | 0.0%     |
| Mitchell | Corn       | NON-IRROC | GSG   |      | 143   | 143   |  | 0      | 0.0%     |
| Mitchell | Corn       | NON-IRROC | HAMLS |      | 143   | 143   |  | 0      | 0.0%     |
| Mitchell | Corn       | NON-IRROC | HAMOS |      | 101   | 101   |  | 0      | 0.0%     |
| Mitchell | Corn       | NON-IRROC | WAXY  |      | 143   | 143   |  | 0      | 0.0%     |
| Mitchell | Corn       | NON-IRROC | WHITE |      | 143   | 143   |  | 0      | 0.0%     |
| Mitchell | Corn       | NON-IRROT | BLUE  |      | 79    | 79    |  | 0      | 0.0%     |
| Mitchell | Corn       | NON-IRROT | GSG   |      | 143   | 143   |  | 0      | 0.0%     |
| Mitchell | Corn       | NON-IRROT | HAMLS |      | 143   | 143   |  | 0      | 0.0%     |
| Mitchell | Corn       | NON-IRROT | HAMOS |      | 101   | 101   |  | 0      | 0.0%     |
| Mitchell | Corn       | NON-IRROT | WAXY  |      | 143   | 143   |  | 0      | 0.0%     |
| Mitchell | Corn       | NON-IRROT | WHITE |      | 143   | 143   |  | 0      | 0.0%     |
| Mitchell | Green Peas | I         | SESP  |      | 3684  | 3684  |  | 0      | 0.0%     |
| Mitchell | Green Peas | I         | SLSP  |      | 3195  | 3195  |  | 0      | 0.0%     |
| Mitchell | Green Peas | I         | SMSP  |      | 3758  | 3758  |  | 0      | 0.0%     |
| Mitchell | Green Peas | IRR OC    | SESP  |      | 2395  | 2395  |  | 0      | 0.0%     |
| Mitchell | Green Peas | IRR OC    | SLSP  |      | 2077  | 2077  |  | 0      | 0.0%     |
| Mitchell | Green Peas | IRR OC    | SMSP  |      | 2443  | 2443  |  | 0      | 0.0%     |
| Mitchell | Green Peas | IRR OT    | SESP  |      | 2395  | 2395  |  | 0      | 0.0%     |
| Mitchell | Green Peas | IRR OT    | SLSP  |      | 2077  | 2077  |  | 0      | 0.0%     |
| Mitchell | Green Peas | IRR OT    | SMSP  |      | 2443  | 2443  |  | 0      | 0.0%     |
| Mitchell | Green Peas | NI        | SESP  |      | 3176  | 3176  |  | 0      | 0.0%     |
| Mitchell | Green Peas | NI        | SLSP  |      | 2754  | 2754  |  | 0      | 0.0%     |
| Mitchell | Green Peas | NI        | SMSP  |      | 3240  | 3240  |  | 0      | 0.0%     |
| Mitchell | Green Peas | NON-IRROC | SESP  |      | 2064  | 2064  |  | 0      | 0.0%     |
| Mitchell | Green Peas | NON-IRROC | SLSP  |      | 1790  | 1790  |  | 0      | 0.0%     |
| Mitchell | Green Peas | NON-IRROC | SMSP  |      | 2106  | 2106  |  | 0      | 0.0%     |
| Mitchell | Green Peas | NON-IRROT | SESP  |      | 2064  | 2064  |  | 0      | 0.0%     |
| Mitchell | Green Peas | NON-IRROT | SLSP  |      | 1790  | 1790  |  | 0      | 0.0%     |
| Mitchell | Green Peas | NON-IRROT | SMSP  |      | 2106  | 2106  |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Mitchell | Oats      | I         | S          |      | 79    | 72    | -7     | -8.9%    |
| Mitchell | Oats      | IRR OC    | S          |      | 79    | 65    | -14    | -17.7%   |
| Mitchell | Oats      | IRR OT    | S          |      | 79    | 65    | -14    | -17.7%   |
| Mitchell | Oats      | NI        | S          |      | 79    | 72    | -7     | -8.9%    |
| Mitchell | Oats      | NON-IRROC | S          |      | 79    | 65    | -14    | -17.7%   |
| Mitchell | Oats      | NON-IRROT | S          |      | 79    | 65    | -14    | -17.7%   |
| Mitchell | Soybeans  | I         | ALLOTHFDGD |      | 53    | 61    | 8      | 15.1%    |
| Mitchell | Soybeans  | I         | COMM       |      | 57    | 61    | 4      | 7.0%     |
| Mitchell | Soybeans  | I         | HP         |      | 53    | 56    | 3      | 5.7%     |
| Mitchell | Soybeans  | I         | LLA        |      | 53    | 56    | 3      | 5.7%     |
| Mitchell | Soybeans  | I         | LSF        |      | 53    | 56    | 3      | 5.7%     |
| Mitchell | Soybeans  | I         | LSFG       |      | 48    | 52    | 4      | 8.3%     |
| Mitchell | Soybeans  | I         | SSFG       |      | 40    | 43    | 3      | 7.5%     |
| Mitchell | Soybeans  | IRR OC    | ALLOTHFDGD |      | 37    | 43    | 6      | 16.2%    |
| Mitchell | Soybeans  | IRR OC    | COMM       |      | 40    | 43    | 3      | 7.5%     |
| Mitchell | Soybeans  | IRR OC    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Mitchell | Soybeans  | IRR OC    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Mitchell | Soybeans  | IRR OC    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Mitchell | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Mitchell | Soybeans  | IRR OC    | SSFG       |      | 28    | 30    | 2      | 7.1%     |
| Mitchell | Soybeans  | IRR OT    | ALLOTHFDGD |      | 37    | 43    | 6      | 16.2%    |
| Mitchell | Soybeans  | IRR OT    | COMM       |      | 40    | 43    | 3      | 7.5%     |
| Mitchell | Soybeans  | IRR OT    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Mitchell | Soybeans  | IRR OT    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Mitchell | Soybeans  | IRR OT    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Mitchell | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Mitchell | Soybeans  | IRR OT    | SSFG       |      | 28    | 30    | 2      | 7.1%     |
| Mitchell | Soybeans  | NI        | ALLOTHFDGD |      | 50    | 58    | 8      | 16.0%    |
| Mitchell | Soybeans  | NI        | COMM       |      | 54    | 58    | 4      | 7.4%     |
| Mitchell | Soybeans  | NI        | HP         |      | 50    | 54    | 4      | 8.0%     |
| Mitchell | Soybeans  | NI        | LLA        |      | 50    | 54    | 4      | 8.0%     |
| Mitchell | Soybeans  | NI        | LSF        |      | 50    | 54    | 4      | 8.0%     |
| Mitchell | Soybeans  | NI        | LSFG       |      | 46    | 49    | 3      | 6.5%     |
| Mitchell | Soybeans  | NI        | SSFG       |      | 38    | 41    | 3      | 7.9%     |
| Mitchell | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 35    | 41    | 6      | 17.1%    |
| Mitchell | Soybeans  | NON-IRROC | COMM       |      | 38    | 41    | 3      | 7.9%     |
| Mitchell | Soybeans  | NON-IRROC | HP         |      | 35    | 38    | 3      | 8.6%     |
| Mitchell | Soybeans  | NON-IRROC | LLA        |      | 35    | 38    | 3      | 8.6%     |
| Mitchell | Soybeans  | NON-IRROC | LSF        |      | 35    | 38    | 3      | 8.6%     |
| Mitchell | Soybeans  | NON-IRROC | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Mitchell | Soybeans  | NON-IRROC | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Mitchell | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 35    | 41    | 6      | 17.1%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name  | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|----------|------------|-----------|-------|------|-------|-------|--|--------|----------|
|          |            |           |       | Area | Yield | Yield |  |        |          |
| Mitchell | Soybeans   | NON-IRROT | COMM  |      | 38    | 41    |  | 3      | 7.9%     |
| Mitchell | Soybeans   | NON-IRROT | HP    |      | 35    | 38    |  | 3      | 8.6%     |
| Mitchell | Soybeans   | NON-IRROT | LLA   |      | 35    | 38    |  | 3      | 8.6%     |
| Mitchell | Soybeans   | NON-IRROT | LSF   |      | 35    | 38    |  | 3      | 8.6%     |
| Mitchell | Soybeans   | NON-IRROT | LSFG  |      | 32    | 34    |  | 2      | 6.3%     |
| Mitchell | Soybeans   | NON-IRROT | SSFG  |      | 27    | 29    |  | 2      | 7.4%     |
| Mitchell | Sweet Corn | I         | EGW   |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Mitchell | Sweet Corn | I         | OG    |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Mitchell | Sweet Corn | IRR OC    | EGW   |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Mitchell | Sweet Corn | IRR OC    | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Mitchell | Sweet Corn | IRR OT    | EGW   |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Mitchell | Sweet Corn | IRR OT    | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Mitchell | Sweet Corn | NI        | EGW   |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Mitchell | Sweet Corn | NI        | OG    |      | 7.2   | 7.2   |  | 0      | 0.0%     |
| Mitchell | Sweet Corn | NON-IRROC | EGW   |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Mitchell | Sweet Corn | NON-IRROC | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Mitchell | Sweet Corn | NON-IRROT | EGW   |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Mitchell | Sweet Corn | NON-IRROT | OG    |      | 4.7   | 4.7   |  | 0      | 0.0%     |
| Monona   | Corn       | I         | GSG   |      | 195   | 195   |  | 0      | 0.0%     |
| Monona   | Corn       | I         | HAMLS |      | 195   | 195   |  | 0      | 0.0%     |
| Monona   | Corn       | I         | HAMOS |      | 137   | 137   |  | 0      | 0.0%     |
| Monona   | Corn       | I         | WAXY  |      | 195   | 195   |  | 0      | 0.0%     |
| Monona   | Corn       | I         | WHITE |      | 195   | 195   |  | 0      | 0.0%     |
| Monona   | Corn       | IRR OC    | GSG   |      | 146   | 146   |  | 0      | 0.0%     |
| Monona   | Corn       | IRR OC    | HAMLS |      | 146   | 146   |  | 0      | 0.0%     |
| Monona   | Corn       | IRR OC    | HAMOS |      | 103   | 103   |  | 0      | 0.0%     |
| Monona   | Corn       | IRR OC    | WAXY  |      | 146   | 146   |  | 0      | 0.0%     |
| Monona   | Corn       | IRR OC    | WHITE |      | 146   | 146   |  | 0      | 0.0%     |
| Monona   | Corn       | IRR OT    | GSG   |      | 146   | 146   |  | 0      | 0.0%     |
| Monona   | Corn       | IRR OT    | HAMLS |      | 146   | 146   |  | 0      | 0.0%     |
| Monona   | Corn       | IRR OT    | HAMOS |      | 103   | 103   |  | 0      | 0.0%     |
| Monona   | Corn       | IRR OT    | WAXY  |      | 146   | 146   |  | 0      | 0.0%     |
| Monona   | Corn       | IRR OT    | WHITE |      | 146   | 146   |  | 0      | 0.0%     |
| Monona   | Corn       | NI        | GSG   |      | 191   | 191   |  | 0      | 0.0%     |
| Monona   | Corn       | NI        | HAMLS |      | 191   | 191   |  | 0      | 0.0%     |
| Monona   | Corn       | NI        | HAMOS |      | 134   | 134   |  | 0      | 0.0%     |
| Monona   | Corn       | NI        | WAXY  |      | 191   | 191   |  | 0      | 0.0%     |
| Monona   | Corn       | NI        | WHITE |      | 191   | 191   |  | 0      | 0.0%     |
| Monona   | Corn       | NON-IRROC | GSG   |      | 143   | 143   |  | 0      | 0.0%     |
| Monona   | Corn       | NON-IRROC | HAMLS |      | 143   | 143   |  | 0      | 0.0%     |
| Monona   | Corn       | NON-IRROC | HAMOS |      | 101   | 101   |  | 0      | 0.0%     |
| Monona   | Corn       | NON-IRROC | WAXY  |      | 143   | 143   |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Monona | Corn      | NON-IRROC | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Monona | Corn      | NON-IRROT | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Monona | Corn      | NON-IRROT | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Monona | Corn      | NON-IRROT | HAMOS      |      | 101   | 101   |  | 0      | 0.0%     |
| Monona | Corn      | NON-IRROT | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Monona | Corn      | NON-IRROT | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Monona | Oats      | I         | S          |      | 79    | 79    |  | 0      | 0.0%     |
| Monona | Oats      | IRR OC    | S          |      | 79    | 71    |  | -8     | -10.1%   |
| Monona | Oats      | IRR OT    | S          |      | 79    | 71    |  | -8     | -10.1%   |
| Monona | Oats      | NI        | S          |      | 79    | 79    |  | 0      | 0.0%     |
| Monona | Oats      | NON-IRROC | S          |      | 79    | 71    |  | -8     | -10.1%   |
| Monona | Oats      | NON-IRROT | S          |      | 79    | 71    |  | -8     | -10.1%   |
| Monona | Popcorn   | I         | NTS        |      | 5201  | 5201  |  | 0      | 0.0%     |
| Monona | Popcorn   | IRR OC    | NTS        |      | 3641  | 3641  |  | 0      | 0.0%     |
| Monona | Popcorn   | IRR OT    | NTS        |      | 3641  | 3641  |  | 0      | 0.0%     |
| Monona | Popcorn   | NI        | NTS        |      | 4631  | 4631  |  | 0      | 0.0%     |
| Monona | Popcorn   | NON-IRROC | NTS        |      | 3242  | 3242  |  | 0      | 0.0%     |
| Monona | Popcorn   | NON-IRROT | NTS        |      | 3242  | 3242  |  | 0      | 0.0%     |
| Monona | Soybeans  | I         | ALLOTHFDGD |      | 48    | 56    |  | 8      | 16.7%    |
| Monona | Soybeans  | I         | COMM       |      | 52    | 56    |  | 4      | 7.7%     |
| Monona | Soybeans  | I         | HP         |      | 48    | 52    |  | 4      | 8.3%     |
| Monona | Soybeans  | I         | LLA        |      | 48    | 52    |  | 4      | 8.3%     |
| Monona | Soybeans  | I         | LSF        |      | 48    | 52    |  | 4      | 8.3%     |
| Monona | Soybeans  | I         | LSFG       |      | 44    | 48    |  | 4      | 9.1%     |
| Monona | Soybeans  | I         | SSFG       |      | 36    | 39    |  | 3      | 8.3%     |
| Monona | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Monona | Soybeans  | IRR OC    | COMM       |      | 36    | 39    |  | 3      | 8.3%     |
| Monona | Soybeans  | IRR OC    | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Monona | Soybeans  | IRR OC    | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Monona | Soybeans  | IRR OC    | LSF        |      | 34    | 36    |  | 2      | 5.9%     |
| Monona | Soybeans  | IRR OC    | LSFG       |      | 31    | 34    |  | 3      | 9.7%     |
| Monona | Soybeans  | IRR OC    | SSFG       |      | 25    | 27    |  | 2      | 8.0%     |
| Monona | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 39    |  | 5      | 14.7%    |
| Monona | Soybeans  | IRR OT    | COMM       |      | 36    | 39    |  | 3      | 8.3%     |
| Monona | Soybeans  | IRR OT    | HP         |      | 34    | 36    |  | 2      | 5.9%     |
| Monona | Soybeans  | IRR OT    | LLA        |      | 34    | 36    |  | 2      | 5.9%     |
| Monona | Soybeans  | IRR OT    | LSF        |      | 34    | 36    |  | 2      | 5.9%     |
| Monona | Soybeans  | IRR OT    | LSFG       |      | 31    | 34    |  | 3      | 9.7%     |
| Monona | Soybeans  | IRR OT    | SSFG       |      | 25    | 27    |  | 2      | 8.0%     |
| Monona | Soybeans  | NI        | ALLOTHFDGD |      | 48    | 56    |  | 8      | 16.7%    |
| Monona | Soybeans  | NI        | COMM       |      | 52    | 56    |  | 4      | 7.7%     |
| Monona | Soybeans  | NI        | HP         |      | 48    | 52    |  | 4      | 8.3%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Monona | Soybeans  | NI        | LLA        |      | 48    | 52    | 4      | 8.3%     |
| Monona | Soybeans  | NI        | LSF        |      | 48    | 52    | 4      | 8.3%     |
| Monona | Soybeans  | NI        | LSFG       |      | 44    | 48    | 4      | 9.1%     |
| Monona | Soybeans  | NI        | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Monona | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Monona | Soybeans  | NON-IRROC | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Monona | Soybeans  | NON-IRROC | HP         |      | 34    | 36    | 2      | 5.9%     |
| Monona | Soybeans  | NON-IRROC | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Monona | Soybeans  | NON-IRROC | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Monona | Soybeans  | NON-IRROC | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Monona | Soybeans  | NON-IRROC | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Monona | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Monona | Soybeans  | NON-IRROT | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Monona | Soybeans  | NON-IRROT | HP         |      | 34    | 36    | 2      | 5.9%     |
| Monona | Soybeans  | NON-IRROT | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Monona | Soybeans  | NON-IRROT | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Monona | Soybeans  | NON-IRROT | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Monona | Soybeans  | NON-IRROT | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Monroe | Corn      | I         | GSG        |      | 155   | 155   | 0      | 0.0%     |
| Monroe | Corn      | I         | HAMLS      |      | 155   | 155   | 0      | 0.0%     |
| Monroe | Corn      | I         | WAXY       |      | 155   | 155   | 0      | 0.0%     |
| Monroe | Corn      | I         | WHITE      |      | 155   | 155   | 0      | 0.0%     |
| Monroe | Corn      | IRR OC    | GSG        |      | 116   | 116   | 0      | 0.0%     |
| Monroe | Corn      | IRR OC    | HAMLS      |      | 116   | 116   | 0      | 0.0%     |
| Monroe | Corn      | IRR OC    | WAXY       |      | 116   | 116   | 0      | 0.0%     |
| Monroe | Corn      | IRR OC    | WHITE      |      | 116   | 116   | 0      | 0.0%     |
| Monroe | Corn      | IRR OT    | GSG        |      | 116   | 116   | 0      | 0.0%     |
| Monroe | Corn      | IRR OT    | HAMLS      |      | 116   | 116   | 0      | 0.0%     |
| Monroe | Corn      | IRR OT    | WAXY       |      | 116   | 116   | 0      | 0.0%     |
| Monroe | Corn      | IRR OT    | WHITE      |      | 116   | 116   | 0      | 0.0%     |
| Monroe | Corn      | NI        | GSG        |      | 144   | 144   | 0      | 0.0%     |
| Monroe | Corn      | NI        | HAMLS      |      | 144   | 144   | 0      | 0.0%     |
| Monroe | Corn      | NI        | WAXY       |      | 144   | 144   | 0      | 0.0%     |
| Monroe | Corn      | NI        | WHITE      |      | 144   | 144   | 0      | 0.0%     |
| Monroe | Corn      | NON-IRROC | GSG        |      | 108   | 108   | 0      | 0.0%     |
| Monroe | Corn      | NON-IRROC | HAMLS      |      | 108   | 108   | 0      | 0.0%     |
| Monroe | Corn      | NON-IRROC | WAXY       |      | 108   | 108   | 0      | 0.0%     |
| Monroe | Corn      | NON-IRROC | WHITE      |      | 108   | 108   | 0      | 0.0%     |
| Monroe | Corn      | NON-IRROT | GSG        |      | 108   | 108   | 0      | 0.0%     |
| Monroe | Corn      | NON-IRROT | HAMLS      |      | 108   | 108   | 0      | 0.0%     |
| Monroe | Corn      | NON-IRROT | WAXY       |      | 108   | 108   | 0      | 0.0%     |
| Monroe | Corn      | NON-IRROT | WHITE      |      | 108   | 108   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Monroe | Oats      | I         | S          |      | 40    | 42    | 2      | 5.0%     |
| Monroe | Oats      | IRR OC    | S          |      | 40    | 38    | -2     | -5.0%    |
| Monroe | Oats      | IRR OT    | S          |      | 40    | 38    | -2     | -5.0%    |
| Monroe | Oats      | NI        | S          |      | 40    | 42    | 2      | 5.0%     |
| Monroe | Oats      | NON-IRROC | S          |      | 40    | 38    | -2     | -5.0%    |
| Monroe | Oats      | NON-IRROT | S          |      | 40    | 38    | -2     | -5.0%    |
| Monroe | Soybeans  | I         | ALLOTHFDGD |      | 41    | 47    | 6      | 14.6%    |
| Monroe | Soybeans  | I         | COMM       |      | 44    | 47    | 3      | 6.8%     |
| Monroe | Soybeans  | I         | HP         |      | 41    | 43    | 2      | 4.9%     |
| Monroe | Soybeans  | I         | LLA        |      | 41    | 43    | 2      | 4.9%     |
| Monroe | Soybeans  | I         | LSF        |      | 41    | 43    | 2      | 4.9%     |
| Monroe | Soybeans  | I         | LSFG       |      | 37    | 40    | 3      | 8.1%     |
| Monroe | Soybeans  | I         | SSFG       |      | 31    | 33    | 2      | 6.5%     |
| Monroe | Soybeans  | IRR OC    | ALLOTHFDGD |      | 29    | 33    | 4      | 13.8%    |
| Monroe | Soybeans  | IRR OC    | COMM       |      | 31    | 33    | 2      | 6.5%     |
| Monroe | Soybeans  | IRR OC    | HP         |      | 29    | 30    | 1      | 3.4%     |
| Monroe | Soybeans  | IRR OC    | LLA        |      | 29    | 30    | 1      | 3.4%     |
| Monroe | Soybeans  | IRR OC    | LSF        |      | 29    | 30    | 1      | 3.4%     |
| Monroe | Soybeans  | IRR OC    | LSFG       |      | 26    | 28    | 2      | 7.7%     |
| Monroe | Soybeans  | IRR OC    | SSFG       |      | 22    | 23    | 1      | 4.5%     |
| Monroe | Soybeans  | IRR OT    | ALLOTHFDGD |      | 29    | 33    | 4      | 13.8%    |
| Monroe | Soybeans  | IRR OT    | COMM       |      | 31    | 33    | 2      | 6.5%     |
| Monroe | Soybeans  | IRR OT    | HP         |      | 29    | 30    | 1      | 3.4%     |
| Monroe | Soybeans  | IRR OT    | LLA        |      | 29    | 30    | 1      | 3.4%     |
| Monroe | Soybeans  | IRR OT    | LSF        |      | 29    | 30    | 1      | 3.4%     |
| Monroe | Soybeans  | IRR OT    | LSFG       |      | 26    | 28    | 2      | 7.7%     |
| Monroe | Soybeans  | IRR OT    | SSFG       |      | 22    | 23    | 1      | 4.5%     |
| Monroe | Soybeans  | NI        | ALLOTHFDGD |      | 41    | 47    | 6      | 14.6%    |
| Monroe | Soybeans  | NI        | COMM       |      | 44    | 47    | 3      | 6.8%     |
| Monroe | Soybeans  | NI        | HP         |      | 41    | 43    | 2      | 4.9%     |
| Monroe | Soybeans  | NI        | LLA        |      | 41    | 43    | 2      | 4.9%     |
| Monroe | Soybeans  | NI        | LSF        |      | 41    | 43    | 2      | 4.9%     |
| Monroe | Soybeans  | NI        | LSFG       |      | 37    | 40    | 3      | 8.1%     |
| Monroe | Soybeans  | NI        | SSFG       |      | 31    | 33    | 2      | 6.5%     |
| Monroe | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 29    | 33    | 4      | 13.8%    |
| Monroe | Soybeans  | NON-IRROC | COMM       |      | 31    | 33    | 2      | 6.5%     |
| Monroe | Soybeans  | NON-IRROC | HP         |      | 29    | 30    | 1      | 3.4%     |
| Monroe | Soybeans  | NON-IRROC | LLA        |      | 29    | 30    | 1      | 3.4%     |
| Monroe | Soybeans  | NON-IRROC | LSF        |      | 29    | 30    | 1      | 3.4%     |
| Monroe | Soybeans  | NON-IRROC | LSFG       |      | 26    | 28    | 2      | 7.7%     |
| Monroe | Soybeans  | NON-IRROC | SSFG       |      | 22    | 23    | 1      | 4.5%     |
| Monroe | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 29    | 33    | 4      | 13.8%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|------------|-----------|-----------|-------|------|-------|-------|--|--------|----------|
|            |           |           |       | Area | Yield | Yield |  |        |          |
| Monroe     | Soybeans  | NON-IRROT | COMM  |      | 31    | 33    |  | 2      | 6.5%     |
| Monroe     | Soybeans  | NON-IRROT | HP    |      | 29    | 30    |  | 1      | 3.4%     |
| Monroe     | Soybeans  | NON-IRROT | LLA   |      | 29    | 30    |  | 1      | 3.4%     |
| Monroe     | Soybeans  | NON-IRROT | LSF   |      | 29    | 30    |  | 1      | 3.4%     |
| Monroe     | Soybeans  | NON-IRROT | LSFG  |      | 26    | 28    |  | 2      | 7.7%     |
| Monroe     | Soybeans  | NON-IRROT | SSFG  |      | 22    | 23    |  | 1      | 4.5%     |
| Montgomery | Corn      | I         | BLUE  |      | 103   | 103   |  | 0      | 0.0%     |
| Montgomery | Corn      | I         | GSG   |      | 187   | 187   |  | 0      | 0.0%     |
| Montgomery | Corn      | I         | HAMLS |      | 187   | 187   |  | 0      | 0.0%     |
| Montgomery | Corn      | I         | HAMOS |      | 131   | 131   |  | 0      | 0.0%     |
| Montgomery | Corn      | I         | WAXY  |      | 187   | 187   |  | 0      | 0.0%     |
| Montgomery | Corn      | I         | WHITE |      | 187   | 187   |  | 0      | 0.0%     |
| Montgomery | Corn      | IRR OC    | BLUE  |      | 77    | 77    |  | 0      | 0.0%     |
| Montgomery | Corn      | IRR OC    | GSG   |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | IRR OC    | HAMLS |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | IRR OC    | HAMOS |      | 98    | 98    |  | 0      | 0.0%     |
| Montgomery | Corn      | IRR OC    | WAXY  |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | IRR OC    | WHITE |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | IRR OT    | BLUE  |      | 77    | 77    |  | 0      | 0.0%     |
| Montgomery | Corn      | IRR OT    | GSG   |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | IRR OT    | HAMLS |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | IRR OT    | HAMOS |      | 98    | 98    |  | 0      | 0.0%     |
| Montgomery | Corn      | IRR OT    | WAXY  |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | IRR OT    | WHITE |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | NI        | BLUE  |      | 103   | 103   |  | 0      | 0.0%     |
| Montgomery | Corn      | NI        | GSG   |      | 187   | 187   |  | 0      | 0.0%     |
| Montgomery | Corn      | NI        | HAMLS |      | 187   | 187   |  | 0      | 0.0%     |
| Montgomery | Corn      | NI        | HAMOS |      | 131   | 131   |  | 0      | 0.0%     |
| Montgomery | Corn      | NI        | WAXY  |      | 187   | 187   |  | 0      | 0.0%     |
| Montgomery | Corn      | NI        | WHITE |      | 187   | 187   |  | 0      | 0.0%     |
| Montgomery | Corn      | NON-IRROC | BLUE  |      | 77    | 77    |  | 0      | 0.0%     |
| Montgomery | Corn      | NON-IRROC | GSG   |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | NON-IRROC | HAMLS |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | NON-IRROC | HAMOS |      | 98    | 98    |  | 0      | 0.0%     |
| Montgomery | Corn      | NON-IRROC | WAXY  |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | NON-IRROC | WHITE |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | NON-IRROT | BLUE  |      | 77    | 77    |  | 0      | 0.0%     |
| Montgomery | Corn      | NON-IRROT | GSG   |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | NON-IRROT | HAMLS |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | NON-IRROT | HAMOS |      | 98    | 98    |  | 0      | 0.0%     |
| Montgomery | Corn      | NON-IRROT | WAXY  |      | 140   | 140   |  | 0      | 0.0%     |
| Montgomery | Corn      | NON-IRROT | WHITE |      | 140   | 140   |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|            |           |           |            |      | Yield | Yield |        |          |
| Montgomery | Oats      | I         | S          |      | 60    | 60    | 0      | 0.0%     |
| Montgomery | Oats      | IRR OC    | S          |      | 60    | 54    | -6     | -10.0%   |
| Montgomery | Oats      | IRR OT    | S          |      | 60    | 54    | -6     | -10.0%   |
| Montgomery | Oats      | NI        | S          |      | 60    | 60    | 0      | 0.0%     |
| Montgomery | Oats      | NON-IRROC | S          |      | 60    | 54    | -6     | -10.0%   |
| Montgomery | Oats      | NON-IRROT | S          |      | 60    | 54    | -6     | -10.0%   |
| Montgomery | Popcorn   | I         | NTS        |      | 5398  | 5398  | 0      | 0.0%     |
| Montgomery | Popcorn   | IRR OC    | NTS        |      | 3779  | 3779  | 0      | 0.0%     |
| Montgomery | Popcorn   | IRR OT    | NTS        |      | 3779  | 3779  | 0      | 0.0%     |
| Montgomery | Popcorn   | NI        | NTS        |      | 4508  | 4508  | 0      | 0.0%     |
| Montgomery | Popcorn   | NON-IRROC | NTS        |      | 3156  | 3156  | 0      | 0.0%     |
| Montgomery | Popcorn   | NON-IRROT | NTS        |      | 3156  | 3156  | 0      | 0.0%     |
| Montgomery | Soybeans  | I         | ALLOTHFDGD |      | 49    | 59    | 10     | 20.4%    |
| Montgomery | Soybeans  | I         | COMM       |      | 53    | 59    | 6      | 11.3%    |
| Montgomery | Soybeans  | I         | HP         |      | 49    | 55    | 6      | 12.2%    |
| Montgomery | Soybeans  | I         | LLA        |      | 49    | 55    | 6      | 12.2%    |
| Montgomery | Soybeans  | I         | LSF        |      | 49    | 55    | 6      | 12.2%    |
| Montgomery | Soybeans  | I         | LSFG       |      | 45    | 50    | 5      | 11.1%    |
| Montgomery | Soybeans  | I         | SSFG       |      | 37    | 41    | 4      | 10.8%    |
| Montgomery | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 41    | 7      | 20.6%    |
| Montgomery | Soybeans  | IRR OC    | COMM       |      | 37    | 41    | 4      | 10.8%    |
| Montgomery | Soybeans  | IRR OC    | HP         |      | 34    | 39    | 5      | 14.7%    |
| Montgomery | Soybeans  | IRR OC    | LLA        |      | 34    | 39    | 5      | 14.7%    |
| Montgomery | Soybeans  | IRR OC    | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Montgomery | Soybeans  | IRR OC    | LSFG       |      | 32    | 35    | 3      | 9.4%     |
| Montgomery | Soybeans  | IRR OC    | SSFG       |      | 26    | 29    | 3      | 11.5%    |
| Montgomery | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 41    | 7      | 20.6%    |
| Montgomery | Soybeans  | IRR OT    | COMM       |      | 37    | 41    | 4      | 10.8%    |
| Montgomery | Soybeans  | IRR OT    | HP         |      | 34    | 39    | 5      | 14.7%    |
| Montgomery | Soybeans  | IRR OT    | LLA        |      | 34    | 39    | 5      | 14.7%    |
| Montgomery | Soybeans  | IRR OT    | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Montgomery | Soybeans  | IRR OT    | LSFG       |      | 32    | 35    | 3      | 9.4%     |
| Montgomery | Soybeans  | IRR OT    | SSFG       |      | 26    | 29    | 3      | 11.5%    |
| Montgomery | Soybeans  | NI        | ALLOTHFDGD |      | 49    | 57    | 8      | 16.3%    |
| Montgomery | Soybeans  | NI        | COMM       |      | 53    | 57    | 4      | 7.5%     |
| Montgomery | Soybeans  | NI        | HP         |      | 49    | 53    | 4      | 8.2%     |
| Montgomery | Soybeans  | NI        | LLA        |      | 49    | 53    | 4      | 8.2%     |
| Montgomery | Soybeans  | NI        | LSF        |      | 49    | 53    | 4      | 8.2%     |
| Montgomery | Soybeans  | NI        | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Montgomery | Soybeans  | NI        | SSFG       |      | 37    | 40    | 3      | 8.1%     |
| Montgomery | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 34    | 40    | 6      | 17.6%    |
| Montgomery | Soybeans  | NON-IRROC | COMM       |      | 37    | 40    | 3      | 8.1%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|------------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|            |           |           |            | Area | Yield | Yield |  |        |          |
| Montgomery | Soybeans  | NON-IRROC | HP         |      | 34    | 37    |  | 3      | 8.8%     |
| Montgomery | Soybeans  | NON-IRROC | LLA        |      | 34    | 37    |  | 3      | 8.8%     |
| Montgomery | Soybeans  | NON-IRROC | LSF        |      | 34    | 37    |  | 3      | 8.8%     |
| Montgomery | Soybeans  | NON-IRROC | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Montgomery | Soybeans  | NON-IRROC | SSFG       |      | 26    | 28    |  | 2      | 7.7%     |
| Montgomery | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 34    | 40    |  | 6      | 17.6%    |
| Montgomery | Soybeans  | NON-IRROT | COMM       |      | 37    | 40    |  | 3      | 8.1%     |
| Montgomery | Soybeans  | NON-IRROT | HP         |      | 34    | 37    |  | 3      | 8.8%     |
| Montgomery | Soybeans  | NON-IRROT | LLA        |      | 34    | 37    |  | 3      | 8.8%     |
| Montgomery | Soybeans  | NON-IRROT | LSF        |      | 34    | 37    |  | 3      | 8.8%     |
| Montgomery | Soybeans  | NON-IRROT | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Montgomery | Soybeans  | NON-IRROT | SSFG       |      | 26    | 28    |  | 2      | 7.7%     |
| Muscatine  | Corn      | I         | GSG        |      | 193   | 193   |  | 0      | 0.0%     |
| Muscatine  | Corn      | I         | HAMLS      |      | 193   | 193   |  | 0      | 0.0%     |
| Muscatine  | Corn      | I         | WAXY       |      | 193   | 193   |  | 0      | 0.0%     |
| Muscatine  | Corn      | I         | WHITE      |      | 193   | 193   |  | 0      | 0.0%     |
| Muscatine  | Corn      | IRR OC    | GSG        |      | 145   | 145   |  | 0      | 0.0%     |
| Muscatine  | Corn      | IRR OC    | HAMLS      |      | 145   | 145   |  | 0      | 0.0%     |
| Muscatine  | Corn      | IRR OC    | WAXY       |      | 145   | 145   |  | 0      | 0.0%     |
| Muscatine  | Corn      | IRR OC    | WHITE      |      | 145   | 145   |  | 0      | 0.0%     |
| Muscatine  | Corn      | IRR OT    | GSG        |      | 145   | 145   |  | 0      | 0.0%     |
| Muscatine  | Corn      | IRR OT    | HAMLS      |      | 145   | 145   |  | 0      | 0.0%     |
| Muscatine  | Corn      | IRR OT    | WAXY       |      | 145   | 145   |  | 0      | 0.0%     |
| Muscatine  | Corn      | IRR OT    | WHITE      |      | 145   | 145   |  | 0      | 0.0%     |
| Muscatine  | Corn      | NI        | GSG        |      | 191   | 191   |  | 0      | 0.0%     |
| Muscatine  | Corn      | NI        | HAMLS      |      | 191   | 191   |  | 0      | 0.0%     |
| Muscatine  | Corn      | NI        | WAXY       |      | 191   | 191   |  | 0      | 0.0%     |
| Muscatine  | Corn      | NI        | WHITE      |      | 191   | 191   |  | 0      | 0.0%     |
| Muscatine  | Corn      | NON-IRROC | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Muscatine  | Corn      | NON-IRROC | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Muscatine  | Corn      | NON-IRROC | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Muscatine  | Corn      | NON-IRROC | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Muscatine  | Corn      | NON-IRROT | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Muscatine  | Corn      | NON-IRROT | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Muscatine  | Corn      | NON-IRROT | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Muscatine  | Corn      | NON-IRROT | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Muscatine  | Oats      | I         | S          |      | 66    | 68    |  | 2      | 3.0%     |
| Muscatine  | Oats      | IRR OC    | S          |      | 66    | 61    |  | -5     | -7.6%    |
| Muscatine  | Oats      | IRR OT    | S          |      | 66    | 61    |  | -5     | -7.6%    |
| Muscatine  | Oats      | NI        | S          |      | 66    | 68    |  | 2      | 3.0%     |
| Muscatine  | Oats      | NON-IRROC | S          |      | 66    | 61    |  | -5     | -7.6%    |
| Muscatine  | Oats      | NON-IRROT | S          |      | 66    | 61    |  | -5     | -7.6%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|           |           |           |            | Area | Yield | Yield |  |        |          |
| Muscatine | Potatoes  | I         | R          |      | 230   | 230   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | I         | RU         |      | 230   | 230   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | I         | W          |      | 221   | 221   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | IRR OC    | R          |      | 196   | 196   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | IRR OC    | RU         |      | 196   | 196   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | IRR OC    | W          |      | 188   | 188   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | IRR OT    | R          |      | 196   | 196   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | IRR OT    | RU         |      | 196   | 196   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | IRR OT    | W          |      | 188   | 188   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | NI        | R          |      | 130   | 130   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | NI        | RU         |      | 130   | 130   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | NI        | W          |      | 130   | 130   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | NON-IRROC | R          |      | 111   | 111   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | NON-IRROC | RU         |      | 111   | 111   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | NON-IRROC | W          |      | 111   | 111   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | NON-IRROT | R          |      | 111   | 111   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | NON-IRROT | RU         |      | 111   | 111   |  | 0      | 0.0%     |
| Muscatine | Potatoes  | NON-IRROT | W          |      | 111   | 111   |  | 0      | 0.0%     |
| Muscatine | Soybeans  | I         | ALLOTHFDGD |      | 52    | 60    |  | 8      | 15.4%    |
| Muscatine | Soybeans  | I         | COMM       |      | 56    | 60    |  | 4      | 7.1%     |
| Muscatine | Soybeans  | I         | HP         |      | 52    | 56    |  | 4      | 7.7%     |
| Muscatine | Soybeans  | I         | LLA        |      | 52    | 56    |  | 4      | 7.7%     |
| Muscatine | Soybeans  | I         | LSF        |      | 52    | 56    |  | 4      | 7.7%     |
| Muscatine | Soybeans  | I         | LSFG       |      | 48    | 51    |  | 3      | 6.3%     |
| Muscatine | Soybeans  | I         | SSFG       |      | 39    | 42    |  | 3      | 7.7%     |
| Muscatine | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 42    |  | 6      | 16.7%    |
| Muscatine | Soybeans  | IRR OC    | COMM       |      | 39    | 42    |  | 3      | 7.7%     |
| Muscatine | Soybeans  | IRR OC    | HP         |      | 36    | 39    |  | 3      | 8.3%     |
| Muscatine | Soybeans  | IRR OC    | LLA        |      | 36    | 39    |  | 3      | 8.3%     |
| Muscatine | Soybeans  | IRR OC    | LSF        |      | 36    | 39    |  | 3      | 8.3%     |
| Muscatine | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    |  | 2      | 5.9%     |
| Muscatine | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Muscatine | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 42    |  | 6      | 16.7%    |
| Muscatine | Soybeans  | IRR OT    | COMM       |      | 39    | 42    |  | 3      | 7.7%     |
| Muscatine | Soybeans  | IRR OT    | HP         |      | 36    | 39    |  | 3      | 8.3%     |
| Muscatine | Soybeans  | IRR OT    | LLA        |      | 36    | 39    |  | 3      | 8.3%     |
| Muscatine | Soybeans  | IRR OT    | LSF        |      | 36    | 39    |  | 3      | 8.3%     |
| Muscatine | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    |  | 2      | 5.9%     |
| Muscatine | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Muscatine | Soybeans  | NI        | ALLOTHFDGD |      | 52    | 59    |  | 7      | 13.5%    |
| Muscatine | Soybeans  | NI        | COMM       |      | 56    | 59    |  | 3      | 5.4%     |
| Muscatine | Soybeans  | NI        | HP         |      | 52    | 55    |  | 3      | 5.8%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|           |           |           |            | Area | Yield | Yield |  |        |          |
| Muscatine | Soybeans  | NI        | LLA        |      | 52    | 55    |  | 3      | 5.8%     |
| Muscatine | Soybeans  | NI        | LSF        |      | 52    | 55    |  | 3      | 5.8%     |
| Muscatine | Soybeans  | NI        | LSFG       |      | 48    | 50    |  | 2      | 4.2%     |
| Muscatine | Soybeans  | NI        | SSFG       |      | 39    | 41    |  | 2      | 5.1%     |
| Muscatine | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 36    | 41    |  | 5      | 13.9%    |
| Muscatine | Soybeans  | NON-IRROC | COMM       |      | 39    | 41    |  | 2      | 5.1%     |
| Muscatine | Soybeans  | NON-IRROC | HP         |      | 36    | 39    |  | 3      | 8.3%     |
| Muscatine | Soybeans  | NON-IRROC | LLA        |      | 36    | 39    |  | 3      | 8.3%     |
| Muscatine | Soybeans  | NON-IRROC | LSF        |      | 36    | 39    |  | 3      | 8.3%     |
| Muscatine | Soybeans  | NON-IRROC | LSFG       |      | 34    | 35    |  | 1      | 2.9%     |
| Muscatine | Soybeans  | NON-IRROC | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Muscatine | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 36    | 41    |  | 5      | 13.9%    |
| Muscatine | Soybeans  | NON-IRROT | COMM       |      | 39    | 41    |  | 2      | 5.1%     |
| Muscatine | Soybeans  | NON-IRROT | HP         |      | 36    | 39    |  | 3      | 8.3%     |
| Muscatine | Soybeans  | NON-IRROT | LLA        |      | 36    | 39    |  | 3      | 8.3%     |
| Muscatine | Soybeans  | NON-IRROT | LSF        |      | 36    | 39    |  | 3      | 8.3%     |
| Muscatine | Soybeans  | NON-IRROT | LSFG       |      | 34    | 35    |  | 1      | 2.9%     |
| Muscatine | Soybeans  | NON-IRROT | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| O Brien   | Corn      | I         | BLUE       |      | 113   | 113   |  | 0      | 0.0%     |
| O Brien   | Corn      | I         | GSG        |      | 205   | 205   |  | 0      | 0.0%     |
| O Brien   | Corn      | I         | GSS        |      | 23.7  | 23.7  |  | 0      | 0.0%     |
| O Brien   | Corn      | I         | HAMLS      |      | 205   | 205   |  | 0      | 0.0%     |
| O Brien   | Corn      | I         | WAXY       |      | 205   | 205   |  | 0      | 0.0%     |
| O Brien   | Corn      | I         | WHITE      |      | 205   | 205   |  | 0      | 0.0%     |
| O Brien   | Corn      | IRR OC    | BLUE       |      | 85    | 85    |  | 0      | 0.0%     |
| O Brien   | Corn      | IRR OC    | GSG        |      | 154   | 154   |  | 0      | 0.0%     |
| O Brien   | Corn      | IRR OC    | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| O Brien   | Corn      | IRR OC    | HAMLS      |      | 154   | 154   |  | 0      | 0.0%     |
| O Brien   | Corn      | IRR OC    | WAXY       |      | 154   | 154   |  | 0      | 0.0%     |
| O Brien   | Corn      | IRR OC    | WHITE      |      | 154   | 154   |  | 0      | 0.0%     |
| O Brien   | Corn      | IRR OT    | BLUE       |      | 85    | 85    |  | 0      | 0.0%     |
| O Brien   | Corn      | IRR OT    | GSG        |      | 154   | 154   |  | 0      | 0.0%     |
| O Brien   | Corn      | IRR OT    | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| O Brien   | Corn      | IRR OT    | HAMLS      |      | 154   | 154   |  | 0      | 0.0%     |
| O Brien   | Corn      | IRR OT    | WAXY       |      | 154   | 154   |  | 0      | 0.0%     |
| O Brien   | Corn      | IRR OT    | WHITE      |      | 154   | 154   |  | 0      | 0.0%     |
| O Brien   | Corn      | NI        | BLUE       |      | 113   | 113   |  | 0      | 0.0%     |
| O Brien   | Corn      | NI        | GSG        |      | 205   | 205   |  | 0      | 0.0%     |
| O Brien   | Corn      | NI        | GSS        |      | 23.7  | 23.7  |  | 0      | 0.0%     |
| O Brien   | Corn      | NI        | HAMLS      |      | 205   | 205   |  | 0      | 0.0%     |
| O Brien   | Corn      | NI        | WAXY       |      | 205   | 205   |  | 0      | 0.0%     |
| O Brien   | Corn      | NI        | WHITE      |      | 205   | 205   |  | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|         |           |           |            | Area | Yield | Yield |  |        |          |
| O'Brien | Corn      | NON-IRROC | BLUE       |      | 85    | 85    |  | 0      | 0.0%     |
| O'Brien | Corn      | NON-IRROC | GSG        |      | 154   | 154   |  | 0      | 0.0%     |
| O'Brien | Corn      | NON-IRROC | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| O'Brien | Corn      | NON-IRROC | HAMLS      |      | 154   | 154   |  | 0      | 0.0%     |
| O'Brien | Corn      | NON-IRROC | WAXY       |      | 154   | 154   |  | 0      | 0.0%     |
| O'Brien | Corn      | NON-IRROC | WHITE      |      | 154   | 154   |  | 0      | 0.0%     |
| O'Brien | Corn      | NON-IRROT | BLUE       |      | 85    | 85    |  | 0      | 0.0%     |
| O'Brien | Corn      | NON-IRROT | GSG        |      | 154   | 154   |  | 0      | 0.0%     |
| O'Brien | Corn      | NON-IRROT | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| O'Brien | Corn      | NON-IRROT | HAMLS      |      | 154   | 154   |  | 0      | 0.0%     |
| O'Brien | Corn      | NON-IRROT | WAXY       |      | 154   | 154   |  | 0      | 0.0%     |
| O'Brien | Corn      | NON-IRROT | WHITE      |      | 154   | 154   |  | 0      | 0.0%     |
| O'Brien | Oats      | I         | S          |      | 79    | 71    |  | -8     | -10.1%   |
| O'Brien | Oats      | IRR OC    | S          |      | 79    | 64    |  | -15    | -19.0%   |
| O'Brien | Oats      | IRR OT    | S          |      | 79    | 64    |  | -15    | -19.0%   |
| O'Brien | Oats      | NI        | S          |      | 74    | 71    |  | -3     | -4.1%    |
| O'Brien | Oats      | NON-IRROC | S          |      | 74    | 64    |  | -10    | -13.5%   |
| O'Brien | Oats      | NON-IRROT | S          |      | 74    | 64    |  | -10    | -13.5%   |
| O'Brien | Soybeans  | I         | ALLOTHFDGD |      | 55    | 62    |  | 7      | 12.7%    |
| O'Brien | Soybeans  | I         | COMM       |      | 59    | 62    |  | 3      | 5.1%     |
| O'Brien | Soybeans  | I         | HP         |      | 55    | 57    |  | 2      | 3.6%     |
| O'Brien | Soybeans  | I         | LLA        |      | 55    | 57    |  | 2      | 3.6%     |
| O'Brien | Soybeans  | I         | LSF        |      | 55    | 57    |  | 2      | 3.6%     |
| O'Brien | Soybeans  | I         | LSFG       |      | 50    | 53    |  | 3      | 6.0%     |
| O'Brien | Soybeans  | I         | SSFG       |      | 41    | 43    |  | 2      | 4.9%     |
| O'Brien | Soybeans  | IRR OC    | ALLOTHFDGD |      | 39    | 43    |  | 4      | 10.3%    |
| O'Brien | Soybeans  | IRR OC    | COMM       |      | 41    | 43    |  | 2      | 4.9%     |
| O'Brien | Soybeans  | IRR OC    | HP         |      | 39    | 40    |  | 1      | 2.6%     |
| O'Brien | Soybeans  | IRR OC    | LLA        |      | 39    | 40    |  | 1      | 2.6%     |
| O'Brien | Soybeans  | IRR OC    | LSF        |      | 39    | 40    |  | 1      | 2.6%     |
| O'Brien | Soybeans  | IRR OC    | LSFG       |      | 35    | 37    |  | 2      | 5.7%     |
| O'Brien | Soybeans  | IRR OC    | SSFG       |      | 29    | 30    |  | 1      | 3.4%     |
| O'Brien | Soybeans  | IRR OT    | ALLOTHFDGD |      | 39    | 43    |  | 4      | 10.3%    |
| O'Brien | Soybeans  | IRR OT    | COMM       |      | 41    | 43    |  | 2      | 4.9%     |
| O'Brien | Soybeans  | IRR OT    | HP         |      | 39    | 40    |  | 1      | 2.6%     |
| O'Brien | Soybeans  | IRR OT    | LLA        |      | 39    | 40    |  | 1      | 2.6%     |
| O'Brien | Soybeans  | IRR OT    | LSF        |      | 39    | 40    |  | 1      | 2.6%     |
| O'Brien | Soybeans  | IRR OT    | LSFG       |      | 35    | 37    |  | 2      | 5.7%     |
| O'Brien | Soybeans  | IRR OT    | SSFG       |      | 29    | 30    |  | 1      | 3.4%     |
| O'Brien | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 37    | 42    |  | 5      | 13.5%    |
| O'Brien | Soybeans  | NC IRROC  | COMM       |      | 40    | 42    |  | 2      | 5.0%     |
| O'Brien | Soybeans  | NC IRROC  | HP         |      | 37    | 39    |  | 2      | 5.4%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|------------|------------|------|-------|-------|--------|----------|
|         |           |            |            |      | Yield | Yield |        |          |
| O'Brien | Soybeans  | NC IRROC   | LLA        |      | 37    | 39    | 2      | 5.4%     |
| O'Brien | Soybeans  | NC IRROC   | LSF        |      | 37    | 39    | 2      | 5.4%     |
| O'Brien | Soybeans  | NC IRROC   | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| O'Brien | Soybeans  | NC IRROC   | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| O'Brien | Soybeans  | NC IRRROT  | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| O'Brien | Soybeans  | NC IRRROT  | COMM       |      | 40    | 42    | 2      | 5.0%     |
| O'Brien | Soybeans  | NC IRRROT  | HP         |      | 37    | 39    | 2      | 5.4%     |
| O'Brien | Soybeans  | NC IRRROT  | LLA        |      | 37    | 39    | 2      | 5.4%     |
| O'Brien | Soybeans  | NC IRRROT  | LSF        |      | 37    | 39    | 2      | 5.4%     |
| O'Brien | Soybeans  | NC IRRROT  | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| O'Brien | Soybeans  | NC IRRROT  | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| O'Brien | Soybeans  | NC NIOC    | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| O'Brien | Soybeans  | NC NIOC    | COMM       |      | 40    | 42    | 2      | 5.0%     |
| O'Brien | Soybeans  | NC NIOC    | HP         |      | 37    | 39    | 2      | 5.4%     |
| O'Brien | Soybeans  | NC NIOC    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| O'Brien | Soybeans  | NC NIOC    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| O'Brien | Soybeans  | NC NIOC    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| O'Brien | Soybeans  | NC NIOC    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| O'Brien | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| O'Brien | Soybeans  | NC NIOT    | COMM       |      | 40    | 42    | 2      | 5.0%     |
| O'Brien | Soybeans  | NC NIOT    | HP         |      | 37    | 39    | 2      | 5.4%     |
| O'Brien | Soybeans  | NC NIOT    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| O'Brien | Soybeans  | NC NIOT    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| O'Brien | Soybeans  | NC NIOT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| O'Brien | Soybeans  | NC NIOT    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| O'Brien | Soybeans  | NI         | ALLOTHFDGD |      | 55    | 62    | 7      | 12.7%    |
| O'Brien | Soybeans  | NI         | COMM       |      | 59    | 62    | 3      | 5.1%     |
| O'Brien | Soybeans  | NI         | HP         |      | 55    | 57    | 2      | 3.6%     |
| O'Brien | Soybeans  | NI         | LLA        |      | 55    | 57    | 2      | 3.6%     |
| O'Brien | Soybeans  | NI         | LSF        |      | 55    | 57    | 2      | 3.6%     |
| O'Brien | Soybeans  | NI         | LSFG       |      | 50    | 53    | 3      | 6.0%     |
| O'Brien | Soybeans  | NI         | SSFG       |      | 41    | 43    | 2      | 4.9%     |
| O'Brien | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| O'Brien | Soybeans  | NON-IRROC  | COMM       |      | 41    | 43    | 2      | 4.9%     |
| O'Brien | Soybeans  | NON-IRROC  | HP         |      | 39    | 40    | 1      | 2.6%     |
| O'Brien | Soybeans  | NON-IRROC  | LLA        |      | 39    | 40    | 1      | 2.6%     |
| O'Brien | Soybeans  | NON-IRROC  | LSF        |      | 39    | 40    | 1      | 2.6%     |
| O'Brien | Soybeans  | NON-IRROC  | LSFG       |      | 35    | 37    | 2      | 5.7%     |
| O'Brien | Soybeans  | NON-IRROC  | SSFG       |      | 29    | 30    | 1      | 3.4%     |
| O'Brien | Soybeans  | NON-IRRROT | ALLOTHFDGD |      | 39    | 43    | 4      | 10.3%    |
| O'Brien | Soybeans  | NON-IRRROT | COMM       |      | 41    | 43    | 2      | 4.9%     |
| O'Brien | Soybeans  | NON-IRRROT | HP         |      | 39    | 40    | 1      | 2.6%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice   | Type       | 2023 |       | 2024  |  | Change | % Change |
|---------|-----------|------------|------------|------|-------|-------|--|--------|----------|
|         |           |            |            | Area | Yield | Yield |  |        |          |
| O'Brien | Soybeans  | NON-IRROT  | LLA        |      | 39    | 40    |  | 1      | 2.6%     |
| O'Brien | Soybeans  | NON-IRROT  | LSF        |      | 39    | 40    |  | 1      | 2.6%     |
| O'Brien | Soybeans  | NON-IRROT  | LSFG       |      | 35    | 37    |  | 2      | 5.7%     |
| O'Brien | Soybeans  | NON-IRROT  | SSFG       |      | 29    | 30    |  | 1      | 3.4%     |
| O'Brien | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 53    | 60    |  | 7      | 13.2%    |
| O'Brien | Soybeans  | NONCON IRR | COMM       |      | 57    | 60    |  | 3      | 5.3%     |
| O'Brien | Soybeans  | NONCON IRR | HP         |      | 53    | 56    |  | 3      | 5.7%     |
| O'Brien | Soybeans  | NONCON IRR | LLA        |      | 53    | 56    |  | 3      | 5.7%     |
| O'Brien | Soybeans  | NONCON IRR | LSF        |      | 53    | 56    |  | 3      | 5.7%     |
| O'Brien | Soybeans  | NONCON IRR | LSFG       |      | 48    | 51    |  | 3      | 6.3%     |
| O'Brien | Soybeans  | NONCON IRR | SSFG       |      | 40    | 42    |  | 2      | 5.0%     |
| O'Brien | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 53    | 60    |  | 7      | 13.2%    |
| O'Brien | Soybeans  | NONCON NI  | COMM       |      | 57    | 60    |  | 3      | 5.3%     |
| O'Brien | Soybeans  | NONCON NI  | HP         |      | 53    | 56    |  | 3      | 5.7%     |
| O'Brien | Soybeans  | NONCON NI  | LLA        |      | 53    | 56    |  | 3      | 5.7%     |
| O'Brien | Soybeans  | NONCON NI  | LSF        |      | 53    | 56    |  | 3      | 5.7%     |
| O'Brien | Soybeans  | NONCON NI  | LSFG       |      | 48    | 51    |  | 3      | 6.3%     |
| O'Brien | Soybeans  | NONCON NI  | SSFG       |      | 40    | 42    |  | 2      | 5.0%     |
| Osceola | Corn      | I          | BLUE       |      | 107   | 107   |  | 0      | 0.0%     |
| Osceola | Corn      | I          | GSG        |      | 194   | 194   |  | 0      | 0.0%     |
| Osceola | Corn      | I          | GSS        |      | 23.7  | 23.7  |  | 0      | 0.0%     |
| Osceola | Corn      | I          | HAMLS      |      | 194   | 194   |  | 0      | 0.0%     |
| Osceola | Corn      | I          | WAXY       |      | 194   | 194   |  | 0      | 0.0%     |
| Osceola | Corn      | I          | WHITE      |      | 194   | 194   |  | 0      | 0.0%     |
| Osceola | Corn      | IRR OC     | BLUE       |      | 80    | 80    |  | 0      | 0.0%     |
| Osceola | Corn      | IRR OC     | GSG        |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | IRR OC     | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Osceola | Corn      | IRR OC     | HAMLS      |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | IRR OC     | WAXY       |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | IRR OC     | WHITE      |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | IRR OT     | BLUE       |      | 80    | 80    |  | 0      | 0.0%     |
| Osceola | Corn      | IRR OT     | GSG        |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | IRR OT     | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Osceola | Corn      | IRR OT     | HAMLS      |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | IRR OT     | WAXY       |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | IRR OT     | WHITE      |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | NI         | BLUE       |      | 107   | 107   |  | 0      | 0.0%     |
| Osceola | Corn      | NI         | GSG        |      | 194   | 194   |  | 0      | 0.0%     |
| Osceola | Corn      | NI         | GSS        |      | 23.7  | 23.7  |  | 0      | 0.0%     |
| Osceola | Corn      | NI         | HAMLS      |      | 194   | 194   |  | 0      | 0.0%     |
| Osceola | Corn      | NI         | WAXY       |      | 194   | 194   |  | 0      | 0.0%     |
| Osceola | Corn      | NI         | WHITE      |      | 194   | 194   |  | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|         |           |           |            | Area | Yield | Yield |  |        |          |
| Osceola | Corn      | NON-IRROC | BLUE       |      | 80    | 80    |  | 0      | 0.0%     |
| Osceola | Corn      | NON-IRROC | GSG        |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | NON-IRROC | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Osceola | Corn      | NON-IRROC | HAMLS      |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | NON-IRROC | WAXY       |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | NON-IRROC | WHITE      |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | NON-IRROT | BLUE       |      | 80    | 80    |  | 0      | 0.0%     |
| Osceola | Corn      | NON-IRROT | GSG        |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | NON-IRROT | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Osceola | Corn      | NON-IRROT | HAMLS      |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | NON-IRROT | WAXY       |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Corn      | NON-IRROT | WHITE      |      | 146   | 146   |  | 0      | 0.0%     |
| Osceola | Oats      | I         | S          |      | 81    | 78    |  | -3     | -3.7%    |
| Osceola | Oats      | IRR OC    | S          |      | 81    | 70    |  | -11    | -13.6%   |
| Osceola | Oats      | IRR OT    | S          |      | 81    | 70    |  | -11    | -13.6%   |
| Osceola | Oats      | NI        | S          |      | 81    | 78    |  | -3     | -3.7%    |
| Osceola | Oats      | NON-IRROC | S          |      | 81    | 70    |  | -11    | -13.6%   |
| Osceola | Oats      | NON-IRROT | S          |      | 81    | 70    |  | -11    | -13.6%   |
| Osceola | Soybeans  | I         | ALLOTHFDGD |      | 52    | 58    |  | 6      | 11.5%    |
| Osceola | Soybeans  | I         | COMM       |      | 56    | 58    |  | 2      | 3.6%     |
| Osceola | Soybeans  | I         | HP         |      | 52    | 54    |  | 2      | 3.8%     |
| Osceola | Soybeans  | I         | LLA        |      | 52    | 54    |  | 2      | 3.8%     |
| Osceola | Soybeans  | I         | LSF        |      | 52    | 54    |  | 2      | 3.8%     |
| Osceola | Soybeans  | I         | LSFG       |      | 48    | 49    |  | 1      | 2.1%     |
| Osceola | Soybeans  | I         | SSFG       |      | 39    | 41    |  | 2      | 5.1%     |
| Osceola | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 41    |  | 5      | 13.9%    |
| Osceola | Soybeans  | IRR OC    | COMM       |      | 39    | 41    |  | 2      | 5.1%     |
| Osceola | Soybeans  | IRR OC    | HP         |      | 36    | 38    |  | 2      | 5.6%     |
| Osceola | Soybeans  | IRR OC    | LLA        |      | 36    | 38    |  | 2      | 5.6%     |
| Osceola | Soybeans  | IRR OC    | LSF        |      | 36    | 38    |  | 2      | 5.6%     |
| Osceola | Soybeans  | IRR OC    | LSFG       |      | 34    | 34    |  | 0      | 0.0%     |
| Osceola | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Osceola | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 41    |  | 5      | 13.9%    |
| Osceola | Soybeans  | IRR OT    | COMM       |      | 39    | 41    |  | 2      | 5.1%     |
| Osceola | Soybeans  | IRR OT    | HP         |      | 36    | 38    |  | 2      | 5.6%     |
| Osceola | Soybeans  | IRR OT    | LLA        |      | 36    | 38    |  | 2      | 5.6%     |
| Osceola | Soybeans  | IRR OT    | LSF        |      | 36    | 38    |  | 2      | 5.6%     |
| Osceola | Soybeans  | IRR OT    | LSFG       |      | 34    | 34    |  | 0      | 0.0%     |
| Osceola | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Osceola | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 36    | 39    |  | 3      | 8.3%     |
| Osceola | Soybeans  | NC IRROC  | COMM       |      | 39    | 39    |  | 0      | 0.0%     |
| Osceola | Soybeans  | NC IRROC  | HP         |      | 36    | 36    |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|------------|------------|------|-------|-------|--------|----------|
|         |           |            |            |      | Yield | Yield |        |          |
| Osceola | Soybeans  | NC IRROC   | LLA        |      | 36    | 36    | 0      | 0.0%     |
| Osceola | Soybeans  | NC IRROC   | LSF        |      | 36    | 36    | 0      | 0.0%     |
| Osceola | Soybeans  | NC IRROC   | LSFG       |      | 34    | 33    | -1     | -2.9%    |
| Osceola | Soybeans  | NC IRROC   | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Osceola | Soybeans  | NC IRRROT  | ALLOTHFDGD |      | 36    | 39    | 3      | 8.3%     |
| Osceola | Soybeans  | NC IRRROT  | COMM       |      | 39    | 39    | 0      | 0.0%     |
| Osceola | Soybeans  | NC IRRROT  | HP         |      | 36    | 36    | 0      | 0.0%     |
| Osceola | Soybeans  | NC IRRROT  | LLA        |      | 36    | 36    | 0      | 0.0%     |
| Osceola | Soybeans  | NC IRRROT  | LSF        |      | 36    | 36    | 0      | 0.0%     |
| Osceola | Soybeans  | NC IRRROT  | LSFG       |      | 34    | 33    | -1     | -2.9%    |
| Osceola | Soybeans  | NC IRRROT  | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Osceola | Soybeans  | NC NIOC    | ALLOTHFDGD |      | 36    | 39    | 3      | 8.3%     |
| Osceola | Soybeans  | NC NIOC    | COMM       |      | 39    | 39    | 0      | 0.0%     |
| Osceola | Soybeans  | NC NIOC    | HP         |      | 36    | 36    | 0      | 0.0%     |
| Osceola | Soybeans  | NC NIOC    | LLA        |      | 36    | 36    | 0      | 0.0%     |
| Osceola | Soybeans  | NC NIOC    | LSF        |      | 36    | 36    | 0      | 0.0%     |
| Osceola | Soybeans  | NC NIOC    | LSFG       |      | 34    | 33    | -1     | -2.9%    |
| Osceola | Soybeans  | NC NIOC    | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Osceola | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 36    | 39    | 3      | 8.3%     |
| Osceola | Soybeans  | NC NIOT    | COMM       |      | 39    | 39    | 0      | 0.0%     |
| Osceola | Soybeans  | NC NIOT    | HP         |      | 36    | 36    | 0      | 0.0%     |
| Osceola | Soybeans  | NC NIOT    | LLA        |      | 36    | 36    | 0      | 0.0%     |
| Osceola | Soybeans  | NC NIOT    | LSF        |      | 36    | 36    | 0      | 0.0%     |
| Osceola | Soybeans  | NC NIOT    | LSFG       |      | 34    | 33    | -1     | -2.9%    |
| Osceola | Soybeans  | NC NIOT    | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Osceola | Soybeans  | NI         | ALLOTHFDGD |      | 52    | 58    | 6      | 11.5%    |
| Osceola | Soybeans  | NI         | COMM       |      | 56    | 58    | 2      | 3.6%     |
| Osceola | Soybeans  | NI         | HP         |      | 52    | 54    | 2      | 3.8%     |
| Osceola | Soybeans  | NI         | LLA        |      | 52    | 54    | 2      | 3.8%     |
| Osceola | Soybeans  | NI         | LSF        |      | 52    | 54    | 2      | 3.8%     |
| Osceola | Soybeans  | NI         | LSFG       |      | 48    | 49    | 1      | 2.1%     |
| Osceola | Soybeans  | NI         | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Osceola | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Osceola | Soybeans  | NON-IRROC  | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Osceola | Soybeans  | NON-IRROC  | HP         |      | 36    | 38    | 2      | 5.6%     |
| Osceola | Soybeans  | NON-IRROC  | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Osceola | Soybeans  | NON-IRROC  | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Osceola | Soybeans  | NON-IRROC  | LSFG       |      | 34    | 34    | 0      | 0.0%     |
| Osceola | Soybeans  | NON-IRROC  | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Osceola | Soybeans  | NON-IRRROT | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Osceola | Soybeans  | NON-IRRROT | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Osceola | Soybeans  | NON-IRRROT | HP         |      | 36    | 38    | 2      | 5.6%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name | Practice   | Type       | 2023 |       | 2024  |  | Change | % Change |
|---------|-----------|------------|------------|------|-------|-------|--|--------|----------|
|         |           |            |            | Area | Yield | Yield |  |        |          |
| Osceola | Soybeans  | NON-IRROT  | LLA        |      | 36    | 38    |  | 2      | 5.6%     |
| Osceola | Soybeans  | NON-IRROT  | LSF        |      | 36    | 38    |  | 2      | 5.6%     |
| Osceola | Soybeans  | NON-IRROT  | LSFG       |      | 34    | 34    |  | 0      | 0.0%     |
| Osceola | Soybeans  | NON-IRROT  | SSFG       |      | 27    | 29    |  | 2      | 7.4%     |
| Osceola | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 52    | 55    |  | 3      | 5.8%     |
| Osceola | Soybeans  | NONCON IRR | COMM       |      | 56    | 55    |  | -1     | -1.8%    |
| Osceola | Soybeans  | NONCON IRR | HP         |      | 52    | 51    |  | -1     | -1.9%    |
| Osceola | Soybeans  | NONCON IRR | LLA        |      | 52    | 51    |  | -1     | -1.9%    |
| Osceola | Soybeans  | NONCON IRR | LSF        |      | 52    | 51    |  | -1     | -1.9%    |
| Osceola | Soybeans  | NONCON IRR | LSFG       |      | 48    | 47    |  | -1     | -2.1%    |
| Osceola | Soybeans  | NONCON IRR | SSFG       |      | 39    | 39    |  | 0      | 0.0%     |
| Osceola | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 52    | 55    |  | 3      | 5.8%     |
| Osceola | Soybeans  | NONCON NI  | COMM       |      | 56    | 55    |  | -1     | -1.8%    |
| Osceola | Soybeans  | NONCON NI  | HP         |      | 52    | 51    |  | -1     | -1.9%    |
| Osceola | Soybeans  | NONCON NI  | LLA        |      | 52    | 51    |  | -1     | -1.9%    |
| Osceola | Soybeans  | NONCON NI  | LSF        |      | 52    | 51    |  | -1     | -1.9%    |
| Osceola | Soybeans  | NONCON NI  | LSFG       |      | 48    | 47    |  | -1     | -2.1%    |
| Osceola | Soybeans  | NONCON NI  | SSFG       |      | 39    | 39    |  | 0      | 0.0%     |
| Page    | Corn      | I          | BLUE       |      | 103   | 103   |  | 0      | 0.0%     |
| Page    | Corn      | I          | GSG        |      | 188   | 188   |  | 0      | 0.0%     |
| Page    | Corn      | I          | HAMLS      |      | 188   | 188   |  | 0      | 0.0%     |
| Page    | Corn      | I          | HAMOS      |      | 132   | 132   |  | 0      | 0.0%     |
| Page    | Corn      | I          | WAXY       |      | 188   | 188   |  | 0      | 0.0%     |
| Page    | Corn      | I          | WHITE      |      | 188   | 188   |  | 0      | 0.0%     |
| Page    | Corn      | IRR OC     | BLUE       |      | 77    | 77    |  | 0      | 0.0%     |
| Page    | Corn      | IRR OC     | GSG        |      | 141   | 141   |  | 0      | 0.0%     |
| Page    | Corn      | IRR OC     | HAMLS      |      | 141   | 141   |  | 0      | 0.0%     |
| Page    | Corn      | IRR OC     | HAMOS      |      | 99    | 99    |  | 0      | 0.0%     |
| Page    | Corn      | IRR OC     | WAXY       |      | 141   | 141   |  | 0      | 0.0%     |
| Page    | Corn      | IRR OC     | WHITE      |      | 141   | 141   |  | 0      | 0.0%     |
| Page    | Corn      | IRR OT     | BLUE       |      | 77    | 77    |  | 0      | 0.0%     |
| Page    | Corn      | IRR OT     | GSG        |      | 141   | 141   |  | 0      | 0.0%     |
| Page    | Corn      | IRR OT     | HAMLS      |      | 141   | 141   |  | 0      | 0.0%     |
| Page    | Corn      | IRR OT     | HAMOS      |      | 99    | 99    |  | 0      | 0.0%     |
| Page    | Corn      | IRR OT     | WAXY       |      | 141   | 141   |  | 0      | 0.0%     |
| Page    | Corn      | IRR OT     | WHITE      |      | 141   | 141   |  | 0      | 0.0%     |
| Page    | Corn      | NI         | BLUE       |      | 99    | 99    |  | 0      | 0.0%     |
| Page    | Corn      | NI         | GSG        |      | 180   | 180   |  | 0      | 0.0%     |
| Page    | Corn      | NI         | HAMLS      |      | 180   | 180   |  | 0      | 0.0%     |
| Page    | Corn      | NI         | HAMOS      |      | 126   | 126   |  | 0      | 0.0%     |
| Page    | Corn      | NI         | WAXY       |      | 180   | 180   |  | 0      | 0.0%     |
| Page    | Corn      | NI         | WHITE      |      | 180   | 180   |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name     | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|---------------|-----------|------------|------|-------|-------|--|--------|----------|
|        |               |           |            | Area | Yield | Yield |  |        |          |
| Page   | Corn          | NON-IRROC | BLUE       |      | 74    | 74    |  | 0      | 0.0%     |
| Page   | Corn          | NON-IRROC | GSG        |      | 135   | 135   |  | 0      | 0.0%     |
| Page   | Corn          | NON-IRROC | HAMLS      |      | 135   | 135   |  | 0      | 0.0%     |
| Page   | Corn          | NON-IRROC | HAMOS      |      | 95    | 95    |  | 0      | 0.0%     |
| Page   | Corn          | NON-IRROC | WAXY       |      | 135   | 135   |  | 0      | 0.0%     |
| Page   | Corn          | NON-IRROC | WHITE      |      | 135   | 135   |  | 0      | 0.0%     |
| Page   | Corn          | NON-IRROT | BLUE       |      | 74    | 74    |  | 0      | 0.0%     |
| Page   | Corn          | NON-IRROT | GSG        |      | 135   | 135   |  | 0      | 0.0%     |
| Page   | Corn          | NON-IRROT | HAMLS      |      | 135   | 135   |  | 0      | 0.0%     |
| Page   | Corn          | NON-IRROT | HAMOS      |      | 95    | 95    |  | 0      | 0.0%     |
| Page   | Corn          | NON-IRROT | WAXY       |      | 135   | 135   |  | 0      | 0.0%     |
| Page   | Corn          | NON-IRROT | WHITE      |      | 135   | 135   |  | 0      | 0.0%     |
| Page   | Grain Sorghum | I         | NTS        |      | 77    | 77    |  | 0      | 0.0%     |
| Page   | Grain Sorghum | IRR OC    | NTS        |      | 50    | 50    |  | 0      | 0.0%     |
| Page   | Grain Sorghum | IRR OT    | NTS        |      | 50    | 50    |  | 0      | 0.0%     |
| Page   | Grain Sorghum | NI        | NTS        |      | 77    | 77    |  | 0      | 0.0%     |
| Page   | Grain Sorghum | NON-IRROC | NTS        |      | 50    | 50    |  | 0      | 0.0%     |
| Page   | Grain Sorghum | NON-IRROT | NTS        |      | 50    | 50    |  | 0      | 0.0%     |
| Page   | Oats          | I         | S          |      | 65    | 65    |  | 0      | 0.0%     |
| Page   | Oats          | IRR OC    | S          |      | 65    | 59    |  | -6     | -9.2%    |
| Page   | Oats          | IRR OT    | S          |      | 65    | 59    |  | -6     | -9.2%    |
| Page   | Oats          | NI        | S          |      | 65    | 65    |  | 0      | 0.0%     |
| Page   | Oats          | NON-IRROC | S          |      | 65    | 59    |  | -6     | -9.2%    |
| Page   | Oats          | NON-IRROT | S          |      | 65    | 59    |  | -6     | -9.2%    |
| Page   | Soybeans      | I         | ALLOTHFDGD |      | 48    | 61    |  | 13     | 27.1%    |
| Page   | Soybeans      | I         | COMM       |      | 52    | 61    |  | 9      | 17.3%    |
| Page   | Soybeans      | I         | HP         |      | 48    | 56    |  | 8      | 16.7%    |
| Page   | Soybeans      | I         | LLA        |      | 48    | 56    |  | 8      | 16.7%    |
| Page   | Soybeans      | I         | LSF        |      | 48    | 56    |  | 8      | 16.7%    |
| Page   | Soybeans      | I         | LSFG       |      | 44    | 52    |  | 8      | 18.2%    |
| Page   | Soybeans      | I         | SSFG       |      | 36    | 43    |  | 7      | 19.4%    |
| Page   | Soybeans      | IRR OC    | ALLOTHFDGD |      | 34    | 43    |  | 9      | 26.5%    |
| Page   | Soybeans      | IRR OC    | COMM       |      | 36    | 43    |  | 7      | 19.4%    |
| Page   | Soybeans      | IRR OC    | HP         |      | 34    | 39    |  | 5      | 14.7%    |
| Page   | Soybeans      | IRR OC    | LLA        |      | 34    | 39    |  | 5      | 14.7%    |
| Page   | Soybeans      | IRR OC    | LSF        |      | 34    | 39    |  | 5      | 14.7%    |
| Page   | Soybeans      | IRR OC    | LSFG       |      | 31    | 36    |  | 5      | 16.1%    |
| Page   | Soybeans      | IRR OC    | SSFG       |      | 25    | 30    |  | 5      | 20.0%    |
| Page   | Soybeans      | IRR OT    | ALLOTHFDGD |      | 34    | 43    |  | 9      | 26.5%    |
| Page   | Soybeans      | IRR OT    | COMM       |      | 36    | 43    |  | 7      | 19.4%    |
| Page   | Soybeans      | IRR OT    | HP         |      | 34    | 39    |  | 5      | 14.7%    |
| Page   | Soybeans      | IRR OT    | LLA        |      | 34    | 39    |  | 5      | 14.7%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County    | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|           |           |           |            |      | Yield | Yield |        |          |
| Page      | Soybeans  | IRR OT    | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Page      | Soybeans  | IRR OT    | LSFG       |      | 31    | 36    | 5      | 16.1%    |
| Page      | Soybeans  | IRR OT    | SSFG       |      | 25    | 30    | 5      | 20.0%    |
| Page      | Soybeans  | NI        | ALLOTHFDGD |      | 47    | 55    | 8      | 17.0%    |
| Page      | Soybeans  | NI        | COMM       |      | 51    | 55    | 4      | 7.8%     |
| Page      | Soybeans  | NI        | HP         |      | 47    | 51    | 4      | 8.5%     |
| Page      | Soybeans  | NI        | LLA        |      | 47    | 51    | 4      | 8.5%     |
| Page      | Soybeans  | NI        | LSF        |      | 47    | 51    | 4      | 8.5%     |
| Page      | Soybeans  | NI        | LSFG       |      | 43    | 47    | 4      | 9.3%     |
| Page      | Soybeans  | NI        | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Page      | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Page      | Soybeans  | NON-IRROC | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Page      | Soybeans  | NON-IRROC | HP         |      | 33    | 36    | 3      | 9.1%     |
| Page      | Soybeans  | NON-IRROC | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Page      | Soybeans  | NON-IRROC | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Page      | Soybeans  | NON-IRROC | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Page      | Soybeans  | NON-IRROC | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Page      | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Page      | Soybeans  | NON-IRROT | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Page      | Soybeans  | NON-IRROT | HP         |      | 33    | 36    | 3      | 9.1%     |
| Page      | Soybeans  | NON-IRROT | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Page      | Soybeans  | NON-IRROT | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Page      | Soybeans  | NON-IRROT | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Page      | Soybeans  | NON-IRROT | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Palo Alto | Corn      | I         | GSG        |      | 186   | 186   | 0      | 0.0%     |
| Palo Alto | Corn      | I         | HAMLS      |      | 186   | 186   | 0      | 0.0%     |
| Palo Alto | Corn      | I         | WAXY       |      | 186   | 186   | 0      | 0.0%     |
| Palo Alto | Corn      | I         | WHITE      |      | 186   | 186   | 0      | 0.0%     |
| Palo Alto | Corn      | IRR OC    | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Palo Alto | Corn      | IRR OC    | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Palo Alto | Corn      | IRR OC    | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Palo Alto | Corn      | IRR OC    | WHITE      |      | 140   | 140   | 0      | 0.0%     |
| Palo Alto | Corn      | IRR OT    | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Palo Alto | Corn      | IRR OT    | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Palo Alto | Corn      | IRR OT    | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Palo Alto | Corn      | IRR OT    | WHITE      |      | 140   | 140   | 0      | 0.0%     |
| Palo Alto | Corn      | NI        | GSG        |      | 186   | 186   | 0      | 0.0%     |
| Palo Alto | Corn      | NI        | HAMLS      |      | 186   | 186   | 0      | 0.0%     |
| Palo Alto | Corn      | NI        | WAXY       |      | 186   | 186   | 0      | 0.0%     |
| Palo Alto | Corn      | NI        | WHITE      |      | 186   | 186   | 0      | 0.0%     |
| Palo Alto | Corn      | NON-IRROC | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Palo Alto | Corn      | NON-IRROC | HAMLS      |      | 140   | 140   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name  | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|-----------|------------|-----------|------------|------|-------|-------|--|--------|----------|
|           |            |           |            | Area | Yield | Yield |  |        |          |
| Palo Alto | Corn       | NON-IRROC | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Palo Alto | Corn       | NON-IRROC | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Palo Alto | Corn       | NON-IRROT | GSG        |      | 140   | 140   |  | 0      | 0.0%     |
| Palo Alto | Corn       | NON-IRROT | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Palo Alto | Corn       | NON-IRROT | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Palo Alto | Corn       | NON-IRROT | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Palo Alto | Green Peas | I         | SESP       |      | 3182  | 3182  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | I         | SLSP       |      | 3380  | 3380  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | I         | SMSP       |      | 3579  | 3579  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | IRR OC    | SESP       |      | 2068  | 2068  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | IRR OC    | SLSP       |      | 2197  | 2197  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | IRR OC    | SMSP       |      | 2326  | 2326  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | IRR OT    | SESP       |      | 2068  | 2068  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | IRR OT    | SLSP       |      | 2197  | 2197  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | IRR OT    | SMSP       |      | 2326  | 2326  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | NI        | SESP       |      | 2743  | 2743  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | NI        | SLSP       |      | 2914  | 2914  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | NI        | SMSP       |      | 3085  | 3085  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | NON-IRROC | SESP       |      | 1783  | 1783  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | NON-IRROC | SLSP       |      | 1894  | 1894  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | NON-IRROC | SMSP       |      | 2005  | 2005  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | NON-IRROT | SESP       |      | 1783  | 1783  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | NON-IRROT | SLSP       |      | 1894  | 1894  |  | 0      | 0.0%     |
| Palo Alto | Green Peas | NON-IRROT | SMSP       |      | 2005  | 2005  |  | 0      | 0.0%     |
| Palo Alto | Oats       | I         | S          |      | 79    | 71    |  | -8     | -10.1%   |
| Palo Alto | Oats       | IRR OC    | S          |      | 79    | 64    |  | -15    | -19.0%   |
| Palo Alto | Oats       | IRR OT    | S          |      | 79    | 64    |  | -15    | -19.0%   |
| Palo Alto | Oats       | NI        | S          |      | 77    | 71    |  | -6     | -7.8%    |
| Palo Alto | Oats       | NON-IRROC | S          |      | 77    | 64    |  | -13    | -16.9%   |
| Palo Alto | Oats       | NON-IRROT | S          |      | 77    | 64    |  | -13    | -16.9%   |
| Palo Alto | Popcorn    | I         | NTS        |      | 4910  | 4910  |  | 0      | 0.0%     |
| Palo Alto | Popcorn    | IRR OC    | NTS        |      | 3437  | 3437  |  | 0      | 0.0%     |
| Palo Alto | Popcorn    | IRR OT    | NTS        |      | 3437  | 3437  |  | 0      | 0.0%     |
| Palo Alto | Popcorn    | NI        | NTS        |      | 4910  | 4910  |  | 0      | 0.0%     |
| Palo Alto | Popcorn    | NON-IRROC | NTS        |      | 3437  | 3437  |  | 0      | 0.0%     |
| Palo Alto | Popcorn    | NON-IRROT | NTS        |      | 3437  | 3437  |  | 0      | 0.0%     |
| Palo Alto | Soybeans   | I         | ALLOTHFDGD |      | 48    | 55    |  | 7      | 14.6%    |
| Palo Alto | Soybeans   | I         | COMM       |      | 52    | 55    |  | 3      | 5.8%     |
| Palo Alto | Soybeans   | I         | HP         |      | 48    | 51    |  | 3      | 6.3%     |
| Palo Alto | Soybeans   | I         | LLA        |      | 48    | 51    |  | 3      | 6.3%     |
| Palo Alto | Soybeans   | I         | LSF        |      | 48    | 51    |  | 3      | 6.3%     |
| Palo Alto | Soybeans   | I         | LSFG       |      | 44    | 47    |  | 3      | 6.8%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County    | Crop Name | Practice | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|----------|------------|------|-------|-------|--------|----------|
|           |           |          |            |      | Yield | Yield |        |          |
| Palo Alto | Soybeans  | I        | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Palo Alto | Soybeans  | IRR OC   | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Palo Alto | Soybeans  | IRR OC   | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Palo Alto | Soybeans  | IRR OC   | HP         |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | IRR OC   | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | IRR OC   | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | IRR OC   | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Palo Alto | Soybeans  | IRR OC   | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Palo Alto | Soybeans  | IRR OT   | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Palo Alto | Soybeans  | IRR OT   | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Palo Alto | Soybeans  | IRR OT   | HP         |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | IRR OT   | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | IRR OT   | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | IRR OT   | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Palo Alto | Soybeans  | IRR OT   | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Palo Alto | Soybeans  | NC IRROC | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Palo Alto | Soybeans  | NC IRROC | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Palo Alto | Soybeans  | NC IRROC | HP         |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NC IRROC | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NC IRROC | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NC IRROC | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Palo Alto | Soybeans  | NC IRROC | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Palo Alto | Soybeans  | NC IRROT | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Palo Alto | Soybeans  | NC IRROT | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Palo Alto | Soybeans  | NC IRROT | HP         |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NC IRROT | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NC IRROT | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NC IRROT | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Palo Alto | Soybeans  | NC IRROT | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Palo Alto | Soybeans  | NC NIOC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Palo Alto | Soybeans  | NC NIOC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Palo Alto | Soybeans  | NC NIOC  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NC NIOC  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NC NIOC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NC NIOC  | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Palo Alto | Soybeans  | NC NIOC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Palo Alto | Soybeans  | NC NIOT  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Palo Alto | Soybeans  | NC NIOT  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Palo Alto | Soybeans  | NC NIOT  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NC NIOT  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NC NIOT  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NC NIOT  | LSFG       |      | 31    | 33    | 2      | 6.5%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County    | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|------------|------------|------|-------|-------|--------|----------|
|           |           |            |            |      | Yield | Yield |        |          |
| Palo Alto | Soybeans  | NC NIOT    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Palo Alto | Soybeans  | NI         | ALLOTHFDGD |      | 48    | 55    | 7      | 14.6%    |
| Palo Alto | Soybeans  | NI         | COMM       |      | 52    | 55    | 3      | 5.8%     |
| Palo Alto | Soybeans  | NI         | HP         |      | 48    | 51    | 3      | 6.3%     |
| Palo Alto | Soybeans  | NI         | LLA        |      | 48    | 51    | 3      | 6.3%     |
| Palo Alto | Soybeans  | NI         | LSF        |      | 48    | 51    | 3      | 6.3%     |
| Palo Alto | Soybeans  | NI         | LSFG       |      | 44    | 47    | 3      | 6.8%     |
| Palo Alto | Soybeans  | NI         | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Palo Alto | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Palo Alto | Soybeans  | NON-IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Palo Alto | Soybeans  | NON-IRROC  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NON-IRROC  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NON-IRROC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NON-IRROC  | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Palo Alto | Soybeans  | NON-IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Palo Alto | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Palo Alto | Soybeans  | NON-IRROT  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Palo Alto | Soybeans  | NON-IRROT  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NON-IRROT  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NON-IRROT  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Palo Alto | Soybeans  | NON-IRROT  | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Palo Alto | Soybeans  | NON-IRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Palo Alto | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 48    | 55    | 7      | 14.6%    |
| Palo Alto | Soybeans  | NONCON IRR | COMM       |      | 52    | 55    | 3      | 5.8%     |
| Palo Alto | Soybeans  | NONCON IRR | HP         |      | 48    | 51    | 3      | 6.3%     |
| Palo Alto | Soybeans  | NONCON IRR | LLA        |      | 48    | 51    | 3      | 6.3%     |
| Palo Alto | Soybeans  | NONCON IRR | LSF        |      | 48    | 51    | 3      | 6.3%     |
| Palo Alto | Soybeans  | NONCON IRR | LSFG       |      | 44    | 47    | 3      | 6.8%     |
| Palo Alto | Soybeans  | NONCON IRR | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Palo Alto | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 48    | 55    | 7      | 14.6%    |
| Palo Alto | Soybeans  | NONCON NI  | COMM       |      | 52    | 55    | 3      | 5.8%     |
| Palo Alto | Soybeans  | NONCON NI  | HP         |      | 48    | 51    | 3      | 6.3%     |
| Palo Alto | Soybeans  | NONCON NI  | LLA        |      | 48    | 51    | 3      | 6.3%     |
| Palo Alto | Soybeans  | NONCON NI  | LSF        |      | 48    | 51    | 3      | 6.3%     |
| Palo Alto | Soybeans  | NONCON NI  | LSFG       |      | 44    | 47    | 3      | 6.8%     |
| Palo Alto | Soybeans  | NONCON NI  | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Plymouth  | Corn      | I          | BLUE       |      | 107   | 107   | 0      | 0.0%     |
| Plymouth  | Corn      | I          | GSG        |      | 194   | 194   | 0      | 0.0%     |
| Plymouth  | Corn      | I          | GSS        |      | 23.7  | 23.7  | 0      | 0.0%     |
| Plymouth  | Corn      | I          | HAMLS      |      | 194   | 194   | 0      | 0.0%     |
| Plymouth  | Corn      | I          | WAXY       |      | 194   | 194   | 0      | 0.0%     |
| Plymouth  | Corn      | I          | WHITE      |      | 194   | 194   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|----------|-----------|-----------|-------|------|-------|-------|--|--------|----------|
|          |           |           |       | Area | Yield | Yield |  |        |          |
| Plymouth | Corn      | IRR OC    | BLUE  |      | 80    | 80    |  | 0      | 0.0%     |
| Plymouth | Corn      | IRR OC    | GSG   |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | IRR OC    | GSS   |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Plymouth | Corn      | IRR OC    | HAMLS |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | IRR OC    | WAXY  |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | IRR OC    | WHITE |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | IRR OT    | BLUE  |      | 80    | 80    |  | 0      | 0.0%     |
| Plymouth | Corn      | IRR OT    | GSG   |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | IRR OT    | GSS   |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Plymouth | Corn      | IRR OT    | HAMLS |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | IRR OT    | WAXY  |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | IRR OT    | WHITE |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | NI        | BLUE  |      | 107   | 107   |  | 0      | 0.0%     |
| Plymouth | Corn      | NI        | GSG   |      | 194   | 194   |  | 0      | 0.0%     |
| Plymouth | Corn      | NI        | GSS   |      | 23.7  | 23.7  |  | 0      | 0.0%     |
| Plymouth | Corn      | NI        | HAMLS |      | 194   | 194   |  | 0      | 0.0%     |
| Plymouth | Corn      | NI        | WAXY  |      | 194   | 194   |  | 0      | 0.0%     |
| Plymouth | Corn      | NI        | WHITE |      | 194   | 194   |  | 0      | 0.0%     |
| Plymouth | Corn      | NON-IRROC | BLUE  |      | 80    | 80    |  | 0      | 0.0%     |
| Plymouth | Corn      | NON-IRROC | GSG   |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | NON-IRROC | GSS   |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Plymouth | Corn      | NON-IRROC | HAMLS |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | NON-IRROC | WAXY  |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | NON-IRROC | WHITE |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | NON-IRROT | BLUE  |      | 80    | 80    |  | 0      | 0.0%     |
| Plymouth | Corn      | NON-IRROT | GSG   |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | NON-IRROT | GSS   |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Plymouth | Corn      | NON-IRROT | HAMLS |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | NON-IRROT | WAXY  |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Corn      | NON-IRROT | WHITE |      | 146   | 146   |  | 0      | 0.0%     |
| Plymouth | Oats      | I         | S     |      | 79    | 77    |  | -2     | -2.5%    |
| Plymouth | Oats      | IRR OC    | S     |      | 79    | 69    |  | -10    | -12.7%   |
| Plymouth | Oats      | IRR OT    | S     |      | 79    | 69    |  | -10    | -12.7%   |
| Plymouth | Oats      | NI        | S     |      | 79    | 77    |  | -2     | -2.5%    |
| Plymouth | Oats      | NON-IRROC | S     |      | 79    | 69    |  | -10    | -12.7%   |
| Plymouth | Oats      | NON-IRROT | S     |      | 79    | 69    |  | -10    | -12.7%   |
| Plymouth | Popcorn   | I         | NTS   |      | 4730  | 4730  |  | 0      | 0.0%     |
| Plymouth | Popcorn   | IRR OC    | NTS   |      | 3311  | 3311  |  | 0      | 0.0%     |
| Plymouth | Popcorn   | IRR OT    | NTS   |      | 3311  | 3311  |  | 0      | 0.0%     |
| Plymouth | Popcorn   | NI        | NTS   |      | 4730  | 4730  |  | 0      | 0.0%     |
| Plymouth | Popcorn   | NON-IRROC | NTS   |      | 3311  | 3311  |  | 0      | 0.0%     |
| Plymouth | Popcorn   | NON-IRROT | NTS   |      | 3311  | 3311  |  | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|----------|------------|------|-------|-------|--------|----------|
|          |           |          |            |      | Yield | Yield |        |          |
| Plymouth | Soybeans  | I        | ALLOTHFDGD |      | 54    | 60    | 6      | 11.1%    |
| Plymouth | Soybeans  | I        | COMM       |      | 58    | 60    | 2      | 3.4%     |
| Plymouth | Soybeans  | I        | HP         |      | 54    | 56    | 2      | 3.7%     |
| Plymouth | Soybeans  | I        | LLA        |      | 54    | 56    | 2      | 3.7%     |
| Plymouth | Soybeans  | I        | LSF        |      | 54    | 56    | 2      | 3.7%     |
| Plymouth | Soybeans  | I        | LSFG       |      | 49    | 51    | 2      | 4.1%     |
| Plymouth | Soybeans  | I        | SSFG       |      | 41    | 42    | 1      | 2.4%     |
| Plymouth | Soybeans  | IRR OC   | ALLOTHFDGD |      | 38    | 42    | 4      | 10.5%    |
| Plymouth | Soybeans  | IRR OC   | COMM       |      | 41    | 42    | 1      | 2.4%     |
| Plymouth | Soybeans  | IRR OC   | HP         |      | 38    | 39    | 1      | 2.6%     |
| Plymouth | Soybeans  | IRR OC   | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Plymouth | Soybeans  | IRR OC   | LSF        |      | 38    | 39    | 1      | 2.6%     |
| Plymouth | Soybeans  | IRR OC   | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Plymouth | Soybeans  | IRR OC   | SSFG       |      | 29    | 29    | 0      | 0.0%     |
| Plymouth | Soybeans  | IRR OT   | ALLOTHFDGD |      | 38    | 42    | 4      | 10.5%    |
| Plymouth | Soybeans  | IRR OT   | COMM       |      | 41    | 42    | 1      | 2.4%     |
| Plymouth | Soybeans  | IRR OT   | HP         |      | 38    | 39    | 1      | 2.6%     |
| Plymouth | Soybeans  | IRR OT   | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Plymouth | Soybeans  | IRR OT   | LSF        |      | 38    | 39    | 1      | 2.6%     |
| Plymouth | Soybeans  | IRR OT   | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Plymouth | Soybeans  | IRR OT   | SSFG       |      | 29    | 29    | 0      | 0.0%     |
| Plymouth | Soybeans  | NC IRROC | ALLOTHFDGD |      | 38    | 47    | 9      | 23.7%    |
| Plymouth | Soybeans  | NC IRROC | COMM       |      | 41    | 47    | 6      | 14.6%    |
| Plymouth | Soybeans  | NC IRROC | HP         |      | 38    | 43    | 5      | 13.2%    |
| Plymouth | Soybeans  | NC IRROC | LLA        |      | 38    | 43    | 5      | 13.2%    |
| Plymouth | Soybeans  | NC IRROC | LSF        |      | 38    | 43    | 5      | 13.2%    |
| Plymouth | Soybeans  | NC IRROC | LSFG       |      | 34    | 40    | 6      | 17.6%    |
| Plymouth | Soybeans  | NC IRROC | SSFG       |      | 29    | 33    | 4      | 13.8%    |
| Plymouth | Soybeans  | NC IRROT | ALLOTHFDGD |      | 38    | 47    | 9      | 23.7%    |
| Plymouth | Soybeans  | NC IRROT | COMM       |      | 41    | 47    | 6      | 14.6%    |
| Plymouth | Soybeans  | NC IRROT | HP         |      | 38    | 43    | 5      | 13.2%    |
| Plymouth | Soybeans  | NC IRROT | LLA        |      | 38    | 43    | 5      | 13.2%    |
| Plymouth | Soybeans  | NC IRROT | LSF        |      | 38    | 43    | 5      | 13.2%    |
| Plymouth | Soybeans  | NC IRROT | LSFG       |      | 34    | 40    | 6      | 17.6%    |
| Plymouth | Soybeans  | NC IRROT | SSFG       |      | 29    | 33    | 4      | 13.8%    |
| Plymouth | Soybeans  | NC NIOC  | ALLOTHFDGD |      | 38    | 47    | 9      | 23.7%    |
| Plymouth | Soybeans  | NC NIOC  | COMM       |      | 41    | 47    | 6      | 14.6%    |
| Plymouth | Soybeans  | NC NIOC  | HP         |      | 38    | 43    | 5      | 13.2%    |
| Plymouth | Soybeans  | NC NIOC  | LLA        |      | 38    | 43    | 5      | 13.2%    |
| Plymouth | Soybeans  | NC NIOC  | LSF        |      | 38    | 43    | 5      | 13.2%    |
| Plymouth | Soybeans  | NC NIOC  | LSFG       |      | 34    | 40    | 6      | 17.6%    |
| Plymouth | Soybeans  | NC NIOC  | SSFG       |      | 29    | 33    | 4      | 13.8%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|------------|------------|------|-------|-------|--------|----------|
|          |           |            |            |      | Yield | Yield |        |          |
| Plymouth | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 38    | 47    | 9      | 23.7%    |
| Plymouth | Soybeans  | NC NIOT    | COMM       |      | 41    | 47    | 6      | 14.6%    |
| Plymouth | Soybeans  | NC NIOT    | HP         |      | 38    | 43    | 5      | 13.2%    |
| Plymouth | Soybeans  | NC NIOT    | LLA        |      | 38    | 43    | 5      | 13.2%    |
| Plymouth | Soybeans  | NC NIOT    | LSF        |      | 38    | 43    | 5      | 13.2%    |
| Plymouth | Soybeans  | NC NIOT    | LSFG       |      | 34    | 40    | 6      | 17.6%    |
| Plymouth | Soybeans  | NC NIOT    | SSFG       |      | 29    | 33    | 4      | 13.8%    |
| Plymouth | Soybeans  | NI         | ALLOTHFDGD |      | 54    | 60    | 6      | 11.1%    |
| Plymouth | Soybeans  | NI         | COMM       |      | 58    | 60    | 2      | 3.4%     |
| Plymouth | Soybeans  | NI         | HP         |      | 54    | 56    | 2      | 3.7%     |
| Plymouth | Soybeans  | NI         | LLA        |      | 54    | 56    | 2      | 3.7%     |
| Plymouth | Soybeans  | NI         | LSF        |      | 54    | 56    | 2      | 3.7%     |
| Plymouth | Soybeans  | NI         | LSFG       |      | 49    | 51    | 2      | 4.1%     |
| Plymouth | Soybeans  | NI         | SSFG       |      | 41    | 42    | 1      | 2.4%     |
| Plymouth | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 38    | 42    | 4      | 10.5%    |
| Plymouth | Soybeans  | NON-IRROC  | COMM       |      | 41    | 42    | 1      | 2.4%     |
| Plymouth | Soybeans  | NON-IRROC  | HP         |      | 38    | 39    | 1      | 2.6%     |
| Plymouth | Soybeans  | NON-IRROC  | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Plymouth | Soybeans  | NON-IRROC  | LSF        |      | 38    | 39    | 1      | 2.6%     |
| Plymouth | Soybeans  | NON-IRROC  | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Plymouth | Soybeans  | NON-IRROC  | SSFG       |      | 29    | 29    | 0      | 0.0%     |
| Plymouth | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 38    | 42    | 4      | 10.5%    |
| Plymouth | Soybeans  | NON-IRROT  | COMM       |      | 41    | 42    | 1      | 2.4%     |
| Plymouth | Soybeans  | NON-IRROT  | HP         |      | 38    | 39    | 1      | 2.6%     |
| Plymouth | Soybeans  | NON-IRROT  | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Plymouth | Soybeans  | NON-IRROT  | LSF        |      | 38    | 39    | 1      | 2.6%     |
| Plymouth | Soybeans  | NON-IRROT  | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Plymouth | Soybeans  | NON-IRROT  | SSFG       |      | 29    | 29    | 0      | 0.0%     |
| Plymouth | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 54    | 67    | 13     | 24.1%    |
| Plymouth | Soybeans  | NONCON IRR | COMM       |      | 58    | 67    | 9      | 15.5%    |
| Plymouth | Soybeans  | NONCON IRR | HP         |      | 54    | 62    | 8      | 14.8%    |
| Plymouth | Soybeans  | NONCON IRR | LLA        |      | 54    | 62    | 8      | 14.8%    |
| Plymouth | Soybeans  | NONCON IRR | LSF        |      | 54    | 62    | 8      | 14.8%    |
| Plymouth | Soybeans  | NONCON IRR | LSFG       |      | 49    | 57    | 8      | 16.3%    |
| Plymouth | Soybeans  | NONCON IRR | SSFG       |      | 41    | 47    | 6      | 14.6%    |
| Plymouth | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 54    | 67    | 13     | 24.1%    |
| Plymouth | Soybeans  | NONCON NI  | COMM       |      | 58    | 67    | 9      | 15.5%    |
| Plymouth | Soybeans  | NONCON NI  | HP         |      | 54    | 62    | 8      | 14.8%    |
| Plymouth | Soybeans  | NONCON NI  | LLA        |      | 54    | 62    | 8      | 14.8%    |
| Plymouth | Soybeans  | NONCON NI  | LSF        |      | 54    | 62    | 8      | 14.8%    |
| Plymouth | Soybeans  | NONCON NI  | LSFG       |      | 49    | 57    | 8      | 16.3%    |
| Plymouth | Soybeans  | NONCON NI  | SSFG       |      | 41    | 47    | 6      | 14.6%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name  | Practice  | Type  | Area | 2023  | 2024  | Change | % Change |
|------------|------------|-----------|-------|------|-------|-------|--------|----------|
|            |            |           |       |      | Yield | Yield |        |          |
| Plymouth   | Wheat      | I         | S     |      | 34    | 41    | 7      | 20.6%    |
| Plymouth   | Wheat      | IRR OC    | S     |      | 22    | 27    | 5      | 22.7%    |
| Plymouth   | Wheat      | IRR OT    | S     |      | 22    | 27    | 5      | 22.7%    |
| Plymouth   | Wheat      | NI        | S     |      | 34    | 41    | 7      | 20.6%    |
| Plymouth   | Wheat      | NON-IRROC | S     |      | 22    | 27    | 5      | 22.7%    |
| Plymouth   | Wheat      | NON-IRROT | S     |      | 22    | 27    | 5      | 22.7%    |
| Pocahontas | Corn       | I         | GSG   |      | 191   | 191   | 0      | 0.0%     |
| Pocahontas | Corn       | I         | HAMLS |      | 191   | 191   | 0      | 0.0%     |
| Pocahontas | Corn       | I         | WAXY  |      | 191   | 191   | 0      | 0.0%     |
| Pocahontas | Corn       | I         | WHITE |      | 191   | 191   | 0      | 0.0%     |
| Pocahontas | Corn       | IRR OC    | GSG   |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | IRR OC    | HAMLS |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | IRR OC    | WAXY  |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | IRR OC    | WHITE |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | IRR OT    | GSG   |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | IRR OT    | HAMLS |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | IRR OT    | WAXY  |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | IRR OT    | WHITE |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | NI        | GSG   |      | 191   | 191   | 0      | 0.0%     |
| Pocahontas | Corn       | NI        | HAMLS |      | 191   | 191   | 0      | 0.0%     |
| Pocahontas | Corn       | NI        | WAXY  |      | 191   | 191   | 0      | 0.0%     |
| Pocahontas | Corn       | NI        | WHITE |      | 191   | 191   | 0      | 0.0%     |
| Pocahontas | Corn       | NON-IRROC | GSG   |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | NON-IRROC | HAMLS |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | NON-IRROC | WAXY  |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | NON-IRROC | WHITE |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | NON-IRROT | GSG   |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | NON-IRROT | HAMLS |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | NON-IRROT | WAXY  |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Corn       | NON-IRROT | WHITE |      | 143   | 143   | 0      | 0.0%     |
| Pocahontas | Green Peas | I         | SESP  |      | 3182  | 3182  | 0      | 0.0%     |
| Pocahontas | Green Peas | I         | SLSP  |      | 3380  | 3380  | 0      | 0.0%     |
| Pocahontas | Green Peas | I         | SMSP  |      | 3579  | 3579  | 0      | 0.0%     |
| Pocahontas | Green Peas | IRR OC    | SESP  |      | 2068  | 2068  | 0      | 0.0%     |
| Pocahontas | Green Peas | IRR OC    | SLSP  |      | 2197  | 2197  | 0      | 0.0%     |
| Pocahontas | Green Peas | IRR OC    | SMSP  |      | 2326  | 2326  | 0      | 0.0%     |
| Pocahontas | Green Peas | IRR OT    | SESP  |      | 2068  | 2068  | 0      | 0.0%     |
| Pocahontas | Green Peas | IRR OT    | SLSP  |      | 2197  | 2197  | 0      | 0.0%     |
| Pocahontas | Green Peas | IRR OT    | SMSP  |      | 2326  | 2326  | 0      | 0.0%     |
| Pocahontas | Green Peas | NI        | SESP  |      | 2743  | 2743  | 0      | 0.0%     |
| Pocahontas | Green Peas | NI        | SLSP  |      | 2914  | 2914  | 0      | 0.0%     |
| Pocahontas | Green Peas | NI        | SMSP  |      | 3085  | 3085  | 0      | 0.0%     |



## Iowa

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name  | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|------------|------------|-----------|------------|------|-------|-------|--------|----------|
|            |            |           |            |      | Yield | Yield |        |          |
| Pocahontas | Green Peas | NON-IRROC | SESP       |      | 1783  | 1783  | 0      | 0.0%     |
| Pocahontas | Green Peas | NON-IRROC | SLSP       |      | 1894  | 1894  | 0      | 0.0%     |
| Pocahontas | Green Peas | NON-IRROC | SMSP       |      | 2005  | 2005  | 0      | 0.0%     |
| Pocahontas | Green Peas | NON-IRROT | SESP       |      | 1783  | 1783  | 0      | 0.0%     |
| Pocahontas | Green Peas | NON-IRROT | SLSP       |      | 1894  | 1894  | 0      | 0.0%     |
| Pocahontas | Green Peas | NON-IRROT | SMSP       |      | 2005  | 2005  | 0      | 0.0%     |
| Pocahontas | Oats       | I         | S          |      | 79    | 71    | -8     | -10.1%   |
| Pocahontas | Oats       | IRR OC    | S          |      | 79    | 64    | -15    | -19.0%   |
| Pocahontas | Oats       | IRR OT    | S          |      | 79    | 64    | -15    | -19.0%   |
| Pocahontas | Oats       | NI        | S          |      | 76    | 71    | -5     | -6.6%    |
| Pocahontas | Oats       | NON-IRROC | S          |      | 76    | 64    | -12    | -15.8%   |
| Pocahontas | Oats       | NON-IRROT | S          |      | 76    | 64    | -12    | -15.8%   |
| Pocahontas | Soybeans   | I         | ALLOTHFDGD |      | 48    | 56    | 8      | 16.7%    |
| Pocahontas | Soybeans   | I         | COMM       |      | 52    | 56    | 4      | 7.7%     |
| Pocahontas | Soybeans   | I         | HP         |      | 48    | 52    | 4      | 8.3%     |
| Pocahontas | Soybeans   | I         | LLA        |      | 48    | 52    | 4      | 8.3%     |
| Pocahontas | Soybeans   | I         | LSF        |      | 48    | 52    | 4      | 8.3%     |
| Pocahontas | Soybeans   | I         | LSFG       |      | 44    | 48    | 4      | 9.1%     |
| Pocahontas | Soybeans   | I         | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Pocahontas | Soybeans   | IRR OC    | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans   | IRR OC    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Pocahontas | Soybeans   | IRR OC    | HP         |      | 34    | 36    | 2      | 5.9%     |
| Pocahontas | Soybeans   | IRR OC    | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Pocahontas | Soybeans   | IRR OC    | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Pocahontas | Soybeans   | IRR OC    | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Pocahontas | Soybeans   | IRR OC    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Pocahontas | Soybeans   | IRR OT    | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans   | IRR OT    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Pocahontas | Soybeans   | IRR OT    | HP         |      | 34    | 36    | 2      | 5.9%     |
| Pocahontas | Soybeans   | IRR OT    | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Pocahontas | Soybeans   | IRR OT    | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Pocahontas | Soybeans   | IRR OT    | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Pocahontas | Soybeans   | IRR OT    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Pocahontas | Soybeans   | NC IRROC  | ALLOTHFDGD |      | 34    | 41    | 7      | 20.6%    |
| Pocahontas | Soybeans   | NC IRROC  | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Pocahontas | Soybeans   | NC IRROC  | HP         |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans   | NC IRROC  | LLA        |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans   | NC IRROC  | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans   | NC IRROC  | LSFG       |      | 31    | 35    | 4      | 12.9%    |
| Pocahontas | Soybeans   | NC IRROC  | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Pocahontas | Soybeans   | NC IRROT  | ALLOTHFDGD |      | 34    | 41    | 7      | 20.6%    |
| Pocahontas | Soybeans   | NC IRROT  | COMM       |      | 36    | 41    | 5      | 13.9%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|------------|-----------|------------|------------|------|-------|-------|--------|----------|
|            |           |            |            |      | Yield | Yield |        |          |
| Pocahontas | Soybeans  | NC IRRROT  | HP         |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans  | NC IRRROT  | LLA        |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans  | NC IRRROT  | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans  | NC IRRROT  | LSFG       |      | 31    | 35    | 4      | 12.9%    |
| Pocahontas | Soybeans  | NC IRRROT  | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Pocahontas | Soybeans  | NC NIOC    | ALLOTHFDGD |      | 34    | 41    | 7      | 20.6%    |
| Pocahontas | Soybeans  | NC NIOC    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Pocahontas | Soybeans  | NC NIOC    | HP         |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans  | NC NIOC    | LLA        |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans  | NC NIOC    | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans  | NC NIOC    | LSFG       |      | 31    | 35    | 4      | 12.9%    |
| Pocahontas | Soybeans  | NC NIOC    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Pocahontas | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 34    | 41    | 7      | 20.6%    |
| Pocahontas | Soybeans  | NC NIOT    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Pocahontas | Soybeans  | NC NIOT    | HP         |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans  | NC NIOT    | LLA        |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans  | NC NIOT    | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans  | NC NIOT    | LSFG       |      | 31    | 35    | 4      | 12.9%    |
| Pocahontas | Soybeans  | NC NIOT    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Pocahontas | Soybeans  | NI         | ALLOTHFDGD |      | 48    | 56    | 8      | 16.7%    |
| Pocahontas | Soybeans  | NI         | COMM       |      | 52    | 56    | 4      | 7.7%     |
| Pocahontas | Soybeans  | NI         | HP         |      | 48    | 52    | 4      | 8.3%     |
| Pocahontas | Soybeans  | NI         | LLA        |      | 48    | 52    | 4      | 8.3%     |
| Pocahontas | Soybeans  | NI         | LSF        |      | 48    | 52    | 4      | 8.3%     |
| Pocahontas | Soybeans  | NI         | LSFG       |      | 44    | 48    | 4      | 9.1%     |
| Pocahontas | Soybeans  | NI         | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Pocahontas | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans  | NON-IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Pocahontas | Soybeans  | NON-IRROC  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Pocahontas | Soybeans  | NON-IRROC  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Pocahontas | Soybeans  | NON-IRROC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Pocahontas | Soybeans  | NON-IRROC  | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Pocahontas | Soybeans  | NON-IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Pocahontas | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Pocahontas | Soybeans  | NON-IRROT  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Pocahontas | Soybeans  | NON-IRROT  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Pocahontas | Soybeans  | NON-IRROT  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Pocahontas | Soybeans  | NON-IRROT  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Pocahontas | Soybeans  | NON-IRROT  | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Pocahontas | Soybeans  | NON-IRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Pocahontas | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 48    | 59    | 11     | 22.9%    |
| Pocahontas | Soybeans  | NONCON IRR | COMM       |      | 52    | 59    | 7      | 13.5%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|------------|-----------|------------|------------|------|-------|-------|--------|----------|
|            |           |            |            |      | Yield | Yield |        |          |
| Pocahontas | Soybeans  | NONCON IRR | HP         |      | 48    | 55    | 7      | 14.6%    |
| Pocahontas | Soybeans  | NONCON IRR | LLA        |      | 48    | 55    | 7      | 14.6%    |
| Pocahontas | Soybeans  | NONCON IRR | LSF        |      | 48    | 55    | 7      | 14.6%    |
| Pocahontas | Soybeans  | NONCON IRR | LSFG       |      | 44    | 50    | 6      | 13.6%    |
| Pocahontas | Soybeans  | NONCON IRR | SSFG       |      | 36    | 41    | 5      | 13.9%    |
| Pocahontas | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 48    | 59    | 11     | 22.9%    |
| Pocahontas | Soybeans  | NONCON NI  | COMM       |      | 52    | 59    | 7      | 13.5%    |
| Pocahontas | Soybeans  | NONCON NI  | HP         |      | 48    | 55    | 7      | 14.6%    |
| Pocahontas | Soybeans  | NONCON NI  | LLA        |      | 48    | 55    | 7      | 14.6%    |
| Pocahontas | Soybeans  | NONCON NI  | LSF        |      | 48    | 55    | 7      | 14.6%    |
| Pocahontas | Soybeans  | NONCON NI  | LSFG       |      | 44    | 50    | 6      | 13.6%    |
| Pocahontas | Soybeans  | NONCON NI  | SSFG       |      | 36    | 41    | 5      | 13.9%    |
| Polk       | Corn      | I          | GSG        |      | 194   | 194   | 0      | 0.0%     |
| Polk       | Corn      | I          | HAMLS      |      | 194   | 194   | 0      | 0.0%     |
| Polk       | Corn      | I          | WAXY       |      | 194   | 194   | 0      | 0.0%     |
| Polk       | Corn      | I          | WHITE      |      | 194   | 194   | 0      | 0.0%     |
| Polk       | Corn      | IRR OC     | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Polk       | Corn      | IRR OC     | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Polk       | Corn      | IRR OC     | WAXY       |      | 146   | 146   | 0      | 0.0%     |
| Polk       | Corn      | IRR OC     | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Polk       | Corn      | IRR OT     | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Polk       | Corn      | IRR OT     | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Polk       | Corn      | IRR OT     | WAXY       |      | 146   | 146   | 0      | 0.0%     |
| Polk       | Corn      | IRR OT     | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Polk       | Corn      | NI         | GSG        |      | 183   | 183   | 0      | 0.0%     |
| Polk       | Corn      | NI         | HAMLS      |      | 183   | 183   | 0      | 0.0%     |
| Polk       | Corn      | NI         | WAXY       |      | 183   | 183   | 0      | 0.0%     |
| Polk       | Corn      | NI         | WHITE      |      | 183   | 183   | 0      | 0.0%     |
| Polk       | Corn      | NON-IRROC  | GSG        |      | 137   | 137   | 0      | 0.0%     |
| Polk       | Corn      | NON-IRROC  | HAMLS      |      | 137   | 137   | 0      | 0.0%     |
| Polk       | Corn      | NON-IRROC  | WAXY       |      | 137   | 137   | 0      | 0.0%     |
| Polk       | Corn      | NON-IRROC  | WHITE      |      | 137   | 137   | 0      | 0.0%     |
| Polk       | Corn      | NON-IRROT  | GSG        |      | 137   | 137   | 0      | 0.0%     |
| Polk       | Corn      | NON-IRROT  | HAMLS      |      | 137   | 137   | 0      | 0.0%     |
| Polk       | Corn      | NON-IRROT  | WAXY       |      | 137   | 137   | 0      | 0.0%     |
| Polk       | Corn      | NON-IRROT  | WHITE      |      | 137   | 137   | 0      | 0.0%     |
| Polk       | Oats      | I          | S          |      | 67    | 72    | 5      | 7.5%     |
| Polk       | Oats      | IRR OC     | S          |      | 67    | 65    | -2     | -3.0%    |
| Polk       | Oats      | IRR OT     | S          |      | 67    | 65    | -2     | -3.0%    |
| Polk       | Oats      | NI         | S          |      | 67    | 72    | 5      | 7.5%     |
| Polk       | Oats      | NON-IRROC  | S          |      | 67    | 65    | -2     | -3.0%    |
| Polk       | Oats      | NON-IRROT  | S          |      | 67    | 65    | -2     | -3.0%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Polk   | Soybeans  | I         | ALLOTHFDGD |      | 49    | 57    | 8      | 16.3%    |
| Polk   | Soybeans  | I         | COMM       |      | 53    | 57    | 4      | 7.5%     |
| Polk   | Soybeans  | I         | HP         |      | 49    | 53    | 4      | 8.2%     |
| Polk   | Soybeans  | I         | LLA        |      | 49    | 53    | 4      | 8.2%     |
| Polk   | Soybeans  | I         | LSF        |      | 49    | 53    | 4      | 8.2%     |
| Polk   | Soybeans  | I         | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Polk   | Soybeans  | I         | SSFG       |      | 37    | 40    | 3      | 8.1%     |
| Polk   | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 40    | 6      | 17.6%    |
| Polk   | Soybeans  | IRR OC    | COMM       |      | 37    | 40    | 3      | 8.1%     |
| Polk   | Soybeans  | IRR OC    | HP         |      | 34    | 37    | 3      | 8.8%     |
| Polk   | Soybeans  | IRR OC    | LLA        |      | 34    | 37    | 3      | 8.8%     |
| Polk   | Soybeans  | IRR OC    | LSF        |      | 34    | 37    | 3      | 8.8%     |
| Polk   | Soybeans  | IRR OC    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Polk   | Soybeans  | IRR OC    | SSFG       |      | 26    | 28    | 2      | 7.7%     |
| Polk   | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 40    | 6      | 17.6%    |
| Polk   | Soybeans  | IRR OT    | COMM       |      | 37    | 40    | 3      | 8.1%     |
| Polk   | Soybeans  | IRR OT    | HP         |      | 34    | 37    | 3      | 8.8%     |
| Polk   | Soybeans  | IRR OT    | LLA        |      | 34    | 37    | 3      | 8.8%     |
| Polk   | Soybeans  | IRR OT    | LSF        |      | 34    | 37    | 3      | 8.8%     |
| Polk   | Soybeans  | IRR OT    | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Polk   | Soybeans  | IRR OT    | SSFG       |      | 26    | 28    | 2      | 7.7%     |
| Polk   | Soybeans  | NI        | ALLOTHFDGD |      | 47    | 55    | 8      | 17.0%    |
| Polk   | Soybeans  | NI        | COMM       |      | 51    | 55    | 4      | 7.8%     |
| Polk   | Soybeans  | NI        | HP         |      | 47    | 51    | 4      | 8.5%     |
| Polk   | Soybeans  | NI        | LLA        |      | 47    | 51    | 4      | 8.5%     |
| Polk   | Soybeans  | NI        | LSF        |      | 47    | 51    | 4      | 8.5%     |
| Polk   | Soybeans  | NI        | LSFG       |      | 43    | 47    | 4      | 9.3%     |
| Polk   | Soybeans  | NI        | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Polk   | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Polk   | Soybeans  | NON-IRROC | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Polk   | Soybeans  | NON-IRROC | HP         |      | 33    | 36    | 3      | 9.1%     |
| Polk   | Soybeans  | NON-IRROC | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Polk   | Soybeans  | NON-IRROC | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Polk   | Soybeans  | NON-IRROC | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Polk   | Soybeans  | NON-IRROC | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Polk   | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Polk   | Soybeans  | NON-IRROT | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Polk   | Soybeans  | NON-IRROT | HP         |      | 33    | 36    | 3      | 9.1%     |
| Polk   | Soybeans  | NON-IRROT | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Polk   | Soybeans  | NON-IRROT | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Polk   | Soybeans  | NON-IRROT | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Polk   | Soybeans  | NON-IRROT | SSFG       |      | 25    | 27    | 2      | 8.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|           |           |           |            | Area | Yield | Yield |  |        |          |
| Poweshiek | Corn      | I         | BLUE       |      | 105   | 105   |  | 0      | 0.0%     |
| Poweshiek | Corn      | I         | GSG        |      | 190   | 190   |  | 0      | 0.0%     |
| Poweshiek | Corn      | I         | HAMLS      |      | 190   | 190   |  | 0      | 0.0%     |
| Poweshiek | Corn      | I         | WAXY       |      | 190   | 190   |  | 0      | 0.0%     |
| Poweshiek | Corn      | I         | WHITE      |      | 190   | 190   |  | 0      | 0.0%     |
| Poweshiek | Corn      | IRR OC    | BLUE       |      | 79    | 79    |  | 0      | 0.0%     |
| Poweshiek | Corn      | IRR OC    | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | IRR OC    | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | IRR OC    | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | IRR OC    | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | IRR OT    | BLUE       |      | 79    | 79    |  | 0      | 0.0%     |
| Poweshiek | Corn      | IRR OT    | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | IRR OT    | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | IRR OT    | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | IRR OT    | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | NI        | BLUE       |      | 105   | 105   |  | 0      | 0.0%     |
| Poweshiek | Corn      | NI        | GSG        |      | 190   | 190   |  | 0      | 0.0%     |
| Poweshiek | Corn      | NI        | HAMLS      |      | 190   | 190   |  | 0      | 0.0%     |
| Poweshiek | Corn      | NI        | WAXY       |      | 190   | 190   |  | 0      | 0.0%     |
| Poweshiek | Corn      | NI        | WHITE      |      | 190   | 190   |  | 0      | 0.0%     |
| Poweshiek | Corn      | NON-IRROC | BLUE       |      | 79    | 79    |  | 0      | 0.0%     |
| Poweshiek | Corn      | NON-IRROC | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | NON-IRROC | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | NON-IRROC | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | NON-IRROC | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | NON-IRROT | BLUE       |      | 79    | 79    |  | 0      | 0.0%     |
| Poweshiek | Corn      | NON-IRROT | GSG        |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | NON-IRROT | HAMLS      |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | NON-IRROT | WAXY       |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Corn      | NON-IRROT | WHITE      |      | 143   | 143   |  | 0      | 0.0%     |
| Poweshiek | Oats      | I         | S          |      | 71    | 69    |  | -2     | -2.8%    |
| Poweshiek | Oats      | IRR OC    | S          |      | 71    | 62    |  | -9     | -12.7%   |
| Poweshiek | Oats      | IRR OT    | S          |      | 71    | 62    |  | -9     | -12.7%   |
| Poweshiek | Oats      | NI        | S          |      | 71    | 69    |  | -2     | -2.8%    |
| Poweshiek | Oats      | NON-IRROC | S          |      | 71    | 62    |  | -9     | -12.7%   |
| Poweshiek | Oats      | NON-IRROT | S          |      | 71    | 62    |  | -9     | -12.7%   |
| Poweshiek | Soybeans  | I         | ALLOTHFDGD |      | 51    | 57    |  | 6      | 11.8%    |
| Poweshiek | Soybeans  | I         | COMM       |      | 55    | 57    |  | 2      | 3.6%     |
| Poweshiek | Soybeans  | I         | HP         |      | 51    | 53    |  | 2      | 3.9%     |
| Poweshiek | Soybeans  | I         | LLA        |      | 51    | 53    |  | 2      | 3.9%     |
| Poweshiek | Soybeans  | I         | LSF        |      | 51    | 53    |  | 2      | 3.9%     |
| Poweshiek | Soybeans  | I         | LSFG       |      | 47    | 48    |  | 1      | 2.1%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|           |           |           |            |      | Yield | Yield |        |          |
| Poweshiek | Soybeans  | I         | SSFG       |      | 39    | 40    | 1      | 2.6%     |
| Poweshiek | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 40    | 4      | 11.1%    |
| Poweshiek | Soybeans  | IRR OC    | COMM       |      | 39    | 40    | 1      | 2.6%     |
| Poweshiek | Soybeans  | IRR OC    | HP         |      | 36    | 37    | 1      | 2.8%     |
| Poweshiek | Soybeans  | IRR OC    | LLA        |      | 36    | 37    | 1      | 2.8%     |
| Poweshiek | Soybeans  | IRR OC    | LSF        |      | 36    | 37    | 1      | 2.8%     |
| Poweshiek | Soybeans  | IRR OC    | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Poweshiek | Soybeans  | IRR OC    | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Poweshiek | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 40    | 4      | 11.1%    |
| Poweshiek | Soybeans  | IRR OT    | COMM       |      | 39    | 40    | 1      | 2.6%     |
| Poweshiek | Soybeans  | IRR OT    | HP         |      | 36    | 37    | 1      | 2.8%     |
| Poweshiek | Soybeans  | IRR OT    | LLA        |      | 36    | 37    | 1      | 2.8%     |
| Poweshiek | Soybeans  | IRR OT    | LSF        |      | 36    | 37    | 1      | 2.8%     |
| Poweshiek | Soybeans  | IRR OT    | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Poweshiek | Soybeans  | IRR OT    | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Poweshiek | Soybeans  | NI        | ALLOTHFDGD |      | 51    | 57    | 6      | 11.8%    |
| Poweshiek | Soybeans  | NI        | COMM       |      | 55    | 57    | 2      | 3.6%     |
| Poweshiek | Soybeans  | NI        | HP         |      | 51    | 53    | 2      | 3.9%     |
| Poweshiek | Soybeans  | NI        | LLA        |      | 51    | 53    | 2      | 3.9%     |
| Poweshiek | Soybeans  | NI        | LSF        |      | 51    | 53    | 2      | 3.9%     |
| Poweshiek | Soybeans  | NI        | LSFG       |      | 47    | 48    | 1      | 2.1%     |
| Poweshiek | Soybeans  | NI        | SSFG       |      | 39    | 40    | 1      | 2.6%     |
| Poweshiek | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 36    | 40    | 4      | 11.1%    |
| Poweshiek | Soybeans  | NON-IRROC | COMM       |      | 39    | 40    | 1      | 2.6%     |
| Poweshiek | Soybeans  | NON-IRROC | HP         |      | 36    | 37    | 1      | 2.8%     |
| Poweshiek | Soybeans  | NON-IRROC | LLA        |      | 36    | 37    | 1      | 2.8%     |
| Poweshiek | Soybeans  | NON-IRROC | LSF        |      | 36    | 37    | 1      | 2.8%     |
| Poweshiek | Soybeans  | NON-IRROC | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Poweshiek | Soybeans  | NON-IRROC | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Poweshiek | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 36    | 40    | 4      | 11.1%    |
| Poweshiek | Soybeans  | NON-IRROT | COMM       |      | 39    | 40    | 1      | 2.6%     |
| Poweshiek | Soybeans  | NON-IRROT | HP         |      | 36    | 37    | 1      | 2.8%     |
| Poweshiek | Soybeans  | NON-IRROT | LLA        |      | 36    | 37    | 1      | 2.8%     |
| Poweshiek | Soybeans  | NON-IRROT | LSF        |      | 36    | 37    | 1      | 2.8%     |
| Poweshiek | Soybeans  | NON-IRROT | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Poweshiek | Soybeans  | NON-IRROT | SSFG       |      | 27    | 28    | 1      | 3.7%     |
| Ringgold  | Corn      | I         | BLUE       |      | 95    | 95    | 0      | 0.0%     |
| Ringgold  | Corn      | I         | GSG        |      | 172   | 172   | 0      | 0.0%     |
| Ringgold  | Corn      | I         | HAMLS      |      | 172   | 172   | 0      | 0.0%     |
| Ringgold  | Corn      | I         | HAMOS      |      | 120   | 120   | 0      | 0.0%     |
| Ringgold  | Corn      | I         | WAXY       |      | 172   | 172   | 0      | 0.0%     |
| Ringgold  | Corn      | I         | WHITE      |      | 172   | 172   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|----------|-----------|-----------|-------|------|-------|-------|--|--------|----------|
|          |           |           |       | Area | Yield | Yield |  |        |          |
| Ringgold | Corn      | IRR OC    | BLUE  |      | 71    | 71    |  | 0      | 0.0%     |
| Ringgold | Corn      | IRR OC    | GSG   |      | 129   | 129   |  | 0      | 0.0%     |
| Ringgold | Corn      | IRR OC    | HAMLS |      | 129   | 129   |  | 0      | 0.0%     |
| Ringgold | Corn      | IRR OC    | HAMOS |      | 90    | 90    |  | 0      | 0.0%     |
| Ringgold | Corn      | IRR OC    | WAXY  |      | 129   | 129   |  | 0      | 0.0%     |
| Ringgold | Corn      | IRR OC    | WHITE |      | 129   | 129   |  | 0      | 0.0%     |
| Ringgold | Corn      | IRR OT    | BLUE  |      | 71    | 71    |  | 0      | 0.0%     |
| Ringgold | Corn      | IRR OT    | GSG   |      | 129   | 129   |  | 0      | 0.0%     |
| Ringgold | Corn      | IRR OT    | HAMLS |      | 129   | 129   |  | 0      | 0.0%     |
| Ringgold | Corn      | IRR OT    | HAMOS |      | 90    | 90    |  | 0      | 0.0%     |
| Ringgold | Corn      | IRR OT    | WAXY  |      | 129   | 129   |  | 0      | 0.0%     |
| Ringgold | Corn      | IRR OT    | WHITE |      | 129   | 129   |  | 0      | 0.0%     |
| Ringgold | Corn      | NI        | BLUE  |      | 79    | 79    |  | 0      | 0.0%     |
| Ringgold | Corn      | NI        | GSG   |      | 144   | 144   |  | 0      | 0.0%     |
| Ringgold | Corn      | NI        | HAMLS |      | 144   | 144   |  | 0      | 0.0%     |
| Ringgold | Corn      | NI        | HAMOS |      | 101   | 101   |  | 0      | 0.0%     |
| Ringgold | Corn      | NI        | WAXY  |      | 144   | 144   |  | 0      | 0.0%     |
| Ringgold | Corn      | NI        | WHITE |      | 144   | 144   |  | 0      | 0.0%     |
| Ringgold | Corn      | NON-IRROC | BLUE  |      | 59    | 59    |  | 0      | 0.0%     |
| Ringgold | Corn      | NON-IRROC | GSG   |      | 108   | 108   |  | 0      | 0.0%     |
| Ringgold | Corn      | NON-IRROC | HAMLS |      | 108   | 108   |  | 0      | 0.0%     |
| Ringgold | Corn      | NON-IRROC | HAMOS |      | 76    | 76    |  | 0      | 0.0%     |
| Ringgold | Corn      | NON-IRROC | WAXY  |      | 108   | 108   |  | 0      | 0.0%     |
| Ringgold | Corn      | NON-IRROC | WHITE |      | 108   | 108   |  | 0      | 0.0%     |
| Ringgold | Corn      | NON-IRROT | BLUE  |      | 59    | 59    |  | 0      | 0.0%     |
| Ringgold | Corn      | NON-IRROT | GSG   |      | 108   | 108   |  | 0      | 0.0%     |
| Ringgold | Corn      | NON-IRROT | HAMLS |      | 108   | 108   |  | 0      | 0.0%     |
| Ringgold | Corn      | NON-IRROT | HAMOS |      | 76    | 76    |  | 0      | 0.0%     |
| Ringgold | Corn      | NON-IRROT | WAXY  |      | 108   | 108   |  | 0      | 0.0%     |
| Ringgold | Corn      | NON-IRROT | WHITE |      | 108   | 108   |  | 0      | 0.0%     |
| Ringgold | Oats      | I         | S     |      | 50    | 44    |  | -6     | -12.0%   |
| Ringgold | Oats      | IRR OC    | S     |      | 50    | 40    |  | -10    | -20.0%   |
| Ringgold | Oats      | IRR OT    | S     |      | 50    | 40    |  | -10    | -20.0%   |
| Ringgold | Oats      | NI        | S     |      | 50    | 44    |  | -6     | -12.0%   |
| Ringgold | Oats      | NON-IRROC | S     |      | 50    | 40    |  | -10    | -20.0%   |
| Ringgold | Oats      | NON-IRROT | S     |      | 50    | 40    |  | -10    | -20.0%   |
| Ringgold | Popcorn   | I         | NTS   |      | 3412  | 3412  |  | 0      | 0.0%     |
| Ringgold | Popcorn   | IRR OC    | NTS   |      | 2388  | 2388  |  | 0      | 0.0%     |
| Ringgold | Popcorn   | IRR OT    | NTS   |      | 2388  | 2388  |  | 0      | 0.0%     |
| Ringgold | Popcorn   | NI        | NTS   |      | 3412  | 3412  |  | 0      | 0.0%     |
| Ringgold | Popcorn   | NON-IRROC | NTS   |      | 2388  | 2388  |  | 0      | 0.0%     |
| Ringgold | Popcorn   | NON-IRROT | NTS   |      | 2388  | 2388  |  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|          |           |           |            |      | Yield | Yield |        |          |
| Ringgold | Soybeans  | I         | ALLOTHFDGD |      | 41    | 46    | 5      | 12.2%    |
| Ringgold | Soybeans  | I         | COMM       |      | 44    | 46    | 2      | 4.5%     |
| Ringgold | Soybeans  | I         | HP         |      | 41    | 43    | 2      | 4.9%     |
| Ringgold | Soybeans  | I         | LLA        |      | 41    | 43    | 2      | 4.9%     |
| Ringgold | Soybeans  | I         | LSF        |      | 41    | 43    | 2      | 4.9%     |
| Ringgold | Soybeans  | I         | LSFG       |      | 37    | 39    | 2      | 5.4%     |
| Ringgold | Soybeans  | I         | SSFG       |      | 31    | 32    | 1      | 3.2%     |
| Ringgold | Soybeans  | IRR OC    | ALLOTHFDGD |      | 29    | 32    | 3      | 10.3%    |
| Ringgold | Soybeans  | IRR OC    | COMM       |      | 31    | 32    | 1      | 3.2%     |
| Ringgold | Soybeans  | IRR OC    | HP         |      | 29    | 30    | 1      | 3.4%     |
| Ringgold | Soybeans  | IRR OC    | LLA        |      | 29    | 30    | 1      | 3.4%     |
| Ringgold | Soybeans  | IRR OC    | LSF        |      | 29    | 30    | 1      | 3.4%     |
| Ringgold | Soybeans  | IRR OC    | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Ringgold | Soybeans  | IRR OC    | SSFG       |      | 22    | 22    | 0      | 0.0%     |
| Ringgold | Soybeans  | IRR OT    | ALLOTHFDGD |      | 29    | 32    | 3      | 10.3%    |
| Ringgold | Soybeans  | IRR OT    | COMM       |      | 31    | 32    | 1      | 3.2%     |
| Ringgold | Soybeans  | IRR OT    | HP         |      | 29    | 30    | 1      | 3.4%     |
| Ringgold | Soybeans  | IRR OT    | LLA        |      | 29    | 30    | 1      | 3.4%     |
| Ringgold | Soybeans  | IRR OT    | LSF        |      | 29    | 30    | 1      | 3.4%     |
| Ringgold | Soybeans  | IRR OT    | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Ringgold | Soybeans  | IRR OT    | SSFG       |      | 22    | 22    | 0      | 0.0%     |
| Ringgold | Soybeans  | NI        | ALLOTHFDGD |      | 41    | 46    | 5      | 12.2%    |
| Ringgold | Soybeans  | NI        | COMM       |      | 44    | 46    | 2      | 4.5%     |
| Ringgold | Soybeans  | NI        | HP         |      | 41    | 43    | 2      | 4.9%     |
| Ringgold | Soybeans  | NI        | LLA        |      | 41    | 43    | 2      | 4.9%     |
| Ringgold | Soybeans  | NI        | LSF        |      | 41    | 43    | 2      | 4.9%     |
| Ringgold | Soybeans  | NI        | LSFG       |      | 37    | 39    | 2      | 5.4%     |
| Ringgold | Soybeans  | NI        | SSFG       |      | 31    | 32    | 1      | 3.2%     |
| Ringgold | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 29    | 32    | 3      | 10.3%    |
| Ringgold | Soybeans  | NON-IRROC | COMM       |      | 31    | 32    | 1      | 3.2%     |
| Ringgold | Soybeans  | NON-IRROC | HP         |      | 29    | 30    | 1      | 3.4%     |
| Ringgold | Soybeans  | NON-IRROC | LLA        |      | 29    | 30    | 1      | 3.4%     |
| Ringgold | Soybeans  | NON-IRROC | LSF        |      | 29    | 30    | 1      | 3.4%     |
| Ringgold | Soybeans  | NON-IRROC | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Ringgold | Soybeans  | NON-IRROC | SSFG       |      | 22    | 22    | 0      | 0.0%     |
| Ringgold | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 29    | 32    | 3      | 10.3%    |
| Ringgold | Soybeans  | NON-IRROT | COMM       |      | 31    | 32    | 1      | 3.2%     |
| Ringgold | Soybeans  | NON-IRROT | HP         |      | 29    | 30    | 1      | 3.4%     |
| Ringgold | Soybeans  | NON-IRROT | LLA        |      | 29    | 30    | 1      | 3.4%     |
| Ringgold | Soybeans  | NON-IRROT | LSF        |      | 29    | 30    | 1      | 3.4%     |
| Ringgold | Soybeans  | NON-IRROT | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Ringgold | Soybeans  | NON-IRROT | SSFG       |      | 22    | 22    | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|-------|------|-------|-------|--|--------|----------|
|        |           |           |       | Area | Yield | Yield |  |        |          |
| Sac    | Barley    | IRR OC    | S     |      | 39    | 39    |  | 0      | 0.0%     |
| Sac    | Barley    | IRR OT    | S     |      | 39    | 39    |  | 0      | 0.0%     |
| Sac    | Barley    | IRRIGATED | S     |      | 52    | 52    |  | 0      | 0.0%     |
| Sac    | Barley    | NON IRR   | S     |      | 52    | 52    |  | 0      | 0.0%     |
| Sac    | Barley    | NON-IRROC | S     |      | 39    | 39    |  | 0      | 0.0%     |
| Sac    | Barley    | NON-IRROT | S     |      | 39    | 39    |  | 0      | 0.0%     |
| Sac    | Corn      | I         | GSG   |      | 203   | 203   |  | 0      | 0.0%     |
| Sac    | Corn      | I         | HAMLS |      | 203   | 203   |  | 0      | 0.0%     |
| Sac    | Corn      | I         | WAXY  |      | 203   | 203   |  | 0      | 0.0%     |
| Sac    | Corn      | I         | WHITE |      | 203   | 203   |  | 0      | 0.0%     |
| Sac    | Corn      | IRR OC    | GSG   |      | 152   | 152   |  | 0      | 0.0%     |
| Sac    | Corn      | IRR OC    | HAMLS |      | 152   | 152   |  | 0      | 0.0%     |
| Sac    | Corn      | IRR OC    | WAXY  |      | 152   | 152   |  | 0      | 0.0%     |
| Sac    | Corn      | IRR OC    | WHITE |      | 152   | 152   |  | 0      | 0.0%     |
| Sac    | Corn      | IRR OT    | GSG   |      | 152   | 152   |  | 0      | 0.0%     |
| Sac    | Corn      | IRR OT    | HAMLS |      | 152   | 152   |  | 0      | 0.0%     |
| Sac    | Corn      | IRR OT    | WAXY  |      | 152   | 152   |  | 0      | 0.0%     |
| Sac    | Corn      | IRR OT    | WHITE |      | 152   | 152   |  | 0      | 0.0%     |
| Sac    | Corn      | NI        | GSG   |      | 197   | 197   |  | 0      | 0.0%     |
| Sac    | Corn      | NI        | HAMLS |      | 197   | 197   |  | 0      | 0.0%     |
| Sac    | Corn      | NI        | WAXY  |      | 197   | 197   |  | 0      | 0.0%     |
| Sac    | Corn      | NI        | WHITE |      | 197   | 197   |  | 0      | 0.0%     |
| Sac    | Corn      | NON-IRROC | GSG   |      | 148   | 148   |  | 0      | 0.0%     |
| Sac    | Corn      | NON-IRROC | HAMLS |      | 148   | 148   |  | 0      | 0.0%     |
| Sac    | Corn      | NON-IRROC | WAXY  |      | 148   | 148   |  | 0      | 0.0%     |
| Sac    | Corn      | NON-IRROC | WHITE |      | 148   | 148   |  | 0      | 0.0%     |
| Sac    | Corn      | NON-IRROT | GSG   |      | 148   | 148   |  | 0      | 0.0%     |
| Sac    | Corn      | NON-IRROT | HAMLS |      | 148   | 148   |  | 0      | 0.0%     |
| Sac    | Corn      | NON-IRROT | WAXY  |      | 148   | 148   |  | 0      | 0.0%     |
| Sac    | Corn      | NON-IRROT | WHITE |      | 148   | 148   |  | 0      | 0.0%     |
| Sac    | Oats      | I         | S     |      | 76    | 76    |  | 0      | 0.0%     |
| Sac    | Oats      | IRR OC    | S     |      | 76    | 68    |  | -8     | -10.5%   |
| Sac    | Oats      | IRR OT    | S     |      | 76    | 68    |  | -8     | -10.5%   |
| Sac    | Oats      | NI        | S     |      | 76    | 76    |  | 0      | 0.0%     |
| Sac    | Oats      | NON-IRROC | S     |      | 76    | 68    |  | -8     | -10.5%   |
| Sac    | Oats      | NON-IRROT | S     |      | 76    | 68    |  | -8     | -10.5%   |
| Sac    | Popcorn   | I         | NTS   |      | 5220  | 5220  |  | 0      | 0.0%     |
| Sac    | Popcorn   | IRR OC    | NTS   |      | 3654  | 3654  |  | 0      | 0.0%     |
| Sac    | Popcorn   | IRR OT    | NTS   |      | 3654  | 3654  |  | 0      | 0.0%     |
| Sac    | Popcorn   | NI        | NTS   |      | 4669  | 4669  |  | 0      | 0.0%     |
| Sac    | Popcorn   | NON-IRROC | NTS   |      | 3268  | 3268  |  | 0      | 0.0%     |
| Sac    | Popcorn   | NON-IRROT | NTS   |      | 3268  | 3268  |  | 0      | 0.0%     |



## Iowa

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Sac    | Soybeans  | I         | ALLOTHFDGD |      | 53    | 60    | 7      | 13.2%    |
| Sac    | Soybeans  | I         | COMM       |      | 57    | 60    | 3      | 5.3%     |
| Sac    | Soybeans  | I         | HP         |      | 53    | 56    | 3      | 5.7%     |
| Sac    | Soybeans  | I         | LLA        |      | 53    | 56    | 3      | 5.7%     |
| Sac    | Soybeans  | I         | LSF        |      | 53    | 56    | 3      | 5.7%     |
| Sac    | Soybeans  | I         | LSFG       |      | 48    | 51    | 3      | 6.3%     |
| Sac    | Soybeans  | I         | SSFG       |      | 40    | 42    | 2      | 5.0%     |
| Sac    | Soybeans  | IRR OC    | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| Sac    | Soybeans  | IRR OC    | COMM       |      | 40    | 42    | 2      | 5.0%     |
| Sac    | Soybeans  | IRR OC    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Sac    | Soybeans  | IRR OC    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Sac    | Soybeans  | IRR OC    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Sac    | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Sac    | Soybeans  | IRR OC    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Sac    | Soybeans  | IRR OT    | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| Sac    | Soybeans  | IRR OT    | COMM       |      | 40    | 42    | 2      | 5.0%     |
| Sac    | Soybeans  | IRR OT    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Sac    | Soybeans  | IRR OT    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Sac    | Soybeans  | IRR OT    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Sac    | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Sac    | Soybeans  | IRR OT    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Sac    | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Sac    | Soybeans  | NC IRROC  | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Sac    | Soybeans  | NC IRROC  | HP         |      | 33    | 34    | 1      | 3.0%     |
| Sac    | Soybeans  | NC IRROC  | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Sac    | Soybeans  | NC IRROC  | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Sac    | Soybeans  | NC IRROC  | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Sac    | Soybeans  | NC IRROC  | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Sac    | Soybeans  | NC IRRROT | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Sac    | Soybeans  | NC IRRROT | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Sac    | Soybeans  | NC IRRROT | HP         |      | 33    | 34    | 1      | 3.0%     |
| Sac    | Soybeans  | NC IRRROT | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Sac    | Soybeans  | NC IRRROT | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Sac    | Soybeans  | NC IRRROT | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Sac    | Soybeans  | NC IRRROT | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Sac    | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Sac    | Soybeans  | NC NIOC   | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Sac    | Soybeans  | NC NIOC   | HP         |      | 33    | 34    | 1      | 3.0%     |
| Sac    | Soybeans  | NC NIOC   | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Sac    | Soybeans  | NC NIOC   | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Sac    | Soybeans  | NC NIOC   | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Sac    | Soybeans  | NC NIOC   | SSFG       |      | 25    | 26    | 1      | 4.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|------------|------------|------|-------|-------|--------|----------|
|        |           |            |            |      | Yield | Yield |        |          |
| Sac    | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Sac    | Soybeans  | NC NIOT    | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Sac    | Soybeans  | NC NIOT    | HP         |      | 33    | 34    | 1      | 3.0%     |
| Sac    | Soybeans  | NC NIOT    | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Sac    | Soybeans  | NC NIOT    | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Sac    | Soybeans  | NC NIOT    | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Sac    | Soybeans  | NC NIOT    | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Sac    | Soybeans  | NI         | ALLOTHFDGD |      | 53    | 60    | 7      | 13.2%    |
| Sac    | Soybeans  | NI         | COMM       |      | 57    | 60    | 3      | 5.3%     |
| Sac    | Soybeans  | NI         | HP         |      | 53    | 56    | 3      | 5.7%     |
| Sac    | Soybeans  | NI         | LLA        |      | 53    | 56    | 3      | 5.7%     |
| Sac    | Soybeans  | NI         | LSF        |      | 53    | 56    | 3      | 5.7%     |
| Sac    | Soybeans  | NI         | LSFG       |      | 48    | 51    | 3      | 6.3%     |
| Sac    | Soybeans  | NI         | SSFG       |      | 40    | 42    | 2      | 5.0%     |
| Sac    | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| Sac    | Soybeans  | NON-IRROC  | COMM       |      | 40    | 42    | 2      | 5.0%     |
| Sac    | Soybeans  | NON-IRROC  | HP         |      | 37    | 39    | 2      | 5.4%     |
| Sac    | Soybeans  | NON-IRROC  | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Sac    | Soybeans  | NON-IRROC  | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Sac    | Soybeans  | NON-IRROC  | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Sac    | Soybeans  | NON-IRROC  | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Sac    | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| Sac    | Soybeans  | NON-IRROT  | COMM       |      | 40    | 42    | 2      | 5.0%     |
| Sac    | Soybeans  | NON-IRROT  | HP         |      | 37    | 39    | 2      | 5.4%     |
| Sac    | Soybeans  | NON-IRROT  | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Sac    | Soybeans  | NON-IRROT  | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Sac    | Soybeans  | NON-IRROT  | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Sac    | Soybeans  | NON-IRROT  | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Sac    | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 47    | 53    | 6      | 12.8%    |
| Sac    | Soybeans  | NONCON IRR | COMM       |      | 51    | 53    | 2      | 3.9%     |
| Sac    | Soybeans  | NONCON IRR | HP         |      | 47    | 49    | 2      | 4.3%     |
| Sac    | Soybeans  | NONCON IRR | LLA        |      | 47    | 49    | 2      | 4.3%     |
| Sac    | Soybeans  | NONCON IRR | LSF        |      | 47    | 49    | 2      | 4.3%     |
| Sac    | Soybeans  | NONCON IRR | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Sac    | Soybeans  | NONCON IRR | SSFG       |      | 36    | 37    | 1      | 2.8%     |
| Sac    | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 47    | 53    | 6      | 12.8%    |
| Sac    | Soybeans  | NONCON NI  | COMM       |      | 51    | 53    | 2      | 3.9%     |
| Sac    | Soybeans  | NONCON NI  | HP         |      | 47    | 49    | 2      | 4.3%     |
| Sac    | Soybeans  | NONCON NI  | LLA        |      | 47    | 49    | 2      | 4.3%     |
| Sac    | Soybeans  | NONCON NI  | LSF        |      | 47    | 49    | 2      | 4.3%     |
| Sac    | Soybeans  | NONCON NI  | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Sac    | Soybeans  | NONCON NI  | SSFG       |      | 36    | 37    | 1      | 2.8%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Scott  | Corn      | I         | GSG        |      | 201   | 201   | 0      | 0.0%     |
| Scott  | Corn      | I         | HAMLS      |      | 201   | 201   | 0      | 0.0%     |
| Scott  | Corn      | I         | WAXY       |      | 201   | 201   | 0      | 0.0%     |
| Scott  | Corn      | I         | WHITE      |      | 201   | 201   | 0      | 0.0%     |
| Scott  | Corn      | IRR OC    | GSG        |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | IRR OC    | HAMLS      |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | IRR OC    | WAXY       |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | IRR OC    | WHITE      |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | IRR OT    | GSG        |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | IRR OT    | HAMLS      |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | IRR OT    | WAXY       |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | IRR OT    | WHITE      |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | NI        | GSG        |      | 201   | 201   | 0      | 0.0%     |
| Scott  | Corn      | NI        | HAMLS      |      | 201   | 201   | 0      | 0.0%     |
| Scott  | Corn      | NI        | WAXY       |      | 201   | 201   | 0      | 0.0%     |
| Scott  | Corn      | NI        | WHITE      |      | 201   | 201   | 0      | 0.0%     |
| Scott  | Corn      | NON-IRROC | GSG        |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | NON-IRROC | HAMLS      |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | NON-IRROC | WAXY       |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | NON-IRROC | WHITE      |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | NON-IRROT | GSG        |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | NON-IRROT | HAMLS      |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | NON-IRROT | WAXY       |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Corn      | NON-IRROT | WHITE      |      | 151   | 151   | 0      | 0.0%     |
| Scott  | Oats      | I         | S          |      | 64    | 66    | 2      | 3.1%     |
| Scott  | Oats      | IRR OC    | S          |      | 64    | 59    | -5     | -7.8%    |
| Scott  | Oats      | IRR OT    | S          |      | 64    | 59    | -5     | -7.8%    |
| Scott  | Oats      | NI        | S          |      | 64    | 66    | 2      | 3.1%     |
| Scott  | Oats      | NON-IRROC | S          |      | 64    | 59    | -5     | -7.8%    |
| Scott  | Oats      | NON-IRROT | S          |      | 64    | 59    | -5     | -7.8%    |
| Scott  | Soybeans  | I         | ALLOTHFDGD |      | 57    | 65    | 8      | 14.0%    |
| Scott  | Soybeans  | I         | COMM       |      | 62    | 65    | 3      | 4.8%     |
| Scott  | Soybeans  | I         | HP         |      | 57    | 60    | 3      | 5.3%     |
| Scott  | Soybeans  | I         | LLA        |      | 57    | 60    | 3      | 5.3%     |
| Scott  | Soybeans  | I         | LSF        |      | 57    | 60    | 3      | 5.3%     |
| Scott  | Soybeans  | I         | LSFG       |      | 53    | 55    | 2      | 3.8%     |
| Scott  | Soybeans  | I         | SSFG       |      | 43    | 46    | 3      | 7.0%     |
| Scott  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 40    | 46    | 6      | 15.0%    |
| Scott  | Soybeans  | IRR OC    | COMM       |      | 43    | 46    | 3      | 7.0%     |
| Scott  | Soybeans  | IRR OC    | HP         |      | 40    | 42    | 2      | 5.0%     |
| Scott  | Soybeans  | IRR OC    | LLA        |      | 40    | 42    | 2      | 5.0%     |
| Scott  | Soybeans  | IRR OC    | LSF        |      | 40    | 42    | 2      | 5.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Scott  | Soybeans  | IRR OC    | LSFG       |      | 37    | 39    | 2      | 5.4%     |
| Scott  | Soybeans  | IRR OC    | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Scott  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 40    | 46    | 6      | 15.0%    |
| Scott  | Soybeans  | IRR OT    | COMM       |      | 43    | 46    | 3      | 7.0%     |
| Scott  | Soybeans  | IRR OT    | HP         |      | 40    | 42    | 2      | 5.0%     |
| Scott  | Soybeans  | IRR OT    | LLA        |      | 40    | 42    | 2      | 5.0%     |
| Scott  | Soybeans  | IRR OT    | LSF        |      | 40    | 42    | 2      | 5.0%     |
| Scott  | Soybeans  | IRR OT    | LSFG       |      | 37    | 39    | 2      | 5.4%     |
| Scott  | Soybeans  | IRR OT    | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Scott  | Soybeans  | NI        | ALLOTHFDGD |      | 57    | 65    | 8      | 14.0%    |
| Scott  | Soybeans  | NI        | COMM       |      | 62    | 65    | 3      | 4.8%     |
| Scott  | Soybeans  | NI        | HP         |      | 57    | 60    | 3      | 5.3%     |
| Scott  | Soybeans  | NI        | LLA        |      | 57    | 60    | 3      | 5.3%     |
| Scott  | Soybeans  | NI        | LSF        |      | 57    | 60    | 3      | 5.3%     |
| Scott  | Soybeans  | NI        | LSFG       |      | 53    | 55    | 2      | 3.8%     |
| Scott  | Soybeans  | NI        | SSFG       |      | 43    | 46    | 3      | 7.0%     |
| Scott  | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 40    | 46    | 6      | 15.0%    |
| Scott  | Soybeans  | NON-IRROC | COMM       |      | 43    | 46    | 3      | 7.0%     |
| Scott  | Soybeans  | NON-IRROC | HP         |      | 40    | 42    | 2      | 5.0%     |
| Scott  | Soybeans  | NON-IRROC | LLA        |      | 40    | 42    | 2      | 5.0%     |
| Scott  | Soybeans  | NON-IRROC | LSF        |      | 40    | 42    | 2      | 5.0%     |
| Scott  | Soybeans  | NON-IRROC | LSFG       |      | 37    | 39    | 2      | 5.4%     |
| Scott  | Soybeans  | NON-IRROC | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Scott  | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 40    | 46    | 6      | 15.0%    |
| Scott  | Soybeans  | NON-IRROT | COMM       |      | 43    | 46    | 3      | 7.0%     |
| Scott  | Soybeans  | NON-IRROT | HP         |      | 40    | 42    | 2      | 5.0%     |
| Scott  | Soybeans  | NON-IRROT | LLA        |      | 40    | 42    | 2      | 5.0%     |
| Scott  | Soybeans  | NON-IRROT | LSF        |      | 40    | 42    | 2      | 5.0%     |
| Scott  | Soybeans  | NON-IRROT | LSFG       |      | 37    | 39    | 2      | 5.4%     |
| Scott  | Soybeans  | NON-IRROT | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Shelby | Corn      | I         | GSG        |      | 203   | 203   | 0      | 0.0%     |
| Shelby | Corn      | I         | HAMLS      |      | 203   | 203   | 0      | 0.0%     |
| Shelby | Corn      | I         | HAMOS      |      | 142   | 142   | 0      | 0.0%     |
| Shelby | Corn      | I         | WAXY       |      | 203   | 203   | 0      | 0.0%     |
| Shelby | Corn      | I         | WHITE      |      | 203   | 203   | 0      | 0.0%     |
| Shelby | Corn      | IRR OC    | GSG        |      | 152   | 152   | 0      | 0.0%     |
| Shelby | Corn      | IRR OC    | HAMLS      |      | 152   | 152   | 0      | 0.0%     |
| Shelby | Corn      | IRR OC    | HAMOS      |      | 107   | 107   | 0      | 0.0%     |
| Shelby | Corn      | IRR OC    | WAXY       |      | 152   | 152   | 0      | 0.0%     |
| Shelby | Corn      | IRR OC    | WHITE      |      | 152   | 152   | 0      | 0.0%     |
| Shelby | Corn      | IRR OT    | GSG        |      | 152   | 152   | 0      | 0.0%     |
| Shelby | Corn      | IRR OT    | HAMLS      |      | 152   | 152   | 0      | 0.0%     |



Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Shelby | Corn      | IRR OT    | HAMOS      |      | 107   | 107   |  | 0      | 0.0%     |
| Shelby | Corn      | IRR OT    | WAXY       |      | 152   | 152   |  | 0      | 0.0%     |
| Shelby | Corn      | IRR OT    | WHITE      |      | 152   | 152   |  | 0      | 0.0%     |
| Shelby | Corn      | NI        | GSG        |      | 203   | 203   |  | 0      | 0.0%     |
| Shelby | Corn      | NI        | HAMLS      |      | 203   | 203   |  | 0      | 0.0%     |
| Shelby | Corn      | NI        | HAMOS      |      | 142   | 142   |  | 0      | 0.0%     |
| Shelby | Corn      | NI        | WAXY       |      | 203   | 203   |  | 0      | 0.0%     |
| Shelby | Corn      | NI        | WHITE      |      | 203   | 203   |  | 0      | 0.0%     |
| Shelby | Corn      | NON-IRROC | GSG        |      | 152   | 152   |  | 0      | 0.0%     |
| Shelby | Corn      | NON-IRROC | HAMLS      |      | 152   | 152   |  | 0      | 0.0%     |
| Shelby | Corn      | NON-IRROC | HAMOS      |      | 107   | 107   |  | 0      | 0.0%     |
| Shelby | Corn      | NON-IRROC | WAXY       |      | 152   | 152   |  | 0      | 0.0%     |
| Shelby | Corn      | NON-IRROC | WHITE      |      | 152   | 152   |  | 0      | 0.0%     |
| Shelby | Corn      | NON-IRROT | GSG        |      | 152   | 152   |  | 0      | 0.0%     |
| Shelby | Corn      | NON-IRROT | HAMLS      |      | 152   | 152   |  | 0      | 0.0%     |
| Shelby | Corn      | NON-IRROT | HAMOS      |      | 107   | 107   |  | 0      | 0.0%     |
| Shelby | Corn      | NON-IRROT | WAXY       |      | 152   | 152   |  | 0      | 0.0%     |
| Shelby | Corn      | NON-IRROT | WHITE      |      | 152   | 152   |  | 0      | 0.0%     |
| Shelby | Oats      | I         | S          |      | 84    | 84    |  | 0      | 0.0%     |
| Shelby | Oats      | IRR OC    | S          |      | 84    | 76    |  | -8     | -9.5%    |
| Shelby | Oats      | IRR OT    | S          |      | 84    | 76    |  | -8     | -9.5%    |
| Shelby | Oats      | NI        | S          |      | 84    | 84    |  | 0      | 0.0%     |
| Shelby | Oats      | NON-IRROC | S          |      | 84    | 76    |  | -8     | -9.5%    |
| Shelby | Oats      | NON-IRROT | S          |      | 84    | 76    |  | -8     | -9.5%    |
| Shelby | Popcorn   | I         | NTS        |      | 5249  | 5249  |  | 0      | 0.0%     |
| Shelby | Popcorn   | IRR OC    | NTS        |      | 3674  | 3674  |  | 0      | 0.0%     |
| Shelby | Popcorn   | IRR OT    | NTS        |      | 3674  | 3674  |  | 0      | 0.0%     |
| Shelby | Popcorn   | NI        | NTS        |      | 4581  | 4581  |  | 0      | 0.0%     |
| Shelby | Popcorn   | NON-IRROC | NTS        |      | 3207  | 3207  |  | 0      | 0.0%     |
| Shelby | Popcorn   | NON-IRROT | NTS        |      | 3207  | 3207  |  | 0      | 0.0%     |
| Shelby | Soybeans  | I         | ALLOTHFDGD |      | 53    | 60    |  | 7      | 13.2%    |
| Shelby | Soybeans  | I         | COMM       |      | 57    | 60    |  | 3      | 5.3%     |
| Shelby | Soybeans  | I         | HP         |      | 53    | 56    |  | 3      | 5.7%     |
| Shelby | Soybeans  | I         | LLA        |      | 53    | 56    |  | 3      | 5.7%     |
| Shelby | Soybeans  | I         | LSF        |      | 53    | 56    |  | 3      | 5.7%     |
| Shelby | Soybeans  | I         | LSFG       |      | 48    | 51    |  | 3      | 6.3%     |
| Shelby | Soybeans  | I         | SSFG       |      | 40    | 42    |  | 2      | 5.0%     |
| Shelby | Soybeans  | IRR OC    | ALLOTHFDGD |      | 37    | 42    |  | 5      | 13.5%    |
| Shelby | Soybeans  | IRR OC    | COMM       |      | 40    | 42    |  | 2      | 5.0%     |
| Shelby | Soybeans  | IRR OC    | HP         |      | 37    | 39    |  | 2      | 5.4%     |
| Shelby | Soybeans  | IRR OC    | LLA        |      | 37    | 39    |  | 2      | 5.4%     |
| Shelby | Soybeans  | IRR OC    | LSF        |      | 37    | 39    |  | 2      | 5.4%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Shelby | Soybeans  | IRR OC    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Shelby | Soybeans  | IRR OC    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Shelby | Soybeans  | IRR OT    | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| Shelby | Soybeans  | IRR OT    | COMM       |      | 40    | 42    | 2      | 5.0%     |
| Shelby | Soybeans  | IRR OT    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Shelby | Soybeans  | IRR OT    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Shelby | Soybeans  | IRR OT    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Shelby | Soybeans  | IRR OT    | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Shelby | Soybeans  | IRR OT    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Shelby | Soybeans  | NI        | ALLOTHFDGD |      | 53    | 60    | 7      | 13.2%    |
| Shelby | Soybeans  | NI        | COMM       |      | 57    | 60    | 3      | 5.3%     |
| Shelby | Soybeans  | NI        | HP         |      | 53    | 56    | 3      | 5.7%     |
| Shelby | Soybeans  | NI        | LLA        |      | 53    | 56    | 3      | 5.7%     |
| Shelby | Soybeans  | NI        | LSF        |      | 53    | 56    | 3      | 5.7%     |
| Shelby | Soybeans  | NI        | LSFG       |      | 48    | 51    | 3      | 6.3%     |
| Shelby | Soybeans  | NI        | SSFG       |      | 40    | 42    | 2      | 5.0%     |
| Shelby | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| Shelby | Soybeans  | NON-IRROC | COMM       |      | 40    | 42    | 2      | 5.0%     |
| Shelby | Soybeans  | NON-IRROC | HP         |      | 37    | 39    | 2      | 5.4%     |
| Shelby | Soybeans  | NON-IRROC | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Shelby | Soybeans  | NON-IRROC | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Shelby | Soybeans  | NON-IRROC | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Shelby | Soybeans  | NON-IRROC | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Shelby | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 37    | 42    | 5      | 13.5%    |
| Shelby | Soybeans  | NON-IRROT | COMM       |      | 40    | 42    | 2      | 5.0%     |
| Shelby | Soybeans  | NON-IRROT | HP         |      | 37    | 39    | 2      | 5.4%     |
| Shelby | Soybeans  | NON-IRROT | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Shelby | Soybeans  | NON-IRROT | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Shelby | Soybeans  | NON-IRROT | LSFG       |      | 34    | 36    | 2      | 5.9%     |
| Shelby | Soybeans  | NON-IRROT | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Sioux  | Corn      | I         | BLUE       |      | 113   | 113   | 0      | 0.0%     |
| Sioux  | Corn      | I         | GSG        |      | 206   | 206   | 0      | 0.0%     |
| Sioux  | Corn      | I         | GSS        |      | 23.7  | 23.7  | 0      | 0.0%     |
| Sioux  | Corn      | I         | HAMLS      |      | 206   | 206   | 0      | 0.0%     |
| Sioux  | Corn      | I         | WAXY       |      | 206   | 206   | 0      | 0.0%     |
| Sioux  | Corn      | I         | WHITE      |      | 206   | 206   | 0      | 0.0%     |
| Sioux  | Corn      | IRR OC    | BLUE       |      | 85    | 85    | 0      | 0.0%     |
| Sioux  | Corn      | IRR OC    | GSG        |      | 155   | 155   | 0      | 0.0%     |
| Sioux  | Corn      | IRR OC    | GSS        |      | 17.8  | 17.8  | 0      | 0.0%     |
| Sioux  | Corn      | IRR OC    | HAMLS      |      | 155   | 155   | 0      | 0.0%     |
| Sioux  | Corn      | IRR OC    | WAXY       |      | 155   | 155   | 0      | 0.0%     |
| Sioux  | Corn      | IRR OC    | WHITE      |      | 155   | 155   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Sioux  | Corn      | IRR OT    | BLUE       |      | 85    | 85    |  | 0      | 0.0%     |
| Sioux  | Corn      | IRR OT    | GSG        |      | 155   | 155   |  | 0      | 0.0%     |
| Sioux  | Corn      | IRR OT    | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Sioux  | Corn      | IRR OT    | HAMLS      |      | 155   | 155   |  | 0      | 0.0%     |
| Sioux  | Corn      | IRR OT    | WAXY       |      | 155   | 155   |  | 0      | 0.0%     |
| Sioux  | Corn      | IRR OT    | WHITE      |      | 155   | 155   |  | 0      | 0.0%     |
| Sioux  | Corn      | NI        | BLUE       |      | 113   | 113   |  | 0      | 0.0%     |
| Sioux  | Corn      | NI        | GSG        |      | 206   | 206   |  | 0      | 0.0%     |
| Sioux  | Corn      | NI        | GSS        |      | 23.7  | 23.7  |  | 0      | 0.0%     |
| Sioux  | Corn      | NI        | HAMLS      |      | 206   | 206   |  | 0      | 0.0%     |
| Sioux  | Corn      | NI        | WAXY       |      | 206   | 206   |  | 0      | 0.0%     |
| Sioux  | Corn      | NI        | WHITE      |      | 206   | 206   |  | 0      | 0.0%     |
| Sioux  | Corn      | NON-IRROC | BLUE       |      | 85    | 85    |  | 0      | 0.0%     |
| Sioux  | Corn      | NON-IRROC | GSG        |      | 155   | 155   |  | 0      | 0.0%     |
| Sioux  | Corn      | NON-IRROC | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Sioux  | Corn      | NON-IRROC | HAMLS      |      | 155   | 155   |  | 0      | 0.0%     |
| Sioux  | Corn      | NON-IRROC | WAXY       |      | 155   | 155   |  | 0      | 0.0%     |
| Sioux  | Corn      | NON-IRROC | WHITE      |      | 155   | 155   |  | 0      | 0.0%     |
| Sioux  | Corn      | NON-IRROT | BLUE       |      | 85    | 85    |  | 0      | 0.0%     |
| Sioux  | Corn      | NON-IRROT | GSG        |      | 155   | 155   |  | 0      | 0.0%     |
| Sioux  | Corn      | NON-IRROT | GSS        |      | 17.8  | 17.8  |  | 0      | 0.0%     |
| Sioux  | Corn      | NON-IRROT | HAMLS      |      | 155   | 155   |  | 0      | 0.0%     |
| Sioux  | Corn      | NON-IRROT | WAXY       |      | 155   | 155   |  | 0      | 0.0%     |
| Sioux  | Corn      | NON-IRROT | WHITE      |      | 155   | 155   |  | 0      | 0.0%     |
| Sioux  | Oats      | I         | S          |      | 83    | 76    |  | -7     | -8.4%    |
| Sioux  | Oats      | IRR OC    | S          |      | 83    | 68    |  | -15    | -18.1%   |
| Sioux  | Oats      | IRR OT    | S          |      | 83    | 68    |  | -15    | -18.1%   |
| Sioux  | Oats      | NI        | S          |      | 78    | 76    |  | -2     | -2.6%    |
| Sioux  | Oats      | NON-IRROC | S          |      | 78    | 68    |  | -10    | -12.8%   |
| Sioux  | Oats      | NON-IRROT | S          |      | 78    | 68    |  | -10    | -12.8%   |
| Sioux  | Soybeans  | I         | ALLOTHFDGD |      | 57    | 66    |  | 9      | 15.8%    |
| Sioux  | Soybeans  | I         | COMM       |      | 62    | 66    |  | 4      | 6.5%     |
| Sioux  | Soybeans  | I         | HP         |      | 57    | 61    |  | 4      | 7.0%     |
| Sioux  | Soybeans  | I         | LLA        |      | 57    | 61    |  | 4      | 7.0%     |
| Sioux  | Soybeans  | I         | LSF        |      | 57    | 61    |  | 4      | 7.0%     |
| Sioux  | Soybeans  | I         | LSFG       |      | 53    | 56    |  | 3      | 5.7%     |
| Sioux  | Soybeans  | I         | SSFG       |      | 43    | 46    |  | 3      | 7.0%     |
| Sioux  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 40    | 46    |  | 6      | 15.0%    |
| Sioux  | Soybeans  | IRR OC    | COMM       |      | 43    | 46    |  | 3      | 7.0%     |
| Sioux  | Soybeans  | IRR OC    | HP         |      | 40    | 43    |  | 3      | 7.5%     |
| Sioux  | Soybeans  | IRR OC    | LLA        |      | 40    | 43    |  | 3      | 7.5%     |
| Sioux  | Soybeans  | IRR OC    | LSF        |      | 40    | 43    |  | 3      | 7.5%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Sioux  | Soybeans  | IRR OC    | LSFG       |      | 37    | 39    | 2      | 5.4%     |
| Sioux  | Soybeans  | IRR OC    | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Sioux  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 40    | 46    | 6      | 15.0%    |
| Sioux  | Soybeans  | IRR OT    | COMM       |      | 43    | 46    | 3      | 7.0%     |
| Sioux  | Soybeans  | IRR OT    | HP         |      | 40    | 43    | 3      | 7.5%     |
| Sioux  | Soybeans  | IRR OT    | LLA        |      | 40    | 43    | 3      | 7.5%     |
| Sioux  | Soybeans  | IRR OT    | LSF        |      | 40    | 43    | 3      | 7.5%     |
| Sioux  | Soybeans  | IRR OT    | LSFG       |      | 37    | 39    | 2      | 5.4%     |
| Sioux  | Soybeans  | IRR OT    | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Sioux  | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 34    | 42    | 8      | 23.5%    |
| Sioux  | Soybeans  | NC IRROC  | COMM       |      | 37    | 42    | 5      | 13.5%    |
| Sioux  | Soybeans  | NC IRROC  | HP         |      | 34    | 39    | 5      | 14.7%    |
| Sioux  | Soybeans  | NC IRROC  | LLA        |      | 34    | 39    | 5      | 14.7%    |
| Sioux  | Soybeans  | NC IRROC  | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Sioux  | Soybeans  | NC IRROC  | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Sioux  | Soybeans  | NC IRROC  | SSFG       |      | 26    | 29    | 3      | 11.5%    |
| Sioux  | Soybeans  | NC IRRROT | ALLOTHFDGD |      | 34    | 42    | 8      | 23.5%    |
| Sioux  | Soybeans  | NC IRRROT | COMM       |      | 37    | 42    | 5      | 13.5%    |
| Sioux  | Soybeans  | NC IRRROT | HP         |      | 34    | 39    | 5      | 14.7%    |
| Sioux  | Soybeans  | NC IRRROT | LLA        |      | 34    | 39    | 5      | 14.7%    |
| Sioux  | Soybeans  | NC IRRROT | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Sioux  | Soybeans  | NC IRRROT | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Sioux  | Soybeans  | NC IRRROT | SSFG       |      | 26    | 29    | 3      | 11.5%    |
| Sioux  | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 34    | 42    | 8      | 23.5%    |
| Sioux  | Soybeans  | NC NIOC   | COMM       |      | 37    | 42    | 5      | 13.5%    |
| Sioux  | Soybeans  | NC NIOC   | HP         |      | 34    | 39    | 5      | 14.7%    |
| Sioux  | Soybeans  | NC NIOC   | LLA        |      | 34    | 39    | 5      | 14.7%    |
| Sioux  | Soybeans  | NC NIOC   | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Sioux  | Soybeans  | NC NIOC   | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Sioux  | Soybeans  | NC NIOC   | SSFG       |      | 26    | 29    | 3      | 11.5%    |
| Sioux  | Soybeans  | NC NIOT   | ALLOTHFDGD |      | 34    | 42    | 8      | 23.5%    |
| Sioux  | Soybeans  | NC NIOT   | COMM       |      | 37    | 42    | 5      | 13.5%    |
| Sioux  | Soybeans  | NC NIOT   | HP         |      | 34    | 39    | 5      | 14.7%    |
| Sioux  | Soybeans  | NC NIOT   | LLA        |      | 34    | 39    | 5      | 14.7%    |
| Sioux  | Soybeans  | NC NIOT   | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Sioux  | Soybeans  | NC NIOT   | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Sioux  | Soybeans  | NC NIOT   | SSFG       |      | 26    | 29    | 3      | 11.5%    |
| Sioux  | Soybeans  | NI        | ALLOTHFDGD |      | 57    | 66    | 9      | 15.8%    |
| Sioux  | Soybeans  | NI        | COMM       |      | 62    | 66    | 4      | 6.5%     |
| Sioux  | Soybeans  | NI        | HP         |      | 57    | 61    | 4      | 7.0%     |
| Sioux  | Soybeans  | NI        | LLA        |      | 57    | 61    | 4      | 7.0%     |
| Sioux  | Soybeans  | NI        | LSF        |      | 57    | 61    | 4      | 7.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|------------|------------|------|-------|-------|--------|----------|
|        |           |            |            |      | Yield | Yield |        |          |
| Sioux  | Soybeans  | NI         | LSFG       |      | 53    | 56    | 3      | 5.7%     |
| Sioux  | Soybeans  | NI         | SSFG       |      | 43    | 46    | 3      | 7.0%     |
| Sioux  | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 40    | 46    | 6      | 15.0%    |
| Sioux  | Soybeans  | NON-IRROC  | COMM       |      | 43    | 46    | 3      | 7.0%     |
| Sioux  | Soybeans  | NON-IRROC  | HP         |      | 40    | 43    | 3      | 7.5%     |
| Sioux  | Soybeans  | NON-IRROC  | LLA        |      | 40    | 43    | 3      | 7.5%     |
| Sioux  | Soybeans  | NON-IRROC  | LSF        |      | 40    | 43    | 3      | 7.5%     |
| Sioux  | Soybeans  | NON-IRROC  | LSFG       |      | 37    | 39    | 2      | 5.4%     |
| Sioux  | Soybeans  | NON-IRROC  | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Sioux  | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 40    | 46    | 6      | 15.0%    |
| Sioux  | Soybeans  | NON-IRROT  | COMM       |      | 43    | 46    | 3      | 7.0%     |
| Sioux  | Soybeans  | NON-IRROT  | HP         |      | 40    | 43    | 3      | 7.5%     |
| Sioux  | Soybeans  | NON-IRROT  | LLA        |      | 40    | 43    | 3      | 7.5%     |
| Sioux  | Soybeans  | NON-IRROT  | LSF        |      | 40    | 43    | 3      | 7.5%     |
| Sioux  | Soybeans  | NON-IRROT  | LSFG       |      | 37    | 39    | 2      | 5.4%     |
| Sioux  | Soybeans  | NON-IRROT  | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Sioux  | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 49    | 60    | 11     | 22.4%    |
| Sioux  | Soybeans  | NONCON IRR | COMM       |      | 53    | 60    | 7      | 13.2%    |
| Sioux  | Soybeans  | NONCON IRR | HP         |      | 49    | 56    | 7      | 14.3%    |
| Sioux  | Soybeans  | NONCON IRR | LLA        |      | 49    | 56    | 7      | 14.3%    |
| Sioux  | Soybeans  | NONCON IRR | LSF        |      | 49    | 56    | 7      | 14.3%    |
| Sioux  | Soybeans  | NONCON IRR | LSFG       |      | 45    | 51    | 6      | 13.3%    |
| Sioux  | Soybeans  | NONCON IRR | SSFG       |      | 37    | 42    | 5      | 13.5%    |
| Sioux  | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 49    | 60    | 11     | 22.4%    |
| Sioux  | Soybeans  | NONCON NI  | COMM       |      | 53    | 60    | 7      | 13.2%    |
| Sioux  | Soybeans  | NONCON NI  | HP         |      | 49    | 56    | 7      | 14.3%    |
| Sioux  | Soybeans  | NONCON NI  | LLA        |      | 49    | 56    | 7      | 14.3%    |
| Sioux  | Soybeans  | NONCON NI  | LSF        |      | 49    | 56    | 7      | 14.3%    |
| Sioux  | Soybeans  | NONCON NI  | LSFG       |      | 45    | 51    | 6      | 13.3%    |
| Sioux  | Soybeans  | NONCON NI  | SSFG       |      | 37    | 42    | 5      | 13.5%    |
| Sioux  | Wheat     | I          | S          |      | 34    | 41    | 7      | 20.6%    |
| Sioux  | Wheat     | IRR OC     | S          |      | 22    | 27    | 5      | 22.7%    |
| Sioux  | Wheat     | IRR OT     | S          |      | 22    | 27    | 5      | 22.7%    |
| Sioux  | Wheat     | NI         | S          |      | 34    | 41    | 7      | 20.6%    |
| Sioux  | Wheat     | NON-IRROC  | S          |      | 22    | 27    | 5      | 22.7%    |
| Sioux  | Wheat     | NON-IRROT  | S          |      | 22    | 27    | 5      | 22.7%    |
| Story  | Corn      | I          | GSG        |      | 186   | 186   | 0      | 0.0%     |
| Story  | Corn      | I          | GSS        |      | 24.2  | 24.2  | 0      | 0.0%     |
| Story  | Corn      | I          | HAMLS      |      | 186   | 186   | 0      | 0.0%     |
| Story  | Corn      | I          | WAXY       |      | 186   | 186   | 0      | 0.0%     |
| Story  | Corn      | I          | WHITE      |      | 186   | 186   | 0      | 0.0%     |
| Story  | Corn      | IRR OC     | GSG        |      | 140   | 140   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|        |           |           |            | Area | Yield | Yield |  |        |          |
| Story  | Corn      | IRR OC    | GSS        |      | 18.2  | 18.2  |  | 0      | 0.0%     |
| Story  | Corn      | IRR OC    | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | IRR OC    | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | IRR OC    | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | IRR OT    | GSG        |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | IRR OT    | GSS        |      | 18.2  | 18.2  |  | 0      | 0.0%     |
| Story  | Corn      | IRR OT    | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | IRR OT    | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | IRR OT    | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | NI        | GSG        |      | 186   | 186   |  | 0      | 0.0%     |
| Story  | Corn      | NI        | GSS        |      | 24.2  | 24.2  |  | 0      | 0.0%     |
| Story  | Corn      | NI        | HAMLS      |      | 186   | 186   |  | 0      | 0.0%     |
| Story  | Corn      | NI        | WAXY       |      | 186   | 186   |  | 0      | 0.0%     |
| Story  | Corn      | NI        | WHITE      |      | 186   | 186   |  | 0      | 0.0%     |
| Story  | Corn      | NON-IRROC | GSG        |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | NON-IRROC | GSS        |      | 18.2  | 18.2  |  | 0      | 0.0%     |
| Story  | Corn      | NON-IRROC | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | NON-IRROC | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | NON-IRROC | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | NON-IRROT | GSG        |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | NON-IRROT | GSS        |      | 18.2  | 18.2  |  | 0      | 0.0%     |
| Story  | Corn      | NON-IRROT | HAMLS      |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | NON-IRROT | WAXY       |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Corn      | NON-IRROT | WHITE      |      | 140   | 140   |  | 0      | 0.0%     |
| Story  | Oats      | I         | S          |      | 69    | 74    |  | 5      | 7.2%     |
| Story  | Oats      | IRR OC    | S          |      | 69    | 67    |  | -2     | -2.9%    |
| Story  | Oats      | IRR OT    | S          |      | 69    | 67    |  | -2     | -2.9%    |
| Story  | Oats      | NI        | S          |      | 69    | 74    |  | 5      | 7.2%     |
| Story  | Oats      | NON-IRROC | S          |      | 69    | 67    |  | -2     | -2.9%    |
| Story  | Oats      | NON-IRROT | S          |      | 69    | 67    |  | -2     | -2.9%    |
| Story  | Popcorn   | I         | NTS        |      | 3977  | 3977  |  | 0      | 0.0%     |
| Story  | Popcorn   | IRR OC    | NTS        |      | 2784  | 2784  |  | 0      | 0.0%     |
| Story  | Popcorn   | IRR OT    | NTS        |      | 2784  | 2784  |  | 0      | 0.0%     |
| Story  | Popcorn   | NI        | NTS        |      | 3977  | 3977  |  | 0      | 0.0%     |
| Story  | Popcorn   | NON-IRROC | NTS        |      | 2784  | 2784  |  | 0      | 0.0%     |
| Story  | Popcorn   | NON-IRROT | NTS        |      | 2784  | 2784  |  | 0      | 0.0%     |
| Story  | Soybeans  | I         | ALLOTHFDGD |      | 47    | 54    |  | 7      | 14.9%    |
| Story  | Soybeans  | I         | COMM       |      | 51    | 54    |  | 3      | 5.9%     |
| Story  | Soybeans  | I         | HP         |      | 47    | 50    |  | 3      | 6.4%     |
| Story  | Soybeans  | I         | LLA        |      | 47    | 50    |  | 3      | 6.4%     |
| Story  | Soybeans  | I         | LSF        |      | 47    | 50    |  | 3      | 6.4%     |
| Story  | Soybeans  | I         | LSFG       |      | 43    | 46    |  | 3      | 7.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Story  | Soybeans  | I         | SSFG       |      | 36    | 38    | 2      | 5.6%     |
| Story  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 33    | 38    | 5      | 15.2%    |
| Story  | Soybeans  | IRR OC    | COMM       |      | 36    | 38    | 2      | 5.6%     |
| Story  | Soybeans  | IRR OC    | HP         |      | 33    | 35    | 2      | 6.1%     |
| Story  | Soybeans  | IRR OC    | LLA        |      | 33    | 35    | 2      | 6.1%     |
| Story  | Soybeans  | IRR OC    | LSF        |      | 33    | 35    | 2      | 6.1%     |
| Story  | Soybeans  | IRR OC    | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Story  | Soybeans  | IRR OC    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Story  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 33    | 38    | 5      | 15.2%    |
| Story  | Soybeans  | IRR OT    | COMM       |      | 36    | 38    | 2      | 5.6%     |
| Story  | Soybeans  | IRR OT    | HP         |      | 33    | 35    | 2      | 6.1%     |
| Story  | Soybeans  | IRR OT    | LLA        |      | 33    | 35    | 2      | 6.1%     |
| Story  | Soybeans  | IRR OT    | LSF        |      | 33    | 35    | 2      | 6.1%     |
| Story  | Soybeans  | IRR OT    | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Story  | Soybeans  | IRR OT    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Story  | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 30    | 32    | 2      | 6.7%     |
| Story  | Soybeans  | NC IRROC  | COMM       |      | 32    | 32    | 0      | 0.0%     |
| Story  | Soybeans  | NC IRROC  | HP         |      | 30    | 30    | 0      | 0.0%     |
| Story  | Soybeans  | NC IRROC  | LLA        |      | 30    | 30    | 0      | 0.0%     |
| Story  | Soybeans  | NC IRROC  | LSF        |      | 30    | 30    | 0      | 0.0%     |
| Story  | Soybeans  | NC IRROC  | LSFG       |      | 27    | 27    | 0      | 0.0%     |
| Story  | Soybeans  | NC IRROC  | SSFG       |      | 22    | 22    | 0      | 0.0%     |
| Story  | Soybeans  | NC IRRROT | ALLOTHFDGD |      | 30    | 32    | 2      | 6.7%     |
| Story  | Soybeans  | NC IRRROT | COMM       |      | 32    | 32    | 0      | 0.0%     |
| Story  | Soybeans  | NC IRRROT | HP         |      | 30    | 30    | 0      | 0.0%     |
| Story  | Soybeans  | NC IRRROT | LLA        |      | 30    | 30    | 0      | 0.0%     |
| Story  | Soybeans  | NC IRRROT | LSF        |      | 30    | 30    | 0      | 0.0%     |
| Story  | Soybeans  | NC IRRROT | LSFG       |      | 27    | 27    | 0      | 0.0%     |
| Story  | Soybeans  | NC IRRROT | SSFG       |      | 22    | 22    | 0      | 0.0%     |
| Story  | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 30    | 32    | 2      | 6.7%     |
| Story  | Soybeans  | NC NIOC   | COMM       |      | 32    | 32    | 0      | 0.0%     |
| Story  | Soybeans  | NC NIOC   | HP         |      | 30    | 30    | 0      | 0.0%     |
| Story  | Soybeans  | NC NIOC   | LLA        |      | 30    | 30    | 0      | 0.0%     |
| Story  | Soybeans  | NC NIOC   | LSF        |      | 30    | 30    | 0      | 0.0%     |
| Story  | Soybeans  | NC NIOC   | LSFG       |      | 27    | 27    | 0      | 0.0%     |
| Story  | Soybeans  | NC NIOC   | SSFG       |      | 22    | 22    | 0      | 0.0%     |
| Story  | Soybeans  | NC NIOT   | ALLOTHFDGD |      | 30    | 32    | 2      | 6.7%     |
| Story  | Soybeans  | NC NIOT   | COMM       |      | 32    | 32    | 0      | 0.0%     |
| Story  | Soybeans  | NC NIOT   | HP         |      | 30    | 30    | 0      | 0.0%     |
| Story  | Soybeans  | NC NIOT   | LLA        |      | 30    | 30    | 0      | 0.0%     |
| Story  | Soybeans  | NC NIOT   | LSF        |      | 30    | 30    | 0      | 0.0%     |
| Story  | Soybeans  | NC NIOT   | LSFG       |      | 27    | 27    | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|------------|------------|------|-------|-------|--------|----------|
|        |           |            |            |      | Yield | Yield |        |          |
| Story  | Soybeans  | NC NIOT    | SSFG       |      | 22    | 22    | 0      | 0.0%     |
| Story  | Soybeans  | NI         | ALLOTHFDGD |      | 47    | 54    | 7      | 14.9%    |
| Story  | Soybeans  | NI         | COMM       |      | 51    | 54    | 3      | 5.9%     |
| Story  | Soybeans  | NI         | HP         |      | 47    | 50    | 3      | 6.4%     |
| Story  | Soybeans  | NI         | LLA        |      | 47    | 50    | 3      | 6.4%     |
| Story  | Soybeans  | NI         | LSF        |      | 47    | 50    | 3      | 6.4%     |
| Story  | Soybeans  | NI         | LSFG       |      | 43    | 46    | 3      | 7.0%     |
| Story  | Soybeans  | NI         | SSFG       |      | 36    | 38    | 2      | 5.6%     |
| Story  | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 33    | 38    | 5      | 15.2%    |
| Story  | Soybeans  | NON-IRROC  | COMM       |      | 36    | 38    | 2      | 5.6%     |
| Story  | Soybeans  | NON-IRROC  | HP         |      | 33    | 35    | 2      | 6.1%     |
| Story  | Soybeans  | NON-IRROC  | LLA        |      | 33    | 35    | 2      | 6.1%     |
| Story  | Soybeans  | NON-IRROC  | LSF        |      | 33    | 35    | 2      | 6.1%     |
| Story  | Soybeans  | NON-IRROC  | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Story  | Soybeans  | NON-IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Story  | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 33    | 38    | 5      | 15.2%    |
| Story  | Soybeans  | NON-IRROT  | COMM       |      | 36    | 38    | 2      | 5.6%     |
| Story  | Soybeans  | NON-IRROT  | HP         |      | 33    | 35    | 2      | 6.1%     |
| Story  | Soybeans  | NON-IRROT  | LLA        |      | 33    | 35    | 2      | 6.1%     |
| Story  | Soybeans  | NON-IRROT  | LSF        |      | 33    | 35    | 2      | 6.1%     |
| Story  | Soybeans  | NON-IRROT  | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Story  | Soybeans  | NON-IRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Story  | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 43    | 46    | 3      | 7.0%     |
| Story  | Soybeans  | NONCON IRR | COMM       |      | 46    | 46    | 0      | 0.0%     |
| Story  | Soybeans  | NONCON IRR | HP         |      | 43    | 43    | 0      | 0.0%     |
| Story  | Soybeans  | NONCON IRR | LLA        |      | 43    | 43    | 0      | 0.0%     |
| Story  | Soybeans  | NONCON IRR | LSF        |      | 43    | 43    | 0      | 0.0%     |
| Story  | Soybeans  | NONCON IRR | LSFG       |      | 39    | 39    | 0      | 0.0%     |
| Story  | Soybeans  | NONCON IRR | SSFG       |      | 32    | 32    | 0      | 0.0%     |
| Story  | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 43    | 46    | 3      | 7.0%     |
| Story  | Soybeans  | NONCON NI  | COMM       |      | 46    | 46    | 0      | 0.0%     |
| Story  | Soybeans  | NONCON NI  | HP         |      | 43    | 43    | 0      | 0.0%     |
| Story  | Soybeans  | NONCON NI  | LLA        |      | 43    | 43    | 0      | 0.0%     |
| Story  | Soybeans  | NONCON NI  | LSF        |      | 43    | 43    | 0      | 0.0%     |
| Story  | Soybeans  | NONCON NI  | LSFG       |      | 39    | 39    | 0      | 0.0%     |
| Story  | Soybeans  | NONCON NI  | SSFG       |      | 32    | 32    | 0      | 0.0%     |
| Tama   | Corn      | I          | BLUE       |      | 109   | 109   | 0      | 0.0%     |
| Tama   | Corn      | I          | GSG        |      | 199   | 199   | 0      | 0.0%     |
| Tama   | Corn      | I          | HAMLS      |      | 199   | 199   | 0      | 0.0%     |
| Tama   | Corn      | I          | WAXY       |      | 199   | 199   | 0      | 0.0%     |
| Tama   | Corn      | I          | WHITE      |      | 199   | 199   | 0      | 0.0%     |
| Tama   | Corn      | IRR OC     | BLUE       |      | 82    | 82    | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Tama   | Corn      | IRR OC    | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | IRR OC    | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | IRR OC    | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | IRR OC    | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | IRR OT    | BLUE       |      | 82    | 82    | 0      | 0.0%     |
| Tama   | Corn      | IRR OT    | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | IRR OT    | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | IRR OT    | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | IRR OT    | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | NI        | BLUE       |      | 109   | 109   | 0      | 0.0%     |
| Tama   | Corn      | NI        | GSG        |      | 199   | 199   | 0      | 0.0%     |
| Tama   | Corn      | NI        | HAMLS      |      | 199   | 199   | 0      | 0.0%     |
| Tama   | Corn      | NI        | WAXY       |      | 199   | 199   | 0      | 0.0%     |
| Tama   | Corn      | NI        | WHITE      |      | 199   | 199   | 0      | 0.0%     |
| Tama   | Corn      | NON-IRROC | BLUE       |      | 82    | 82    | 0      | 0.0%     |
| Tama   | Corn      | NON-IRROC | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | NON-IRROC | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | NON-IRROC | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | NON-IRROC | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | NON-IRROT | BLUE       |      | 82    | 82    | 0      | 0.0%     |
| Tama   | Corn      | NON-IRROT | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | NON-IRROT | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | NON-IRROT | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Corn      | NON-IRROT | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Tama   | Oats      | I         | S          |      | 72    | 78    | 6      | 8.3%     |
| Tama   | Oats      | IRR OC    | S          |      | 72    | 70    | -2     | -2.8%    |
| Tama   | Oats      | IRR OT    | S          |      | 72    | 70    | -2     | -2.8%    |
| Tama   | Oats      | NI        | S          |      | 72    | 78    | 6      | 8.3%     |
| Tama   | Oats      | NON-IRROC | S          |      | 72    | 70    | -2     | -2.8%    |
| Tama   | Oats      | NON-IRROT | S          |      | 72    | 70    | -2     | -2.8%    |
| Tama   | Soybeans  | I         | ALLOTHFDGD |      | 54    | 59    | 5      | 9.3%     |
| Tama   | Soybeans  | I         | COMM       |      | 58    | 59    | 1      | 1.7%     |
| Tama   | Soybeans  | I         | HP         |      | 54    | 55    | 1      | 1.9%     |
| Tama   | Soybeans  | I         | LLA        |      | 54    | 55    | 1      | 1.9%     |
| Tama   | Soybeans  | I         | LSF        |      | 54    | 55    | 1      | 1.9%     |
| Tama   | Soybeans  | I         | LSFG       |      | 49    | 50    | 1      | 2.0%     |
| Tama   | Soybeans  | I         | SSFG       |      | 41    | 41    | 0      | 0.0%     |
| Tama   | Soybeans  | IRR OC    | ALLOTHFDGD |      | 38    | 41    | 3      | 7.9%     |
| Tama   | Soybeans  | IRR OC    | COMM       |      | 41    | 41    | 0      | 0.0%     |
| Tama   | Soybeans  | IRR OC    | HP         |      | 38    | 39    | 1      | 2.6%     |
| Tama   | Soybeans  | IRR OC    | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Tama   | Soybeans  | IRR OC    | LSF        |      | 38    | 39    | 1      | 2.6%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Tama   | Soybeans  | IRR OC    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Tama   | Soybeans  | IRR OC    | SSFG       |      | 29    | 29    | 0      | 0.0%     |
| Tama   | Soybeans  | IRR OT    | ALLOTHFDGD |      | 38    | 41    | 3      | 7.9%     |
| Tama   | Soybeans  | IRR OT    | COMM       |      | 41    | 41    | 0      | 0.0%     |
| Tama   | Soybeans  | IRR OT    | HP         |      | 38    | 39    | 1      | 2.6%     |
| Tama   | Soybeans  | IRR OT    | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Tama   | Soybeans  | IRR OT    | LSF        |      | 38    | 39    | 1      | 2.6%     |
| Tama   | Soybeans  | IRR OT    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Tama   | Soybeans  | IRR OT    | SSFG       |      | 29    | 29    | 0      | 0.0%     |
| Tama   | Soybeans  | NI        | ALLOTHFDGD |      | 54    | 59    | 5      | 9.3%     |
| Tama   | Soybeans  | NI        | COMM       |      | 58    | 59    | 1      | 1.7%     |
| Tama   | Soybeans  | NI        | HP         |      | 54    | 55    | 1      | 1.9%     |
| Tama   | Soybeans  | NI        | LLA        |      | 54    | 55    | 1      | 1.9%     |
| Tama   | Soybeans  | NI        | LSF        |      | 54    | 55    | 1      | 1.9%     |
| Tama   | Soybeans  | NI        | LSFG       |      | 49    | 50    | 1      | 2.0%     |
| Tama   | Soybeans  | NI        | SSFG       |      | 41    | 41    | 0      | 0.0%     |
| Tama   | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 38    | 41    | 3      | 7.9%     |
| Tama   | Soybeans  | NON-IRROC | COMM       |      | 41    | 41    | 0      | 0.0%     |
| Tama   | Soybeans  | NON-IRROC | HP         |      | 38    | 39    | 1      | 2.6%     |
| Tama   | Soybeans  | NON-IRROC | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Tama   | Soybeans  | NON-IRROC | LSF        |      | 38    | 39    | 1      | 2.6%     |
| Tama   | Soybeans  | NON-IRROC | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Tama   | Soybeans  | NON-IRROC | SSFG       |      | 29    | 29    | 0      | 0.0%     |
| Tama   | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 38    | 41    | 3      | 7.9%     |
| Tama   | Soybeans  | NON-IRROT | COMM       |      | 41    | 41    | 0      | 0.0%     |
| Tama   | Soybeans  | NON-IRROT | HP         |      | 38    | 39    | 1      | 2.6%     |
| Tama   | Soybeans  | NON-IRROT | LLA        |      | 38    | 39    | 1      | 2.6%     |
| Tama   | Soybeans  | NON-IRROT | LSF        |      | 38    | 39    | 1      | 2.6%     |
| Tama   | Soybeans  | NON-IRROT | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Tama   | Soybeans  | NON-IRROT | SSFG       |      | 29    | 29    | 0      | 0.0%     |
| Taylor | Corn      | I         | BLUE       |      | 102   | 102   | 0      | 0.0%     |
| Taylor | Corn      | I         | GSG        |      | 186   | 186   | 0      | 0.0%     |
| Taylor | Corn      | I         | HAMLS      |      | 186   | 186   | 0      | 0.0%     |
| Taylor | Corn      | I         | HAMOS      |      | 130   | 130   | 0      | 0.0%     |
| Taylor | Corn      | I         | WAXY       |      | 186   | 186   | 0      | 0.0%     |
| Taylor | Corn      | I         | WHITE      |      | 186   | 186   | 0      | 0.0%     |
| Taylor | Corn      | IRR OC    | BLUE       |      | 77    | 77    | 0      | 0.0%     |
| Taylor | Corn      | IRR OC    | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Taylor | Corn      | IRR OC    | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Taylor | Corn      | IRR OC    | HAMOS      |      | 98    | 98    | 0      | 0.0%     |
| Taylor | Corn      | IRR OC    | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Taylor | Corn      | IRR OC    | WHITE      |      | 140   | 140   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name     | Practice  | Type  | 2023 |       | 2024  |  | Change | % Change |
|--------|---------------|-----------|-------|------|-------|-------|--|--------|----------|
|        |               |           |       | Area | Yield | Yield |  |        |          |
| Taylor | Corn          | IRR OT    | BLUE  |      | 77    | 77    |  | 0      | 0.0%     |
| Taylor | Corn          | IRR OT    | GSG   |      | 140   | 140   |  | 0      | 0.0%     |
| Taylor | Corn          | IRR OT    | HAMLS |      | 140   | 140   |  | 0      | 0.0%     |
| Taylor | Corn          | IRR OT    | HAMOS |      | 98    | 98    |  | 0      | 0.0%     |
| Taylor | Corn          | IRR OT    | WAXY  |      | 140   | 140   |  | 0      | 0.0%     |
| Taylor | Corn          | IRR OT    | WHITE |      | 140   | 140   |  | 0      | 0.0%     |
| Taylor | Corn          | NI        | BLUE  |      | 86    | 86    |  | 0      | 0.0%     |
| Taylor | Corn          | NI        | GSG   |      | 157   | 157   |  | 0      | 0.0%     |
| Taylor | Corn          | NI        | HAMLS |      | 157   | 157   |  | 0      | 0.0%     |
| Taylor | Corn          | NI        | HAMOS |      | 110   | 110   |  | 0      | 0.0%     |
| Taylor | Corn          | NI        | WAXY  |      | 157   | 157   |  | 0      | 0.0%     |
| Taylor | Corn          | NI        | WHITE |      | 157   | 157   |  | 0      | 0.0%     |
| Taylor | Corn          | NON-IRROC | BLUE  |      | 65    | 65    |  | 0      | 0.0%     |
| Taylor | Corn          | NON-IRROC | GSG   |      | 118   | 118   |  | 0      | 0.0%     |
| Taylor | Corn          | NON-IRROC | HAMLS |      | 118   | 118   |  | 0      | 0.0%     |
| Taylor | Corn          | NON-IRROC | HAMOS |      | 83    | 83    |  | 0      | 0.0%     |
| Taylor | Corn          | NON-IRROC | WAXY  |      | 118   | 118   |  | 0      | 0.0%     |
| Taylor | Corn          | NON-IRROC | WHITE |      | 118   | 118   |  | 0      | 0.0%     |
| Taylor | Corn          | NON-IRROT | BLUE  |      | 65    | 65    |  | 0      | 0.0%     |
| Taylor | Corn          | NON-IRROT | GSG   |      | 118   | 118   |  | 0      | 0.0%     |
| Taylor | Corn          | NON-IRROT | HAMLS |      | 118   | 118   |  | 0      | 0.0%     |
| Taylor | Corn          | NON-IRROT | HAMOS |      | 83    | 83    |  | 0      | 0.0%     |
| Taylor | Corn          | NON-IRROT | WAXY  |      | 118   | 118   |  | 0      | 0.0%     |
| Taylor | Corn          | NON-IRROT | WHITE |      | 118   | 118   |  | 0      | 0.0%     |
| Taylor | Grain Sorghum | I         | NTS   |      | 77    | 77    |  | 0      | 0.0%     |
| Taylor | Grain Sorghum | IRR OC    | NTS   |      | 50    | 50    |  | 0      | 0.0%     |
| Taylor | Grain Sorghum | IRR OT    | NTS   |      | 50    | 50    |  | 0      | 0.0%     |
| Taylor | Grain Sorghum | NI        | NTS   |      | 77    | 77    |  | 0      | 0.0%     |
| Taylor | Grain Sorghum | NON-IRROC | NTS   |      | 50    | 50    |  | 0      | 0.0%     |
| Taylor | Grain Sorghum | NON-IRROT | NTS   |      | 50    | 50    |  | 0      | 0.0%     |
| Taylor | Oats          | I         | S     |      | 64    | 64    |  | 0      | 0.0%     |
| Taylor | Oats          | IRR OC    | S     |      | 64    | 58    |  | -6     | -9.4%    |
| Taylor | Oats          | IRR OT    | S     |      | 64    | 58    |  | -6     | -9.4%    |
| Taylor | Oats          | NI        | S     |      | 64    | 64    |  | 0      | 0.0%     |
| Taylor | Oats          | NON-IRROC | S     |      | 64    | 58    |  | -6     | -9.4%    |
| Taylor | Oats          | NON-IRROT | S     |      | 64    | 58    |  | -6     | -9.4%    |
| Taylor | Popcorn       | I         | NTS   |      | 5000  | 5000  |  | 0      | 0.0%     |
| Taylor | Popcorn       | IRR OC    | NTS   |      | 3500  | 3500  |  | 0      | 0.0%     |
| Taylor | Popcorn       | IRR OT    | NTS   |      | 3500  | 3500  |  | 0      | 0.0%     |
| Taylor | Popcorn       | NI        | NTS   |      | 4262  | 4262  |  | 0      | 0.0%     |
| Taylor | Popcorn       | NON-IRROC | NTS   |      | 2983  | 2983  |  | 0      | 0.0%     |
| Taylor | Popcorn       | NON-IRROT | NTS   |      | 2983  | 2983  |  | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Taylor | Soybeans  | I         | ALLOTHFDGD |      | 47    | 59    | 12     | 25.5%    |
| Taylor | Soybeans  | I         | COMM       |      | 51    | 59    | 8      | 15.7%    |
| Taylor | Soybeans  | I         | HP         |      | 47    | 55    | 8      | 17.0%    |
| Taylor | Soybeans  | I         | LLA        |      | 47    | 55    | 8      | 17.0%    |
| Taylor | Soybeans  | I         | LSF        |      | 47    | 55    | 8      | 17.0%    |
| Taylor | Soybeans  | I         | LSFG       |      | 43    | 50    | 7      | 16.3%    |
| Taylor | Soybeans  | I         | SSFG       |      | 36    | 41    | 5      | 13.9%    |
| Taylor | Soybeans  | IRR OC    | ALLOTHFDGD |      | 33    | 41    | 8      | 24.2%    |
| Taylor | Soybeans  | IRR OC    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Taylor | Soybeans  | IRR OC    | HP         |      | 33    | 39    | 6      | 18.2%    |
| Taylor | Soybeans  | IRR OC    | LLA        |      | 33    | 39    | 6      | 18.2%    |
| Taylor | Soybeans  | IRR OC    | LSF        |      | 33    | 39    | 6      | 18.2%    |
| Taylor | Soybeans  | IRR OC    | LSFG       |      | 30    | 35    | 5      | 16.7%    |
| Taylor | Soybeans  | IRR OC    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Taylor | Soybeans  | IRR OT    | ALLOTHFDGD |      | 33    | 41    | 8      | 24.2%    |
| Taylor | Soybeans  | IRR OT    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Taylor | Soybeans  | IRR OT    | HP         |      | 33    | 39    | 6      | 18.2%    |
| Taylor | Soybeans  | IRR OT    | LLA        |      | 33    | 39    | 6      | 18.2%    |
| Taylor | Soybeans  | IRR OT    | LSF        |      | 33    | 39    | 6      | 18.2%    |
| Taylor | Soybeans  | IRR OT    | LSFG       |      | 30    | 35    | 5      | 16.7%    |
| Taylor | Soybeans  | IRR OT    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Taylor | Soybeans  | NI        | ALLOTHFDGD |      | 43    | 50    | 7      | 16.3%    |
| Taylor | Soybeans  | NI        | COMM       |      | 46    | 50    | 4      | 8.7%     |
| Taylor | Soybeans  | NI        | HP         |      | 43    | 46    | 3      | 7.0%     |
| Taylor | Soybeans  | NI        | LLA        |      | 43    | 46    | 3      | 7.0%     |
| Taylor | Soybeans  | NI        | LSF        |      | 43    | 46    | 3      | 7.0%     |
| Taylor | Soybeans  | NI        | LSFG       |      | 39    | 43    | 4      | 10.3%    |
| Taylor | Soybeans  | NI        | SSFG       |      | 32    | 35    | 3      | 9.4%     |
| Taylor | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 30    | 35    | 5      | 16.7%    |
| Taylor | Soybeans  | NON-IRROC | COMM       |      | 32    | 35    | 3      | 9.4%     |
| Taylor | Soybeans  | NON-IRROC | HP         |      | 30    | 32    | 2      | 6.7%     |
| Taylor | Soybeans  | NON-IRROC | LLA        |      | 30    | 32    | 2      | 6.7%     |
| Taylor | Soybeans  | NON-IRROC | LSF        |      | 30    | 32    | 2      | 6.7%     |
| Taylor | Soybeans  | NON-IRROC | LSFG       |      | 27    | 30    | 3      | 11.1%    |
| Taylor | Soybeans  | NON-IRROC | SSFG       |      | 22    | 25    | 3      | 13.6%    |
| Taylor | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 30    | 35    | 5      | 16.7%    |
| Taylor | Soybeans  | NON-IRROT | COMM       |      | 32    | 35    | 3      | 9.4%     |
| Taylor | Soybeans  | NON-IRROT | HP         |      | 30    | 32    | 2      | 6.7%     |
| Taylor | Soybeans  | NON-IRROT | LLA        |      | 30    | 32    | 2      | 6.7%     |
| Taylor | Soybeans  | NON-IRROT | LSF        |      | 30    | 32    | 2      | 6.7%     |
| Taylor | Soybeans  | NON-IRROT | LSFG       |      | 27    | 30    | 3      | 11.1%    |
| Taylor | Soybeans  | NON-IRROT | SSFG       |      | 22    | 25    | 3      | 13.6%    |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type  | 2023 |       | 2024  |       | Change | % Change |
|--------|-----------|-----------|-------|------|-------|-------|-------|--------|----------|
|        |           |           |       | Area | Yield | Yield | Yield |        |          |
| Union  | Corn      | I         | BLUE  |      | 99    | 99    |       | 0      | 0.0%     |
| Union  | Corn      | I         | GSG   |      | 180   | 180   |       | 0      | 0.0%     |
| Union  | Corn      | I         | HAMLS |      | 180   | 180   |       | 0      | 0.0%     |
| Union  | Corn      | I         | HAMOS |      | 126   | 126   |       | 0      | 0.0%     |
| Union  | Corn      | I         | WAXY  |      | 180   | 180   |       | 0      | 0.0%     |
| Union  | Corn      | I         | WHITE |      | 180   | 180   |       | 0      | 0.0%     |
| Union  | Corn      | IRR OC    | BLUE  |      | 74    | 74    |       | 0      | 0.0%     |
| Union  | Corn      | IRR OC    | GSG   |      | 135   | 135   |       | 0      | 0.0%     |
| Union  | Corn      | IRR OC    | HAMLS |      | 135   | 135   |       | 0      | 0.0%     |
| Union  | Corn      | IRR OC    | HAMOS |      | 95    | 95    |       | 0      | 0.0%     |
| Union  | Corn      | IRR OC    | WAXY  |      | 135   | 135   |       | 0      | 0.0%     |
| Union  | Corn      | IRR OC    | WHITE |      | 135   | 135   |       | 0      | 0.0%     |
| Union  | Corn      | IRR OT    | BLUE  |      | 74    | 74    |       | 0      | 0.0%     |
| Union  | Corn      | IRR OT    | GSG   |      | 135   | 135   |       | 0      | 0.0%     |
| Union  | Corn      | IRR OT    | HAMLS |      | 135   | 135   |       | 0      | 0.0%     |
| Union  | Corn      | IRR OT    | HAMOS |      | 95    | 95    |       | 0      | 0.0%     |
| Union  | Corn      | IRR OT    | WAXY  |      | 135   | 135   |       | 0      | 0.0%     |
| Union  | Corn      | IRR OT    | WHITE |      | 135   | 135   |       | 0      | 0.0%     |
| Union  | Corn      | NI        | BLUE  |      | 87    | 87    |       | 0      | 0.0%     |
| Union  | Corn      | NI        | GSG   |      | 158   | 158   |       | 0      | 0.0%     |
| Union  | Corn      | NI        | HAMLS |      | 158   | 158   |       | 0      | 0.0%     |
| Union  | Corn      | NI        | HAMOS |      | 111   | 111   |       | 0      | 0.0%     |
| Union  | Corn      | NI        | WAXY  |      | 158   | 158   |       | 0      | 0.0%     |
| Union  | Corn      | NI        | WHITE |      | 158   | 158   |       | 0      | 0.0%     |
| Union  | Corn      | NON-IRROC | BLUE  |      | 65    | 65    |       | 0      | 0.0%     |
| Union  | Corn      | NON-IRROC | GSG   |      | 119   | 119   |       | 0      | 0.0%     |
| Union  | Corn      | NON-IRROC | HAMLS |      | 119   | 119   |       | 0      | 0.0%     |
| Union  | Corn      | NON-IRROC | HAMOS |      | 83    | 83    |       | 0      | 0.0%     |
| Union  | Corn      | NON-IRROC | WAXY  |      | 119   | 119   |       | 0      | 0.0%     |
| Union  | Corn      | NON-IRROC | WHITE |      | 119   | 119   |       | 0      | 0.0%     |
| Union  | Corn      | NON-IRROT | BLUE  |      | 65    | 65    |       | 0      | 0.0%     |
| Union  | Corn      | NON-IRROT | GSG   |      | 119   | 119   |       | 0      | 0.0%     |
| Union  | Corn      | NON-IRROT | HAMLS |      | 119   | 119   |       | 0      | 0.0%     |
| Union  | Corn      | NON-IRROT | HAMOS |      | 83    | 83    |       | 0      | 0.0%     |
| Union  | Corn      | NON-IRROT | WAXY  |      | 119   | 119   |       | 0      | 0.0%     |
| Union  | Corn      | NON-IRROT | WHITE |      | 119   | 119   |       | 0      | 0.0%     |
| Union  | Oats      | I         | S     |      | 39    | 40    |       | 1      | 2.6%     |
| Union  | Oats      | IRR OC    | S     |      | 39    | 36    |       | -3     | -7.7%    |
| Union  | Oats      | IRR OT    | S     |      | 39    | 36    |       | -3     | -7.7%    |
| Union  | Oats      | NI        | S     |      | 39    | 40    |       | 1      | 2.6%     |
| Union  | Oats      | NON-IRROC | S     |      | 39    | 36    |       | -3     | -7.7%    |
| Union  | Oats      | NON-IRROT | S     |      | 39    | 36    |       | -3     | -7.7%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Union  | Soybeans  | I         | ALLOTHFDGD |      | 43    | 50    | 7      | 16.3%    |
| Union  | Soybeans  | I         | COMM       |      | 47    | 50    | 3      | 6.4%     |
| Union  | Soybeans  | I         | HP         |      | 43    | 46    | 3      | 7.0%     |
| Union  | Soybeans  | I         | LLA        |      | 43    | 46    | 3      | 7.0%     |
| Union  | Soybeans  | I         | LSF        |      | 43    | 46    | 3      | 7.0%     |
| Union  | Soybeans  | I         | LSFG       |      | 40    | 43    | 3      | 7.5%     |
| Union  | Soybeans  | I         | SSFG       |      | 33    | 35    | 2      | 6.1%     |
| Union  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 30    | 35    | 5      | 16.7%    |
| Union  | Soybeans  | IRR OC    | COMM       |      | 33    | 35    | 2      | 6.1%     |
| Union  | Soybeans  | IRR OC    | HP         |      | 30    | 32    | 2      | 6.7%     |
| Union  | Soybeans  | IRR OC    | LLA        |      | 30    | 32    | 2      | 6.7%     |
| Union  | Soybeans  | IRR OC    | LSF        |      | 30    | 32    | 2      | 6.7%     |
| Union  | Soybeans  | IRR OC    | LSFG       |      | 28    | 30    | 2      | 7.1%     |
| Union  | Soybeans  | IRR OC    | SSFG       |      | 23    | 25    | 2      | 8.7%     |
| Union  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 30    | 35    | 5      | 16.7%    |
| Union  | Soybeans  | IRR OT    | COMM       |      | 33    | 35    | 2      | 6.1%     |
| Union  | Soybeans  | IRR OT    | HP         |      | 30    | 32    | 2      | 6.7%     |
| Union  | Soybeans  | IRR OT    | LLA        |      | 30    | 32    | 2      | 6.7%     |
| Union  | Soybeans  | IRR OT    | LSF        |      | 30    | 32    | 2      | 6.7%     |
| Union  | Soybeans  | IRR OT    | LSFG       |      | 28    | 30    | 2      | 7.1%     |
| Union  | Soybeans  | IRR OT    | SSFG       |      | 23    | 25    | 2      | 8.7%     |
| Union  | Soybeans  | NI        | ALLOTHFDGD |      | 43    | 50    | 7      | 16.3%    |
| Union  | Soybeans  | NI        | COMM       |      | 47    | 50    | 3      | 6.4%     |
| Union  | Soybeans  | NI        | HP         |      | 43    | 46    | 3      | 7.0%     |
| Union  | Soybeans  | NI        | LLA        |      | 43    | 46    | 3      | 7.0%     |
| Union  | Soybeans  | NI        | LSF        |      | 43    | 46    | 3      | 7.0%     |
| Union  | Soybeans  | NI        | LSFG       |      | 40    | 43    | 3      | 7.5%     |
| Union  | Soybeans  | NI        | SSFG       |      | 33    | 35    | 2      | 6.1%     |
| Union  | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 30    | 35    | 5      | 16.7%    |
| Union  | Soybeans  | NON-IRROC | COMM       |      | 33    | 35    | 2      | 6.1%     |
| Union  | Soybeans  | NON-IRROC | HP         |      | 30    | 32    | 2      | 6.7%     |
| Union  | Soybeans  | NON-IRROC | LLA        |      | 30    | 32    | 2      | 6.7%     |
| Union  | Soybeans  | NON-IRROC | LSF        |      | 30    | 32    | 2      | 6.7%     |
| Union  | Soybeans  | NON-IRROC | LSFG       |      | 28    | 30    | 2      | 7.1%     |
| Union  | Soybeans  | NON-IRROC | SSFG       |      | 23    | 25    | 2      | 8.7%     |
| Union  | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 30    | 35    | 5      | 16.7%    |
| Union  | Soybeans  | NON-IRROT | COMM       |      | 33    | 35    | 2      | 6.1%     |
| Union  | Soybeans  | NON-IRROT | HP         |      | 30    | 32    | 2      | 6.7%     |
| Union  | Soybeans  | NON-IRROT | LLA        |      | 30    | 32    | 2      | 6.7%     |
| Union  | Soybeans  | NON-IRROT | LSF        |      | 30    | 32    | 2      | 6.7%     |
| Union  | Soybeans  | NON-IRROT | LSFG       |      | 28    | 30    | 2      | 7.1%     |
| Union  | Soybeans  | NON-IRROT | SSFG       |      | 23    | 25    | 2      | 8.7%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|           |           |           |            | Area | Yield | Yield |  |        |          |
| Van Buren | Corn      | I         | BLUE       |      | 111   | 111   |  | 0      | 0.0%     |
| Van Buren | Corn      | I         | GSG        |      | 201   | 201   |  | 0      | 0.0%     |
| Van Buren | Corn      | I         | HAMLS      |      | 201   | 201   |  | 0      | 0.0%     |
| Van Buren | Corn      | I         | WAXY       |      | 201   | 201   |  | 0      | 0.0%     |
| Van Buren | Corn      | I         | WHITE      |      | 201   | 201   |  | 0      | 0.0%     |
| Van Buren | Corn      | IRR OC    | BLUE       |      | 83    | 83    |  | 0      | 0.0%     |
| Van Buren | Corn      | IRR OC    | GSG        |      | 151   | 151   |  | 0      | 0.0%     |
| Van Buren | Corn      | IRR OC    | HAMLS      |      | 151   | 151   |  | 0      | 0.0%     |
| Van Buren | Corn      | IRR OC    | WAXY       |      | 151   | 151   |  | 0      | 0.0%     |
| Van Buren | Corn      | IRR OC    | WHITE      |      | 151   | 151   |  | 0      | 0.0%     |
| Van Buren | Corn      | IRR OT    | BLUE       |      | 83    | 83    |  | 0      | 0.0%     |
| Van Buren | Corn      | IRR OT    | GSG        |      | 151   | 151   |  | 0      | 0.0%     |
| Van Buren | Corn      | IRR OT    | HAMLS      |      | 151   | 151   |  | 0      | 0.0%     |
| Van Buren | Corn      | IRR OT    | WAXY       |      | 151   | 151   |  | 0      | 0.0%     |
| Van Buren | Corn      | IRR OT    | WHITE      |      | 151   | 151   |  | 0      | 0.0%     |
| Van Buren | Corn      | NI        | BLUE       |      | 85    | 85    |  | 0      | 0.0%     |
| Van Buren | Corn      | NI        | GSG        |      | 154   | 154   |  | 0      | 0.0%     |
| Van Buren | Corn      | NI        | HAMLS      |      | 154   | 154   |  | 0      | 0.0%     |
| Van Buren | Corn      | NI        | WAXY       |      | 154   | 154   |  | 0      | 0.0%     |
| Van Buren | Corn      | NI        | WHITE      |      | 154   | 154   |  | 0      | 0.0%     |
| Van Buren | Corn      | NON-IRROC | BLUE       |      | 64    | 64    |  | 0      | 0.0%     |
| Van Buren | Corn      | NON-IRROC | GSG        |      | 116   | 116   |  | 0      | 0.0%     |
| Van Buren | Corn      | NON-IRROC | HAMLS      |      | 116   | 116   |  | 0      | 0.0%     |
| Van Buren | Corn      | NON-IRROC | WAXY       |      | 116   | 116   |  | 0      | 0.0%     |
| Van Buren | Corn      | NON-IRROC | WHITE      |      | 116   | 116   |  | 0      | 0.0%     |
| Van Buren | Corn      | NON-IRROT | BLUE       |      | 64    | 64    |  | 0      | 0.0%     |
| Van Buren | Corn      | NON-IRROT | GSG        |      | 116   | 116   |  | 0      | 0.0%     |
| Van Buren | Corn      | NON-IRROT | HAMLS      |      | 116   | 116   |  | 0      | 0.0%     |
| Van Buren | Corn      | NON-IRROT | WAXY       |      | 116   | 116   |  | 0      | 0.0%     |
| Van Buren | Corn      | NON-IRROT | WHITE      |      | 116   | 116   |  | 0      | 0.0%     |
| Van Buren | Oats      | I         | S          |      | 53    | 64    |  | 11     | 20.8%    |
| Van Buren | Oats      | IRR OC    | S          |      | 53    | 58    |  | 5      | 9.4%     |
| Van Buren | Oats      | IRR OT    | S          |      | 53    | 58    |  | 5      | 9.4%     |
| Van Buren | Oats      | NI        | S          |      | 53    | 64    |  | 11     | 20.8%    |
| Van Buren | Oats      | NON-IRROC | S          |      | 53    | 58    |  | 5      | 9.4%     |
| Van Buren | Oats      | NON-IRROT | S          |      | 53    | 58    |  | 5      | 9.4%     |
| Van Buren | Soybeans  | I         | ALLOTHFDGD |      | 51    | 59    |  | 8      | 15.7%    |
| Van Buren | Soybeans  | I         | COMM       |      | 55    | 59    |  | 4      | 7.3%     |
| Van Buren | Soybeans  | I         | HP         |      | 51    | 55    |  | 4      | 7.8%     |
| Van Buren | Soybeans  | I         | LLA        |      | 51    | 55    |  | 4      | 7.8%     |
| Van Buren | Soybeans  | I         | LSF        |      | 51    | 55    |  | 4      | 7.8%     |
| Van Buren | Soybeans  | I         | LSFG       |      | 47    | 50    |  | 3      | 6.4%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|-----------|------------|------|-------|-------|--------|----------|
|           |           |           |            |      | Yield | Yield |        |          |
| Van Buren | Soybeans  | I         | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Van Buren | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Van Buren | Soybeans  | IRR OC    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Van Buren | Soybeans  | IRR OC    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Van Buren | Soybeans  | IRR OC    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Van Buren | Soybeans  | IRR OC    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Van Buren | Soybeans  | IRR OC    | LSFG       |      | 33    | 35    | 2      | 6.1%     |
| Van Buren | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Van Buren | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Van Buren | Soybeans  | IRR OT    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Van Buren | Soybeans  | IRR OT    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Van Buren | Soybeans  | IRR OT    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Van Buren | Soybeans  | IRR OT    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Van Buren | Soybeans  | IRR OT    | LSFG       |      | 33    | 35    | 2      | 6.1%     |
| Van Buren | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Van Buren | Soybeans  | NI        | ALLOTHFDGD |      | 43    | 48    | 5      | 11.6%    |
| Van Buren | Soybeans  | NI        | COMM       |      | 46    | 48    | 2      | 4.3%     |
| Van Buren | Soybeans  | NI        | HP         |      | 43    | 44    | 1      | 2.3%     |
| Van Buren | Soybeans  | NI        | LLA        |      | 43    | 44    | 1      | 2.3%     |
| Van Buren | Soybeans  | NI        | LSF        |      | 43    | 44    | 1      | 2.3%     |
| Van Buren | Soybeans  | NI        | LSFG       |      | 39    | 41    | 2      | 5.1%     |
| Van Buren | Soybeans  | NI        | SSFG       |      | 32    | 34    | 2      | 6.3%     |
| Van Buren | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 30    | 34    | 4      | 13.3%    |
| Van Buren | Soybeans  | NON-IRROC | COMM       |      | 32    | 34    | 2      | 6.3%     |
| Van Buren | Soybeans  | NON-IRROC | HP         |      | 30    | 31    | 1      | 3.3%     |
| Van Buren | Soybeans  | NON-IRROC | LLA        |      | 30    | 31    | 1      | 3.3%     |
| Van Buren | Soybeans  | NON-IRROC | LSF        |      | 30    | 31    | 1      | 3.3%     |
| Van Buren | Soybeans  | NON-IRROC | LSFG       |      | 27    | 29    | 2      | 7.4%     |
| Van Buren | Soybeans  | NON-IRROC | SSFG       |      | 22    | 24    | 2      | 9.1%     |
| Van Buren | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 30    | 34    | 4      | 13.3%    |
| Van Buren | Soybeans  | NON-IRROT | COMM       |      | 32    | 34    | 2      | 6.3%     |
| Van Buren | Soybeans  | NON-IRROT | HP         |      | 30    | 31    | 1      | 3.3%     |
| Van Buren | Soybeans  | NON-IRROT | LLA        |      | 30    | 31    | 1      | 3.3%     |
| Van Buren | Soybeans  | NON-IRROT | LSF        |      | 30    | 31    | 1      | 3.3%     |
| Van Buren | Soybeans  | NON-IRROT | LSFG       |      | 27    | 29    | 2      | 7.4%     |
| Van Buren | Soybeans  | NON-IRROT | SSFG       |      | 22    | 24    | 2      | 9.1%     |
| Wapello   | Corn      | I         | BLUE       |      | 110   | 110   | 0      | 0.0%     |
| Wapello   | Corn      | I         | GSG        |      | 200   | 200   | 0      | 0.0%     |
| Wapello   | Corn      | I         | HAMLS      |      | 200   | 200   | 0      | 0.0%     |
| Wapello   | Corn      | I         | WAXY       |      | 200   | 200   | 0      | 0.0%     |
| Wapello   | Corn      | I         | WHITE      |      | 200   | 200   | 0      | 0.0%     |
| Wapello   | Corn      | IRR OC    | BLUE       |      | 83    | 83    | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Wapello | Corn      | IRR OC    | GSG        |      | 150   | 150   | 0      | 0.0%     |
| Wapello | Corn      | IRR OC    | HAMLS      |      | 150   | 150   | 0      | 0.0%     |
| Wapello | Corn      | IRR OC    | WAXY       |      | 150   | 150   | 0      | 0.0%     |
| Wapello | Corn      | IRR OC    | WHITE      |      | 150   | 150   | 0      | 0.0%     |
| Wapello | Corn      | IRR OT    | BLUE       |      | 83    | 83    | 0      | 0.0%     |
| Wapello | Corn      | IRR OT    | GSG        |      | 150   | 150   | 0      | 0.0%     |
| Wapello | Corn      | IRR OT    | HAMLS      |      | 150   | 150   | 0      | 0.0%     |
| Wapello | Corn      | IRR OT    | WAXY       |      | 150   | 150   | 0      | 0.0%     |
| Wapello | Corn      | IRR OT    | WHITE      |      | 150   | 150   | 0      | 0.0%     |
| Wapello | Corn      | NI        | BLUE       |      | 95    | 95    | 0      | 0.0%     |
| Wapello | Corn      | NI        | GSG        |      | 172   | 172   | 0      | 0.0%     |
| Wapello | Corn      | NI        | HAMLS      |      | 172   | 172   | 0      | 0.0%     |
| Wapello | Corn      | NI        | WAXY       |      | 172   | 172   | 0      | 0.0%     |
| Wapello | Corn      | NI        | WHITE      |      | 172   | 172   | 0      | 0.0%     |
| Wapello | Corn      | NON-IRROC | BLUE       |      | 71    | 71    | 0      | 0.0%     |
| Wapello | Corn      | NON-IRROC | GSG        |      | 129   | 129   | 0      | 0.0%     |
| Wapello | Corn      | NON-IRROC | HAMLS      |      | 129   | 129   | 0      | 0.0%     |
| Wapello | Corn      | NON-IRROC | WAXY       |      | 129   | 129   | 0      | 0.0%     |
| Wapello | Corn      | NON-IRROC | WHITE      |      | 129   | 129   | 0      | 0.0%     |
| Wapello | Corn      | NON-IRROT | BLUE       |      | 71    | 71    | 0      | 0.0%     |
| Wapello | Corn      | NON-IRROT | GSG        |      | 129   | 129   | 0      | 0.0%     |
| Wapello | Corn      | NON-IRROT | HAMLS      |      | 129   | 129   | 0      | 0.0%     |
| Wapello | Corn      | NON-IRROT | WAXY       |      | 129   | 129   | 0      | 0.0%     |
| Wapello | Corn      | NON-IRROT | WHITE      |      | 129   | 129   | 0      | 0.0%     |
| Wapello | Oats      | I         | S          |      | 47    | 56    | 9      | 19.1%    |
| Wapello | Oats      | IRR OC    | S          |      | 47    | 50    | 3      | 6.4%     |
| Wapello | Oats      | IRR OT    | S          |      | 47    | 50    | 3      | 6.4%     |
| Wapello | Oats      | NI        | S          |      | 47    | 56    | 9      | 19.1%    |
| Wapello | Oats      | NON-IRROC | S          |      | 47    | 50    | 3      | 6.4%     |
| Wapello | Oats      | NON-IRROT | S          |      | 47    | 50    | 3      | 6.4%     |
| Wapello | Soybeans  | I         | ALLOTHFDGD |      | 51    | 58    | 7      | 13.7%    |
| Wapello | Soybeans  | I         | COMM       |      | 55    | 58    | 3      | 5.5%     |
| Wapello | Soybeans  | I         | HP         |      | 51    | 54    | 3      | 5.9%     |
| Wapello | Soybeans  | I         | LLA        |      | 51    | 54    | 3      | 5.9%     |
| Wapello | Soybeans  | I         | LSF        |      | 51    | 54    | 3      | 5.9%     |
| Wapello | Soybeans  | I         | LSFG       |      | 47    | 49    | 2      | 4.3%     |
| Wapello | Soybeans  | I         | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Wapello | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Wapello | Soybeans  | IRR OC    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Wapello | Soybeans  | IRR OC    | HP         |      | 36    | 38    | 2      | 5.6%     |
| Wapello | Soybeans  | IRR OC    | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Wapello | Soybeans  | IRR OC    | LSF        |      | 36    | 38    | 2      | 5.6%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Wapello | Soybeans  | IRR OC    | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Wapello | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Wapello | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Wapello | Soybeans  | IRR OT    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Wapello | Soybeans  | IRR OT    | HP         |      | 36    | 38    | 2      | 5.6%     |
| Wapello | Soybeans  | IRR OT    | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Wapello | Soybeans  | IRR OT    | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Wapello | Soybeans  | IRR OT    | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Wapello | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Wapello | Soybeans  | NI        | ALLOTHFDGD |      | 46    | 53    | 7      | 15.2%    |
| Wapello | Soybeans  | NI        | COMM       |      | 50    | 53    | 3      | 6.0%     |
| Wapello | Soybeans  | NI        | HP         |      | 46    | 49    | 3      | 6.5%     |
| Wapello | Soybeans  | NI        | LLA        |      | 46    | 49    | 3      | 6.5%     |
| Wapello | Soybeans  | NI        | LSF        |      | 46    | 49    | 3      | 6.5%     |
| Wapello | Soybeans  | NI        | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Wapello | Soybeans  | NI        | SSFG       |      | 35    | 37    | 2      | 5.7%     |
| Wapello | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 32    | 37    | 5      | 15.6%    |
| Wapello | Soybeans  | NON-IRROC | COMM       |      | 35    | 37    | 2      | 5.7%     |
| Wapello | Soybeans  | NON-IRROC | HP         |      | 32    | 34    | 2      | 6.3%     |
| Wapello | Soybeans  | NON-IRROC | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Wapello | Soybeans  | NON-IRROC | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Wapello | Soybeans  | NON-IRROC | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Wapello | Soybeans  | NON-IRROC | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Wapello | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 32    | 37    | 5      | 15.6%    |
| Wapello | Soybeans  | NON-IRROT | COMM       |      | 35    | 37    | 2      | 5.7%     |
| Wapello | Soybeans  | NON-IRROT | HP         |      | 32    | 34    | 2      | 6.3%     |
| Wapello | Soybeans  | NON-IRROT | LLA        |      | 32    | 34    | 2      | 6.3%     |
| Wapello | Soybeans  | NON-IRROT | LSF        |      | 32    | 34    | 2      | 6.3%     |
| Wapello | Soybeans  | NON-IRROT | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Wapello | Soybeans  | NON-IRROT | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Warren  | Corn      | I         | GSG        |      | 199   | 199   | 0      | 0.0%     |
| Warren  | Corn      | I         | HAMLS      |      | 199   | 199   | 0      | 0.0%     |
| Warren  | Corn      | I         | WAXY       |      | 199   | 199   | 0      | 0.0%     |
| Warren  | Corn      | I         | WHITE      |      | 199   | 199   | 0      | 0.0%     |
| Warren  | Corn      | IRR OC    | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Warren  | Corn      | IRR OC    | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Warren  | Corn      | IRR OC    | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Warren  | Corn      | IRR OC    | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Warren  | Corn      | IRR OT    | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Warren  | Corn      | IRR OT    | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Warren  | Corn      | IRR OT    | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Warren  | Corn      | IRR OT    | WHITE      |      | 149   | 149   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Warren | Corn      | NI        | GSG        |      | 166   | 166   | 0      | 0.0%     |
| Warren | Corn      | NI        | HAMLS      |      | 166   | 166   | 0      | 0.0%     |
| Warren | Corn      | NI        | WAXY       |      | 166   | 166   | 0      | 0.0%     |
| Warren | Corn      | NI        | WHITE      |      | 166   | 166   | 0      | 0.0%     |
| Warren | Corn      | NON-IRROC | GSG        |      | 125   | 125   | 0      | 0.0%     |
| Warren | Corn      | NON-IRROC | HAMLS      |      | 125   | 125   | 0      | 0.0%     |
| Warren | Corn      | NON-IRROC | WAXY       |      | 125   | 125   | 0      | 0.0%     |
| Warren | Corn      | NON-IRROC | WHITE      |      | 125   | 125   | 0      | 0.0%     |
| Warren | Corn      | NON-IRROT | GSG        |      | 125   | 125   | 0      | 0.0%     |
| Warren | Corn      | NON-IRROT | HAMLS      |      | 125   | 125   | 0      | 0.0%     |
| Warren | Corn      | NON-IRROT | WAXY       |      | 125   | 125   | 0      | 0.0%     |
| Warren | Corn      | NON-IRROT | WHITE      |      | 125   | 125   | 0      | 0.0%     |
| Warren | Oats      | I         | S          |      | 40    | 43    | 3      | 7.5%     |
| Warren | Oats      | IRR OC    | S          |      | 40    | 39    | -1     | -2.5%    |
| Warren | Oats      | IRR OT    | S          |      | 40    | 39    | -1     | -2.5%    |
| Warren | Oats      | NI        | S          |      | 40    | 43    | 3      | 7.5%     |
| Warren | Oats      | NON-IRROC | S          |      | 40    | 39    | -1     | -2.5%    |
| Warren | Oats      | NON-IRROT | S          |      | 40    | 39    | -1     | -2.5%    |
| Warren | Soybeans  | I         | ALLOTHFDGD |      | 44    | 51    | 7      | 15.9%    |
| Warren | Soybeans  | I         | COMM       |      | 48    | 51    | 3      | 6.3%     |
| Warren | Soybeans  | I         | HP         |      | 44    | 47    | 3      | 6.8%     |
| Warren | Soybeans  | I         | LLA        |      | 44    | 47    | 3      | 6.8%     |
| Warren | Soybeans  | I         | LSF        |      | 44    | 47    | 3      | 6.8%     |
| Warren | Soybeans  | I         | LSFG       |      | 41    | 43    | 2      | 4.9%     |
| Warren | Soybeans  | I         | SSFG       |      | 34    | 36    | 2      | 5.9%     |
| Warren | Soybeans  | IRR OC    | ALLOTHFDGD |      | 31    | 36    | 5      | 16.1%    |
| Warren | Soybeans  | IRR OC    | COMM       |      | 34    | 36    | 2      | 5.9%     |
| Warren | Soybeans  | IRR OC    | HP         |      | 31    | 33    | 2      | 6.5%     |
| Warren | Soybeans  | IRR OC    | LLA        |      | 31    | 33    | 2      | 6.5%     |
| Warren | Soybeans  | IRR OC    | LSF        |      | 31    | 33    | 2      | 6.5%     |
| Warren | Soybeans  | IRR OC    | LSFG       |      | 29    | 30    | 1      | 3.4%     |
| Warren | Soybeans  | IRR OC    | SSFG       |      | 24    | 25    | 1      | 4.2%     |
| Warren | Soybeans  | IRR OT    | ALLOTHFDGD |      | 31    | 36    | 5      | 16.1%    |
| Warren | Soybeans  | IRR OT    | COMM       |      | 34    | 36    | 2      | 5.9%     |
| Warren | Soybeans  | IRR OT    | HP         |      | 31    | 33    | 2      | 6.5%     |
| Warren | Soybeans  | IRR OT    | LLA        |      | 31    | 33    | 2      | 6.5%     |
| Warren | Soybeans  | IRR OT    | LSF        |      | 31    | 33    | 2      | 6.5%     |
| Warren | Soybeans  | IRR OT    | LSFG       |      | 29    | 30    | 1      | 3.4%     |
| Warren | Soybeans  | IRR OT    | SSFG       |      | 24    | 25    | 1      | 4.2%     |
| Warren | Soybeans  | NI        | ALLOTHFDGD |      | 44    | 51    | 7      | 15.9%    |
| Warren | Soybeans  | NI        | COMM       |      | 48    | 51    | 3      | 6.3%     |
| Warren | Soybeans  | NI        | HP         |      | 44    | 47    | 3      | 6.8%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|            |           |           |            |      | Yield | Yield |        |          |
| Warren     | Soybeans  | NI        | LLA        |      | 44    | 47    | 3      | 6.8%     |
| Warren     | Soybeans  | NI        | LSF        |      | 44    | 47    | 3      | 6.8%     |
| Warren     | Soybeans  | NI        | LSFG       |      | 41    | 43    | 2      | 4.9%     |
| Warren     | Soybeans  | NI        | SSFG       |      | 34    | 36    | 2      | 5.9%     |
| Warren     | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 31    | 36    | 5      | 16.1%    |
| Warren     | Soybeans  | NON-IRROC | COMM       |      | 34    | 36    | 2      | 5.9%     |
| Warren     | Soybeans  | NON-IRROC | HP         |      | 31    | 33    | 2      | 6.5%     |
| Warren     | Soybeans  | NON-IRROC | LLA        |      | 31    | 33    | 2      | 6.5%     |
| Warren     | Soybeans  | NON-IRROC | LSF        |      | 31    | 33    | 2      | 6.5%     |
| Warren     | Soybeans  | NON-IRROC | LSFG       |      | 29    | 30    | 1      | 3.4%     |
| Warren     | Soybeans  | NON-IRROC | SSFG       |      | 24    | 25    | 1      | 4.2%     |
| Warren     | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 31    | 36    | 5      | 16.1%    |
| Warren     | Soybeans  | NON-IRROT | COMM       |      | 34    | 36    | 2      | 5.9%     |
| Warren     | Soybeans  | NON-IRROT | HP         |      | 31    | 33    | 2      | 6.5%     |
| Warren     | Soybeans  | NON-IRROT | LLA        |      | 31    | 33    | 2      | 6.5%     |
| Warren     | Soybeans  | NON-IRROT | LSF        |      | 31    | 33    | 2      | 6.5%     |
| Warren     | Soybeans  | NON-IRROT | LSFG       |      | 29    | 30    | 1      | 3.4%     |
| Warren     | Soybeans  | NON-IRROT | SSFG       |      | 24    | 25    | 1      | 4.2%     |
| Washington | Corn      | I         | BLUE       |      | 108   | 108   | 0      | 0.0%     |
| Washington | Corn      | I         | GSG        |      | 197   | 197   | 0      | 0.0%     |
| Washington | Corn      | I         | HAMLS      |      | 197   | 197   | 0      | 0.0%     |
| Washington | Corn      | I         | WAXY       |      | 197   | 197   | 0      | 0.0%     |
| Washington | Corn      | I         | WHITE      |      | 197   | 197   | 0      | 0.0%     |
| Washington | Corn      | IRR OC    | BLUE       |      | 81    | 81    | 0      | 0.0%     |
| Washington | Corn      | IRR OC    | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Washington | Corn      | IRR OC    | HAMLS      |      | 148   | 148   | 0      | 0.0%     |
| Washington | Corn      | IRR OC    | WAXY       |      | 148   | 148   | 0      | 0.0%     |
| Washington | Corn      | IRR OC    | WHITE      |      | 148   | 148   | 0      | 0.0%     |
| Washington | Corn      | IRR OT    | BLUE       |      | 81    | 81    | 0      | 0.0%     |
| Washington | Corn      | IRR OT    | GSG        |      | 148   | 148   | 0      | 0.0%     |
| Washington | Corn      | IRR OT    | HAMLS      |      | 148   | 148   | 0      | 0.0%     |
| Washington | Corn      | IRR OT    | WAXY       |      | 148   | 148   | 0      | 0.0%     |
| Washington | Corn      | IRR OT    | WHITE      |      | 148   | 148   | 0      | 0.0%     |
| Washington | Corn      | NI        | BLUE       |      | 107   | 107   | 0      | 0.0%     |
| Washington | Corn      | NI        | GSG        |      | 194   | 194   | 0      | 0.0%     |
| Washington | Corn      | NI        | HAMLS      |      | 194   | 194   | 0      | 0.0%     |
| Washington | Corn      | NI        | WAXY       |      | 194   | 194   | 0      | 0.0%     |
| Washington | Corn      | NI        | WHITE      |      | 194   | 194   | 0      | 0.0%     |
| Washington | Corn      | NON-IRROC | BLUE       |      | 80    | 80    | 0      | 0.0%     |
| Washington | Corn      | NON-IRROC | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Washington | Corn      | NON-IRROC | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Washington | Corn      | NON-IRROC | WAXY       |      | 146   | 146   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|            |           |           |            |      | Yield | Yield |        |          |
| Washington | Corn      | NON-IRROC | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Washington | Corn      | NON-IRROT | BLUE       |      | 80    | 80    | 0      | 0.0%     |
| Washington | Corn      | NON-IRROT | GSG        |      | 146   | 146   | 0      | 0.0%     |
| Washington | Corn      | NON-IRROT | HAMLS      |      | 146   | 146   | 0      | 0.0%     |
| Washington | Corn      | NON-IRROT | WAXY       |      | 146   | 146   | 0      | 0.0%     |
| Washington | Corn      | NON-IRROT | WHITE      |      | 146   | 146   | 0      | 0.0%     |
| Washington | Oats      | I         | S          |      | 55    | 66    | 11     | 20.0%    |
| Washington | Oats      | IRR OC    | S          |      | 55    | 59    | 4      | 7.3%     |
| Washington | Oats      | IRR OT    | S          |      | 55    | 59    | 4      | 7.3%     |
| Washington | Oats      | NI        | S          |      | 55    | 66    | 11     | 20.0%    |
| Washington | Oats      | NON-IRROC | S          |      | 55    | 59    | 4      | 7.3%     |
| Washington | Oats      | NON-IRROT | S          |      | 55    | 59    | 4      | 7.3%     |
| Washington | Soybeans  | I         | ALLOTHFDGD |      | 53    | 59    | 6      | 11.3%    |
| Washington | Soybeans  | I         | COMM       |      | 57    | 59    | 2      | 3.5%     |
| Washington | Soybeans  | I         | HP         |      | 53    | 55    | 2      | 3.8%     |
| Washington | Soybeans  | I         | LLA        |      | 53    | 55    | 2      | 3.8%     |
| Washington | Soybeans  | I         | LSF        |      | 53    | 55    | 2      | 3.8%     |
| Washington | Soybeans  | I         | LSFG       |      | 48    | 50    | 2      | 4.2%     |
| Washington | Soybeans  | I         | SSFG       |      | 40    | 41    | 1      | 2.5%     |
| Washington | Soybeans  | IRR OC    | ALLOTHFDGD |      | 37    | 41    | 4      | 10.8%    |
| Washington | Soybeans  | IRR OC    | COMM       |      | 40    | 41    | 1      | 2.5%     |
| Washington | Soybeans  | IRR OC    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Washington | Soybeans  | IRR OC    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Washington | Soybeans  | IRR OC    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Washington | Soybeans  | IRR OC    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Washington | Soybeans  | IRR OC    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Washington | Soybeans  | IRR OT    | ALLOTHFDGD |      | 37    | 41    | 4      | 10.8%    |
| Washington | Soybeans  | IRR OT    | COMM       |      | 40    | 41    | 1      | 2.5%     |
| Washington | Soybeans  | IRR OT    | HP         |      | 37    | 39    | 2      | 5.4%     |
| Washington | Soybeans  | IRR OT    | LLA        |      | 37    | 39    | 2      | 5.4%     |
| Washington | Soybeans  | IRR OT    | LSF        |      | 37    | 39    | 2      | 5.4%     |
| Washington | Soybeans  | IRR OT    | LSFG       |      | 34    | 35    | 1      | 2.9%     |
| Washington | Soybeans  | IRR OT    | SSFG       |      | 28    | 29    | 1      | 3.6%     |
| Washington | Soybeans  | NI        | ALLOTHFDGD |      | 52    | 58    | 6      | 11.5%    |
| Washington | Soybeans  | NI        | COMM       |      | 56    | 58    | 2      | 3.6%     |
| Washington | Soybeans  | NI        | HP         |      | 52    | 54    | 2      | 3.8%     |
| Washington | Soybeans  | NI        | LLA        |      | 52    | 54    | 2      | 3.8%     |
| Washington | Soybeans  | NI        | LSF        |      | 52    | 54    | 2      | 3.8%     |
| Washington | Soybeans  | NI        | LSFG       |      | 48    | 49    | 1      | 2.1%     |
| Washington | Soybeans  | NI        | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Washington | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Washington | Soybeans  | NON-IRROC | COMM       |      | 39    | 41    | 2      | 5.1%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County     | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|            |           |           |            |      | Yield | Yield |        |          |
| Washington | Soybeans  | NON-IRROC | HP         |      | 36    | 38    | 2      | 5.6%     |
| Washington | Soybeans  | NON-IRROC | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Washington | Soybeans  | NON-IRROC | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Washington | Soybeans  | NON-IRROC | LSFG       |      | 34    | 34    | 0      | 0.0%     |
| Washington | Soybeans  | NON-IRROC | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Washington | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Washington | Soybeans  | NON-IRROT | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Washington | Soybeans  | NON-IRROT | HP         |      | 36    | 38    | 2      | 5.6%     |
| Washington | Soybeans  | NON-IRROT | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Washington | Soybeans  | NON-IRROT | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Washington | Soybeans  | NON-IRROT | LSFG       |      | 34    | 34    | 0      | 0.0%     |
| Washington | Soybeans  | NON-IRROT | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Wayne      | Corn      | I         | GSG        |      | 144   | 144   | 0      | 0.0%     |
| Wayne      | Corn      | I         | HAMLS      |      | 144   | 144   | 0      | 0.0%     |
| Wayne      | Corn      | I         | WAXY       |      | 144   | 144   | 0      | 0.0%     |
| Wayne      | Corn      | I         | WHITE      |      | 144   | 144   | 0      | 0.0%     |
| Wayne      | Corn      | IRR OC    | GSG        |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | IRR OC    | HAMLS      |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | IRR OC    | WAXY       |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | IRR OC    | WHITE      |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | IRR OT    | GSG        |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | IRR OT    | HAMLS      |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | IRR OT    | WAXY       |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | IRR OT    | WHITE      |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | NI        | GSG        |      | 144   | 144   | 0      | 0.0%     |
| Wayne      | Corn      | NI        | HAMLS      |      | 144   | 144   | 0      | 0.0%     |
| Wayne      | Corn      | NI        | WAXY       |      | 144   | 144   | 0      | 0.0%     |
| Wayne      | Corn      | NI        | WHITE      |      | 144   | 144   | 0      | 0.0%     |
| Wayne      | Corn      | NON-IRROC | GSG        |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | NON-IRROC | HAMLS      |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | NON-IRROC | WAXY       |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | NON-IRROC | WHITE      |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | NON-IRROT | GSG        |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | NON-IRROT | HAMLS      |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | NON-IRROT | WAXY       |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Corn      | NON-IRROT | WHITE      |      | 108   | 108   | 0      | 0.0%     |
| Wayne      | Oats      | I         | S          |      | 41    | 44    | 3      | 7.3%     |
| Wayne      | Oats      | IRR OC    | S          |      | 41    | 40    | -1     | -2.4%    |
| Wayne      | Oats      | IRR OT    | S          |      | 41    | 40    | -1     | -2.4%    |
| Wayne      | Oats      | NI        | S          |      | 41    | 44    | 3      | 7.3%     |
| Wayne      | Oats      | NON-IRROC | S          |      | 41    | 40    | -1     | -2.4%    |
| Wayne      | Oats      | NON-IRROT | S          |      | 41    | 40    | -1     | -2.4%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Wayne  | Soybeans  | I         | ALLOTHFDGD |      | 40    | 45    | 5      | 12.5%    |
| Wayne  | Soybeans  | I         | COMM       |      | 43    | 45    | 2      | 4.7%     |
| Wayne  | Soybeans  | I         | HP         |      | 40    | 42    | 2      | 5.0%     |
| Wayne  | Soybeans  | I         | LLA        |      | 40    | 42    | 2      | 5.0%     |
| Wayne  | Soybeans  | I         | LSF        |      | 40    | 42    | 2      | 5.0%     |
| Wayne  | Soybeans  | I         | LSFG       |      | 37    | 38    | 1      | 2.7%     |
| Wayne  | Soybeans  | I         | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Wayne  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Wayne  | Soybeans  | IRR OC    | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Wayne  | Soybeans  | IRR OC    | HP         |      | 28    | 29    | 1      | 3.6%     |
| Wayne  | Soybeans  | IRR OC    | LLA        |      | 28    | 29    | 1      | 3.6%     |
| Wayne  | Soybeans  | IRR OC    | LSF        |      | 28    | 29    | 1      | 3.6%     |
| Wayne  | Soybeans  | IRR OC    | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Wayne  | Soybeans  | IRR OC    | SSFG       |      | 21    | 22    | 1      | 4.8%     |
| Wayne  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Wayne  | Soybeans  | IRR OT    | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Wayne  | Soybeans  | IRR OT    | HP         |      | 28    | 29    | 1      | 3.6%     |
| Wayne  | Soybeans  | IRR OT    | LLA        |      | 28    | 29    | 1      | 3.6%     |
| Wayne  | Soybeans  | IRR OT    | LSF        |      | 28    | 29    | 1      | 3.6%     |
| Wayne  | Soybeans  | IRR OT    | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Wayne  | Soybeans  | IRR OT    | SSFG       |      | 21    | 22    | 1      | 4.8%     |
| Wayne  | Soybeans  | NI        | ALLOTHFDGD |      | 40    | 45    | 5      | 12.5%    |
| Wayne  | Soybeans  | NI        | COMM       |      | 43    | 45    | 2      | 4.7%     |
| Wayne  | Soybeans  | NI        | HP         |      | 40    | 42    | 2      | 5.0%     |
| Wayne  | Soybeans  | NI        | LLA        |      | 40    | 42    | 2      | 5.0%     |
| Wayne  | Soybeans  | NI        | LSF        |      | 40    | 42    | 2      | 5.0%     |
| Wayne  | Soybeans  | NI        | LSFG       |      | 37    | 38    | 1      | 2.7%     |
| Wayne  | Soybeans  | NI        | SSFG       |      | 30    | 32    | 2      | 6.7%     |
| Wayne  | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Wayne  | Soybeans  | NON-IRROC | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Wayne  | Soybeans  | NON-IRROC | HP         |      | 28    | 29    | 1      | 3.6%     |
| Wayne  | Soybeans  | NON-IRROC | LLA        |      | 28    | 29    | 1      | 3.6%     |
| Wayne  | Soybeans  | NON-IRROC | LSF        |      | 28    | 29    | 1      | 3.6%     |
| Wayne  | Soybeans  | NON-IRROC | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Wayne  | Soybeans  | NON-IRROC | SSFG       |      | 21    | 22    | 1      | 4.8%     |
| Wayne  | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 28    | 32    | 4      | 14.3%    |
| Wayne  | Soybeans  | NON-IRROT | COMM       |      | 30    | 32    | 2      | 6.7%     |
| Wayne  | Soybeans  | NON-IRROT | HP         |      | 28    | 29    | 1      | 3.6%     |
| Wayne  | Soybeans  | NON-IRROT | LLA        |      | 28    | 29    | 1      | 3.6%     |
| Wayne  | Soybeans  | NON-IRROT | LSF        |      | 28    | 29    | 1      | 3.6%     |
| Wayne  | Soybeans  | NON-IRROT | LSFG       |      | 26    | 27    | 1      | 3.8%     |
| Wayne  | Soybeans  | NON-IRROT | SSFG       |      | 21    | 22    | 1      | 4.8%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Webster | Corn      | I         | GSG        |      | 192   | 192   | 0      | 0.0%     |
| Webster | Corn      | I         | HAMLS      |      | 192   | 192   | 0      | 0.0%     |
| Webster | Corn      | I         | WAXY       |      | 192   | 192   | 0      | 0.0%     |
| Webster | Corn      | I         | WHITE      |      | 192   | 192   | 0      | 0.0%     |
| Webster | Corn      | IRR OC    | GSG        |      | 144   | 144   | 0      | 0.0%     |
| Webster | Corn      | IRR OC    | HAMLS      |      | 144   | 144   | 0      | 0.0%     |
| Webster | Corn      | IRR OC    | WAXY       |      | 144   | 144   | 0      | 0.0%     |
| Webster | Corn      | IRR OC    | WHITE      |      | 144   | 144   | 0      | 0.0%     |
| Webster | Corn      | IRR OT    | GSG        |      | 144   | 144   | 0      | 0.0%     |
| Webster | Corn      | IRR OT    | HAMLS      |      | 144   | 144   | 0      | 0.0%     |
| Webster | Corn      | IRR OT    | WAXY       |      | 144   | 144   | 0      | 0.0%     |
| Webster | Corn      | IRR OT    | WHITE      |      | 144   | 144   | 0      | 0.0%     |
| Webster | Corn      | NI        | GSG        |      | 191   | 191   | 0      | 0.0%     |
| Webster | Corn      | NI        | HAMLS      |      | 191   | 191   | 0      | 0.0%     |
| Webster | Corn      | NI        | WAXY       |      | 191   | 191   | 0      | 0.0%     |
| Webster | Corn      | NI        | WHITE      |      | 191   | 191   | 0      | 0.0%     |
| Webster | Corn      | NON-IRROC | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Webster | Corn      | NON-IRROC | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Webster | Corn      | NON-IRROC | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Webster | Corn      | NON-IRROC | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Webster | Corn      | NON-IRROT | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Webster | Corn      | NON-IRROT | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Webster | Corn      | NON-IRROT | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Webster | Corn      | NON-IRROT | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Webster | Oats      | I         | S          |      | 73    | 74    | 1      | 1.4%     |
| Webster | Oats      | IRR OC    | S          |      | 73    | 67    | -6     | -8.2%    |
| Webster | Oats      | IRR OT    | S          |      | 73    | 67    | -6     | -8.2%    |
| Webster | Oats      | NI        | S          |      | 73    | 74    | 1      | 1.4%     |
| Webster | Oats      | NON-IRROC | S          |      | 73    | 67    | -6     | -8.2%    |
| Webster | Oats      | NON-IRROT | S          |      | 73    | 67    | -6     | -8.2%    |
| Webster | Soybeans  | I         | ALLOTHFDGD |      | 48    | 55    | 7      | 14.6%    |
| Webster | Soybeans  | I         | COMM       |      | 52    | 55    | 3      | 5.8%     |
| Webster | Soybeans  | I         | HP         |      | 48    | 51    | 3      | 6.3%     |
| Webster | Soybeans  | I         | LLA        |      | 48    | 51    | 3      | 6.3%     |
| Webster | Soybeans  | I         | LSF        |      | 48    | 51    | 3      | 6.3%     |
| Webster | Soybeans  | I         | LSFG       |      | 44    | 47    | 3      | 6.8%     |
| Webster | Soybeans  | I         | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Webster | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Webster | Soybeans  | IRR OC    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Webster | Soybeans  | IRR OC    | HP         |      | 34    | 36    | 2      | 5.9%     |
| Webster | Soybeans  | IRR OC    | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Webster | Soybeans  | IRR OC    | LSF        |      | 34    | 36    | 2      | 5.9%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County  | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|-----------|-----------|------------|------|-------|-------|--------|----------|
|         |           |           |            |      | Yield | Yield |        |          |
| Webster | Soybeans  | IRR OC    | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Webster | Soybeans  | IRR OC    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Webster | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Webster | Soybeans  | IRR OT    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Webster | Soybeans  | IRR OT    | HP         |      | 34    | 36    | 2      | 5.9%     |
| Webster | Soybeans  | IRR OT    | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Webster | Soybeans  | IRR OT    | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Webster | Soybeans  | IRR OT    | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Webster | Soybeans  | IRR OT    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Webster | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 30    | 33    | 3      | 10.0%    |
| Webster | Soybeans  | NC IRROC  | COMM       |      | 33    | 33    | 0      | 0.0%     |
| Webster | Soybeans  | NC IRROC  | HP         |      | 30    | 30    | 0      | 0.0%     |
| Webster | Soybeans  | NC IRROC  | LLA        |      | 30    | 30    | 0      | 0.0%     |
| Webster | Soybeans  | NC IRROC  | LSF        |      | 30    | 30    | 0      | 0.0%     |
| Webster | Soybeans  | NC IRROC  | LSFG       |      | 28    | 28    | 0      | 0.0%     |
| Webster | Soybeans  | NC IRROC  | SSFG       |      | 23    | 23    | 0      | 0.0%     |
| Webster | Soybeans  | NC IRRROT | ALLOTHFDGD |      | 30    | 33    | 3      | 10.0%    |
| Webster | Soybeans  | NC IRRROT | COMM       |      | 33    | 33    | 0      | 0.0%     |
| Webster | Soybeans  | NC IRRROT | HP         |      | 30    | 30    | 0      | 0.0%     |
| Webster | Soybeans  | NC IRRROT | LLA        |      | 30    | 30    | 0      | 0.0%     |
| Webster | Soybeans  | NC IRRROT | LSF        |      | 30    | 30    | 0      | 0.0%     |
| Webster | Soybeans  | NC IRRROT | LSFG       |      | 28    | 28    | 0      | 0.0%     |
| Webster | Soybeans  | NC IRRROT | SSFG       |      | 23    | 23    | 0      | 0.0%     |
| Webster | Soybeans  | NC NIOC   | ALLOTHFDGD |      | 30    | 33    | 3      | 10.0%    |
| Webster | Soybeans  | NC NIOC   | COMM       |      | 33    | 33    | 0      | 0.0%     |
| Webster | Soybeans  | NC NIOC   | HP         |      | 30    | 30    | 0      | 0.0%     |
| Webster | Soybeans  | NC NIOC   | LLA        |      | 30    | 30    | 0      | 0.0%     |
| Webster | Soybeans  | NC NIOC   | LSF        |      | 30    | 30    | 0      | 0.0%     |
| Webster | Soybeans  | NC NIOC   | LSFG       |      | 28    | 28    | 0      | 0.0%     |
| Webster | Soybeans  | NC NIOC   | SSFG       |      | 23    | 23    | 0      | 0.0%     |
| Webster | Soybeans  | NC NIOT   | ALLOTHFDGD |      | 30    | 33    | 3      | 10.0%    |
| Webster | Soybeans  | NC NIOT   | COMM       |      | 33    | 33    | 0      | 0.0%     |
| Webster | Soybeans  | NC NIOT   | HP         |      | 30    | 30    | 0      | 0.0%     |
| Webster | Soybeans  | NC NIOT   | LLA        |      | 30    | 30    | 0      | 0.0%     |
| Webster | Soybeans  | NC NIOT   | LSF        |      | 30    | 30    | 0      | 0.0%     |
| Webster | Soybeans  | NC NIOT   | LSFG       |      | 28    | 28    | 0      | 0.0%     |
| Webster | Soybeans  | NC NIOT   | SSFG       |      | 23    | 23    | 0      | 0.0%     |
| Webster | Soybeans  | NI        | ALLOTHFDGD |      | 48    | 55    | 7      | 14.6%    |
| Webster | Soybeans  | NI        | COMM       |      | 52    | 55    | 3      | 5.8%     |
| Webster | Soybeans  | NI        | HP         |      | 48    | 51    | 3      | 6.3%     |
| Webster | Soybeans  | NI        | LLA        |      | 48    | 51    | 3      | 6.3%     |
| Webster | Soybeans  | NI        | LSF        |      | 48    | 51    | 3      | 6.3%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County  | Crop Name  | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|---------|------------|------------|------------|------|-------|-------|--------|----------|
|         |            |            |            |      | Yield | Yield |        |          |
| Webster | Soybeans   | NI         | LSFG       |      | 44    | 47    | 3      | 6.8%     |
| Webster | Soybeans   | NI         | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Webster | Soybeans   | NON-IRROC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Webster | Soybeans   | NON-IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Webster | Soybeans   | NON-IRROC  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Webster | Soybeans   | NON-IRROC  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Webster | Soybeans   | NON-IRROC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Webster | Soybeans   | NON-IRROC  | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Webster | Soybeans   | NON-IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Webster | Soybeans   | NON-IRROT  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Webster | Soybeans   | NON-IRROT  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Webster | Soybeans   | NON-IRROT  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Webster | Soybeans   | NON-IRROT  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Webster | Soybeans   | NON-IRROT  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Webster | Soybeans   | NON-IRROT  | LSFG       |      | 31    | 33    | 2      | 6.5%     |
| Webster | Soybeans   | NON-IRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Webster | Soybeans   | NONCON IRR | ALLOTHFDGD |      | 43    | 47    | 4      | 9.3%     |
| Webster | Soybeans   | NONCON IRR | COMM       |      | 47    | 47    | 0      | 0.0%     |
| Webster | Soybeans   | NONCON IRR | HP         |      | 43    | 43    | 0      | 0.0%     |
| Webster | Soybeans   | NONCON IRR | LLA        |      | 43    | 43    | 0      | 0.0%     |
| Webster | Soybeans   | NONCON IRR | LSF        |      | 43    | 43    | 0      | 0.0%     |
| Webster | Soybeans   | NONCON IRR | LSFG       |      | 40    | 40    | 0      | 0.0%     |
| Webster | Soybeans   | NONCON IRR | SSFG       |      | 33    | 33    | 0      | 0.0%     |
| Webster | Soybeans   | NONCON NI  | ALLOTHFDGD |      | 43    | 47    | 4      | 9.3%     |
| Webster | Soybeans   | NONCON NI  | COMM       |      | 47    | 47    | 0      | 0.0%     |
| Webster | Soybeans   | NONCON NI  | HP         |      | 43    | 43    | 0      | 0.0%     |
| Webster | Soybeans   | NONCON NI  | LLA        |      | 43    | 43    | 0      | 0.0%     |
| Webster | Soybeans   | NONCON NI  | LSF        |      | 43    | 43    | 0      | 0.0%     |
| Webster | Soybeans   | NONCON NI  | LSFG       |      | 40    | 40    | 0      | 0.0%     |
| Webster | Soybeans   | NONCON NI  | SSFG       |      | 33    | 33    | 0      | 0.0%     |
| Webster | Sweet Corn | I          | EGW        |      | 6.7   | 6.7   | 0      | 0.0%     |
| Webster | Sweet Corn | I          | OG         |      | 6.7   | 6.7   | 0      | 0.0%     |
| Webster | Sweet Corn | IRR OC     | EGW        |      | 4.4   | 4.4   | 0      | 0.0%     |
| Webster | Sweet Corn | IRR OC     | OG         |      | 4.4   | 4.4   | 0      | 0.0%     |
| Webster | Sweet Corn | IRR OT     | EGW        |      | 4.4   | 4.4   | 0      | 0.0%     |
| Webster | Sweet Corn | IRR OT     | OG         |      | 4.4   | 4.4   | 0      | 0.0%     |
| Webster | Sweet Corn | NI         | EGW        |      | 6.7   | 6.7   | 0      | 0.0%     |
| Webster | Sweet Corn | NI         | OG         |      | 6.7   | 6.7   | 0      | 0.0%     |
| Webster | Sweet Corn | NON-IRROC  | EGW        |      | 4.4   | 4.4   | 0      | 0.0%     |
| Webster | Sweet Corn | NON-IRROC  | OG         |      | 4.4   | 4.4   | 0      | 0.0%     |
| Webster | Sweet Corn | NON-IRROT  | EGW        |      | 4.4   | 4.4   | 0      | 0.0%     |
| Webster | Sweet Corn | NON-IRROT  | OG         |      | 4.4   | 4.4   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County    | Crop Name  | Practice  | Type  | Area | 2023  | 2024  | Change | % Change |
|-----------|------------|-----------|-------|------|-------|-------|--------|----------|
|           |            |           |       |      | Yield | Yield |        |          |
| Winnebago | Corn       | I         | BLUE  |      | 108   | 108   | 0      | 0.0%     |
| Winnebago | Corn       | I         | GSG   |      | 196   | 196   | 0      | 0.0%     |
| Winnebago | Corn       | I         | HAMLS |      | 196   | 196   | 0      | 0.0%     |
| Winnebago | Corn       | I         | WAXY  |      | 196   | 196   | 0      | 0.0%     |
| Winnebago | Corn       | I         | WHITE |      | 196   | 196   | 0      | 0.0%     |
| Winnebago | Corn       | IRR OC    | BLUE  |      | 81    | 81    | 0      | 0.0%     |
| Winnebago | Corn       | IRR OC    | GSG   |      | 147   | 147   | 0      | 0.0%     |
| Winnebago | Corn       | IRR OC    | HAMLS |      | 147   | 147   | 0      | 0.0%     |
| Winnebago | Corn       | IRR OC    | WAXY  |      | 147   | 147   | 0      | 0.0%     |
| Winnebago | Corn       | IRR OC    | WHITE |      | 147   | 147   | 0      | 0.0%     |
| Winnebago | Corn       | IRR OT    | BLUE  |      | 81    | 81    | 0      | 0.0%     |
| Winnebago | Corn       | IRR OT    | GSG   |      | 147   | 147   | 0      | 0.0%     |
| Winnebago | Corn       | IRR OT    | HAMLS |      | 147   | 147   | 0      | 0.0%     |
| Winnebago | Corn       | IRR OT    | WAXY  |      | 147   | 147   | 0      | 0.0%     |
| Winnebago | Corn       | IRR OT    | WHITE |      | 147   | 147   | 0      | 0.0%     |
| Winnebago | Corn       | NI        | BLUE  |      | 104   | 104   | 0      | 0.0%     |
| Winnebago | Corn       | NI        | GSG   |      | 189   | 189   | 0      | 0.0%     |
| Winnebago | Corn       | NI        | HAMLS |      | 189   | 189   | 0      | 0.0%     |
| Winnebago | Corn       | NI        | WAXY  |      | 189   | 189   | 0      | 0.0%     |
| Winnebago | Corn       | NI        | WHITE |      | 189   | 189   | 0      | 0.0%     |
| Winnebago | Corn       | NON-IRROC | BLUE  |      | 78    | 78    | 0      | 0.0%     |
| Winnebago | Corn       | NON-IRROC | GSG   |      | 142   | 142   | 0      | 0.0%     |
| Winnebago | Corn       | NON-IRROC | HAMLS |      | 142   | 142   | 0      | 0.0%     |
| Winnebago | Corn       | NON-IRROC | WAXY  |      | 142   | 142   | 0      | 0.0%     |
| Winnebago | Corn       | NON-IRROC | WHITE |      | 142   | 142   | 0      | 0.0%     |
| Winnebago | Corn       | NON-IRROT | BLUE  |      | 78    | 78    | 0      | 0.0%     |
| Winnebago | Corn       | NON-IRROT | GSG   |      | 142   | 142   | 0      | 0.0%     |
| Winnebago | Corn       | NON-IRROT | HAMLS |      | 142   | 142   | 0      | 0.0%     |
| Winnebago | Corn       | NON-IRROT | WAXY  |      | 142   | 142   | 0      | 0.0%     |
| Winnebago | Corn       | NON-IRROT | WHITE |      | 142   | 142   | 0      | 0.0%     |
| Winnebago | Green Peas | I         | SESP  |      | 3007  | 3007  | 0      | 0.0%     |
| Winnebago | Green Peas | I         | SLSP  |      | 3195  | 3195  | 0      | 0.0%     |
| Winnebago | Green Peas | I         | SMSP  |      | 3383  | 3383  | 0      | 0.0%     |
| Winnebago | Green Peas | IRR OC    | SESP  |      | 1955  | 1955  | 0      | 0.0%     |
| Winnebago | Green Peas | IRR OC    | SLSP  |      | 2077  | 2077  | 0      | 0.0%     |
| Winnebago | Green Peas | IRR OC    | SMSP  |      | 2199  | 2199  | 0      | 0.0%     |
| Winnebago | Green Peas | IRR OT    | SESP  |      | 1955  | 1955  | 0      | 0.0%     |
| Winnebago | Green Peas | IRR OT    | SLSP  |      | 2077  | 2077  | 0      | 0.0%     |
| Winnebago | Green Peas | IRR OT    | SMSP  |      | 2199  | 2199  | 0      | 0.0%     |
| Winnebago | Green Peas | NI        | SESP  |      | 2592  | 2592  | 0      | 0.0%     |
| Winnebago | Green Peas | NI        | SLSP  |      | 2754  | 2754  | 0      | 0.0%     |
| Winnebago | Green Peas | NI        | SMSP  |      | 2916  | 2916  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County    | Crop Name  | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|------------|-----------|------------|------|-------|-------|--------|----------|
|           |            |           |            |      | Yield | Yield |        |          |
| Winnebago | Green Peas | NON-IRROC | SESP       |      | 1685  | 1685  | 0      | 0.0%     |
| Winnebago | Green Peas | NON-IRROC | SLSP       |      | 1790  | 1790  | 0      | 0.0%     |
| Winnebago | Green Peas | NON-IRROC | SMSP       |      | 1895  | 1895  | 0      | 0.0%     |
| Winnebago | Green Peas | NON-IRROT | SESP       |      | 1685  | 1685  | 0      | 0.0%     |
| Winnebago | Green Peas | NON-IRROT | SLSP       |      | 1790  | 1790  | 0      | 0.0%     |
| Winnebago | Green Peas | NON-IRROT | SMSP       |      | 1895  | 1895  | 0      | 0.0%     |
| Winnebago | Oats       | I         | S          |      | 71    | 72    | 1      | 1.4%     |
| Winnebago | Oats       | IRR OC    | S          |      | 71    | 65    | -6     | -8.5%    |
| Winnebago | Oats       | IRR OT    | S          |      | 71    | 65    | -6     | -8.5%    |
| Winnebago | Oats       | NI        | S          |      | 71    | 72    | 1      | 1.4%     |
| Winnebago | Oats       | NON-IRROC | S          |      | 71    | 65    | -6     | -8.5%    |
| Winnebago | Oats       | NON-IRROT | S          |      | 71    | 65    | -6     | -8.5%    |
| Winnebago | Soybeans   | I         | ALLOTHFDGD |      | 49    | 60    | 11     | 22.4%    |
| Winnebago | Soybeans   | I         | COMM       |      | 53    | 60    | 7      | 13.2%    |
| Winnebago | Soybeans   | I         | HP         |      | 49    | 56    | 7      | 14.3%    |
| Winnebago | Soybeans   | I         | LLA        |      | 49    | 56    | 7      | 14.3%    |
| Winnebago | Soybeans   | I         | LSF        |      | 49    | 56    | 7      | 14.3%    |
| Winnebago | Soybeans   | I         | LSFG       |      | 45    | 51    | 6      | 13.3%    |
| Winnebago | Soybeans   | I         | SSFG       |      | 37    | 42    | 5      | 13.5%    |
| Winnebago | Soybeans   | IRR OC    | ALLOTHFDGD |      | 34    | 42    | 8      | 23.5%    |
| Winnebago | Soybeans   | IRR OC    | COMM       |      | 37    | 42    | 5      | 13.5%    |
| Winnebago | Soybeans   | IRR OC    | HP         |      | 34    | 39    | 5      | 14.7%    |
| Winnebago | Soybeans   | IRR OC    | LLA        |      | 34    | 39    | 5      | 14.7%    |
| Winnebago | Soybeans   | IRR OC    | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Winnebago | Soybeans   | IRR OC    | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Winnebago | Soybeans   | IRR OC    | SSFG       |      | 26    | 29    | 3      | 11.5%    |
| Winnebago | Soybeans   | IRR OT    | ALLOTHFDGD |      | 34    | 42    | 8      | 23.5%    |
| Winnebago | Soybeans   | IRR OT    | COMM       |      | 37    | 42    | 5      | 13.5%    |
| Winnebago | Soybeans   | IRR OT    | HP         |      | 34    | 39    | 5      | 14.7%    |
| Winnebago | Soybeans   | IRR OT    | LLA        |      | 34    | 39    | 5      | 14.7%    |
| Winnebago | Soybeans   | IRR OT    | LSF        |      | 34    | 39    | 5      | 14.7%    |
| Winnebago | Soybeans   | IRR OT    | LSFG       |      | 32    | 36    | 4      | 12.5%    |
| Winnebago | Soybeans   | IRR OT    | SSFG       |      | 26    | 29    | 3      | 11.5%    |
| Winnebago | Soybeans   | NC IRROC  | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Winnebago | Soybeans   | NC IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Winnebago | Soybeans   | NC IRROC  | HP         |      | 33    | 36    | 3      | 9.1%     |
| Winnebago | Soybeans   | NC IRROC  | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Winnebago | Soybeans   | NC IRROC  | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Winnebago | Soybeans   | NC IRROC  | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Winnebago | Soybeans   | NC IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Winnebago | Soybeans   | NC IRROT  | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Winnebago | Soybeans   | NC IRROT  | COMM       |      | 36    | 39    | 3      | 8.3%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County    | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|-----------|-----------|------------|------------|------|-------|-------|--------|----------|
|           |           |            |            |      | Yield | Yield |        |          |
| Winnebago | Soybeans  | NC IRRROT  | HP         |      | 33    | 36    | 3      | 9.1%     |
| Winnebago | Soybeans  | NC IRRROT  | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Winnebago | Soybeans  | NC IRRROT  | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Winnebago | Soybeans  | NC IRRROT  | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Winnebago | Soybeans  | NC IRRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Winnebago | Soybeans  | NC NIOC    | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Winnebago | Soybeans  | NC NIOC    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Winnebago | Soybeans  | NC NIOC    | HP         |      | 33    | 36    | 3      | 9.1%     |
| Winnebago | Soybeans  | NC NIOC    | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Winnebago | Soybeans  | NC NIOC    | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Winnebago | Soybeans  | NC NIOC    | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Winnebago | Soybeans  | NC NIOC    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Winnebago | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Winnebago | Soybeans  | NC NIOT    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Winnebago | Soybeans  | NC NIOT    | HP         |      | 33    | 36    | 3      | 9.1%     |
| Winnebago | Soybeans  | NC NIOT    | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Winnebago | Soybeans  | NC NIOT    | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Winnebago | Soybeans  | NC NIOT    | LSFG       |      | 30    | 34    | 4      | 13.3%    |
| Winnebago | Soybeans  | NC NIOT    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Winnebago | Soybeans  | NI         | ALLOTHFDGD |      | 49    | 57    | 8      | 16.3%    |
| Winnebago | Soybeans  | NI         | COMM       |      | 53    | 57    | 4      | 7.5%     |
| Winnebago | Soybeans  | NI         | HP         |      | 49    | 53    | 4      | 8.2%     |
| Winnebago | Soybeans  | NI         | LLA        |      | 49    | 53    | 4      | 8.2%     |
| Winnebago | Soybeans  | NI         | LSF        |      | 49    | 53    | 4      | 8.2%     |
| Winnebago | Soybeans  | NI         | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Winnebago | Soybeans  | NI         | SSFG       |      | 37    | 40    | 3      | 8.1%     |
| Winnebago | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 34    | 40    | 6      | 17.6%    |
| Winnebago | Soybeans  | NON-IRROC  | COMM       |      | 37    | 40    | 3      | 8.1%     |
| Winnebago | Soybeans  | NON-IRROC  | HP         |      | 34    | 37    | 3      | 8.8%     |
| Winnebago | Soybeans  | NON-IRROC  | LLA        |      | 34    | 37    | 3      | 8.8%     |
| Winnebago | Soybeans  | NON-IRROC  | LSF        |      | 34    | 37    | 3      | 8.8%     |
| Winnebago | Soybeans  | NON-IRROC  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Winnebago | Soybeans  | NON-IRROC  | SSFG       |      | 26    | 28    | 2      | 7.7%     |
| Winnebago | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 34    | 40    | 6      | 17.6%    |
| Winnebago | Soybeans  | NON-IRROT  | COMM       |      | 37    | 40    | 3      | 8.1%     |
| Winnebago | Soybeans  | NON-IRROT  | HP         |      | 34    | 37    | 3      | 8.8%     |
| Winnebago | Soybeans  | NON-IRROT  | LLA        |      | 34    | 37    | 3      | 8.8%     |
| Winnebago | Soybeans  | NON-IRROT  | LSF        |      | 34    | 37    | 3      | 8.8%     |
| Winnebago | Soybeans  | NON-IRROT  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Winnebago | Soybeans  | NON-IRROT  | SSFG       |      | 26    | 28    | 2      | 7.7%     |
| Winnebago | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 47    | 56    | 9      | 19.1%    |
| Winnebago | Soybeans  | NONCON IRR | COMM       |      | 51    | 56    | 5      | 9.8%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County     | Crop Name  | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|------------|------------|------------|------------|------|-------|-------|--------|----------|
|            |            |            |            |      | Yield | Yield |        |          |
| Winnebago  | Soybeans   | NONCON IRR | HP         |      | 47    | 52    | 5      | 10.6%    |
| Winnebago  | Soybeans   | NONCON IRR | LLA        |      | 47    | 52    | 5      | 10.6%    |
| Winnebago  | Soybeans   | NONCON IRR | LSF        |      | 47    | 52    | 5      | 10.6%    |
| Winnebago  | Soybeans   | NONCON IRR | LSFG       |      | 43    | 48    | 5      | 11.6%    |
| Winnebago  | Soybeans   | NONCON IRR | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Winnebago  | Soybeans   | NONCON NI  | ALLOTHFDGD |      | 47    | 56    | 9      | 19.1%    |
| Winnebago  | Soybeans   | NONCON NI  | COMM       |      | 51    | 56    | 5      | 9.8%     |
| Winnebago  | Soybeans   | NONCON NI  | HP         |      | 47    | 52    | 5      | 10.6%    |
| Winnebago  | Soybeans   | NONCON NI  | LLA        |      | 47    | 52    | 5      | 10.6%    |
| Winnebago  | Soybeans   | NONCON NI  | LSF        |      | 47    | 52    | 5      | 10.6%    |
| Winnebago  | Soybeans   | NONCON NI  | LSFG       |      | 43    | 48    | 5      | 11.6%    |
| Winnebago  | Soybeans   | NONCON NI  | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Winnebago  | Sweet Corn | I          | EGW        |      | 7.2   | 7.2   | 0      | 0.0%     |
| Winnebago  | Sweet Corn | I          | OG         |      | 7.2   | 7.2   | 0      | 0.0%     |
| Winnebago  | Sweet Corn | IRR OC     | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Winnebago  | Sweet Corn | IRR OC     | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Winnebago  | Sweet Corn | IRR OT     | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Winnebago  | Sweet Corn | IRR OT     | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Winnebago  | Sweet Corn | NI         | EGW        |      | 7.2   | 7.2   | 0      | 0.0%     |
| Winnebago  | Sweet Corn | NI         | OG         |      | 7.2   | 7.2   | 0      | 0.0%     |
| Winnebago  | Sweet Corn | NON-IRROC  | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Winnebago  | Sweet Corn | NON-IRROC  | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Winnebago  | Sweet Corn | NON-IRROT  | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Winnebago  | Sweet Corn | NON-IRROT  | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Winneshiek | Barley     | IRR OC     | S          |      | 42    | 42    | 0      | 0.0%     |
| Winneshiek | Barley     | IRR OT     | S          |      | 42    | 42    | 0      | 0.0%     |
| Winneshiek | Barley     | IRRIGATED  | S          |      | 56    | 56    | 0      | 0.0%     |
| Winneshiek | Barley     | NON IRR    | S          |      | 56    | 56    | 0      | 0.0%     |
| Winneshiek | Barley     | NON-IRROC  | S          |      | 42    | 42    | 0      | 0.0%     |
| Winneshiek | Barley     | NON-IRROT  | S          |      | 42    | 42    | 0      | 0.0%     |
| Winneshiek | Corn       | I          | GSG        |      | 193   | 193   | 0      | 0.0%     |
| Winneshiek | Corn       | I          | GSS        |      | 26.3  | 26.3  | 0      | 0.0%     |
| Winneshiek | Corn       | I          | HAMLS      |      | 193   | 193   | 0      | 0.0%     |
| Winneshiek | Corn       | I          | HAMOS      |      | 135   | 135   | 0      | 0.0%     |
| Winneshiek | Corn       | I          | WAXY       |      | 193   | 193   | 0      | 0.0%     |
| Winneshiek | Corn       | I          | WHITE      |      | 193   | 193   | 0      | 0.0%     |
| Winneshiek | Corn       | IRR OC     | GSG        |      | 145   | 145   | 0      | 0.0%     |
| Winneshiek | Corn       | IRR OC     | GSS        |      | 19.7  | 19.7  | 0      | 0.0%     |
| Winneshiek | Corn       | IRR OC     | HAMLS      |      | 145   | 145   | 0      | 0.0%     |
| Winneshiek | Corn       | IRR OC     | HAMOS      |      | 101   | 101   | 0      | 0.0%     |
| Winneshiek | Corn       | IRR OC     | WAXY       |      | 145   | 145   | 0      | 0.0%     |
| Winneshiek | Corn       | IRR OC     | WHITE      |      | 145   | 145   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name  | Practice  | Type  | Area | 2023  | 2024  | Change | % Change |
|------------|------------|-----------|-------|------|-------|-------|--------|----------|
|            |            |           |       |      | Yield | Yield |        |          |
| Winneshiek | Corn       | IRR OT    | GSG   |      | 145   | 145   | 0      | 0.0%     |
| Winneshiek | Corn       | IRR OT    | GSS   |      | 19.7  | 19.7  | 0      | 0.0%     |
| Winneshiek | Corn       | IRR OT    | HAMLS |      | 145   | 145   | 0      | 0.0%     |
| Winneshiek | Corn       | IRR OT    | HAMOS |      | 101   | 101   | 0      | 0.0%     |
| Winneshiek | Corn       | IRR OT    | WAXY  |      | 145   | 145   | 0      | 0.0%     |
| Winneshiek | Corn       | IRR OT    | WHITE |      | 145   | 145   | 0      | 0.0%     |
| Winneshiek | Corn       | NI        | GSG   |      | 190   | 190   | 0      | 0.0%     |
| Winneshiek | Corn       | NI        | GSS   |      | 26.3  | 26.3  | 0      | 0.0%     |
| Winneshiek | Corn       | NI        | HAMLS |      | 190   | 190   | 0      | 0.0%     |
| Winneshiek | Corn       | NI        | HAMOS |      | 133   | 133   | 0      | 0.0%     |
| Winneshiek | Corn       | NI        | WAXY  |      | 190   | 190   | 0      | 0.0%     |
| Winneshiek | Corn       | NI        | WHITE |      | 190   | 190   | 0      | 0.0%     |
| Winneshiek | Corn       | NON-IRROC | GSG   |      | 143   | 143   | 0      | 0.0%     |
| Winneshiek | Corn       | NON-IRROC | GSS   |      | 19.7  | 19.7  | 0      | 0.0%     |
| Winneshiek | Corn       | NON-IRROC | HAMLS |      | 143   | 143   | 0      | 0.0%     |
| Winneshiek | Corn       | NON-IRROC | HAMOS |      | 100   | 100   | 0      | 0.0%     |
| Winneshiek | Corn       | NON-IRROC | WAXY  |      | 143   | 143   | 0      | 0.0%     |
| Winneshiek | Corn       | NON-IRROC | WHITE |      | 143   | 143   | 0      | 0.0%     |
| Winneshiek | Corn       | NON-IRROT | GSG   |      | 143   | 143   | 0      | 0.0%     |
| Winneshiek | Corn       | NON-IRROT | GSS   |      | 19.7  | 19.7  | 0      | 0.0%     |
| Winneshiek | Corn       | NON-IRROT | HAMLS |      | 143   | 143   | 0      | 0.0%     |
| Winneshiek | Corn       | NON-IRROT | HAMOS |      | 100   | 100   | 0      | 0.0%     |
| Winneshiek | Corn       | NON-IRROT | WAXY  |      | 143   | 143   | 0      | 0.0%     |
| Winneshiek | Corn       | NON-IRROT | WHITE |      | 143   | 143   | 0      | 0.0%     |
| Winneshiek | Green Peas | I         | SESP  |      | 3480  | 3480  | 0      | 0.0%     |
| Winneshiek | Green Peas | I         | SLSP  |      | 3712  | 3712  | 0      | 0.0%     |
| Winneshiek | Green Peas | I         | SMSP  |      | 4060  | 4060  | 0      | 0.0%     |
| Winneshiek | Green Peas | IRR OC    | SESP  |      | 2262  | 2262  | 0      | 0.0%     |
| Winneshiek | Green Peas | IRR OC    | SLSP  |      | 2413  | 2413  | 0      | 0.0%     |
| Winneshiek | Green Peas | IRR OC    | SMSP  |      | 2639  | 2639  | 0      | 0.0%     |
| Winneshiek | Green Peas | IRR OT    | SESP  |      | 2262  | 2262  | 0      | 0.0%     |
| Winneshiek | Green Peas | IRR OT    | SLSP  |      | 2413  | 2413  | 0      | 0.0%     |
| Winneshiek | Green Peas | IRR OT    | SMSP  |      | 2639  | 2639  | 0      | 0.0%     |
| Winneshiek | Green Peas | NI        | SESP  |      | 3000  | 3000  | 0      | 0.0%     |
| Winneshiek | Green Peas | NI        | SLSP  |      | 3200  | 3200  | 0      | 0.0%     |
| Winneshiek | Green Peas | NI        | SMSP  |      | 3500  | 3500  | 0      | 0.0%     |
| Winneshiek | Green Peas | NON-IRROC | SESP  |      | 1950  | 1950  | 0      | 0.0%     |
| Winneshiek | Green Peas | NON-IRROC | SLSP  |      | 2080  | 2080  | 0      | 0.0%     |
| Winneshiek | Green Peas | NON-IRROC | SMSP  |      | 2275  | 2275  | 0      | 0.0%     |
| Winneshiek | Green Peas | NON-IRROT | SESP  |      | 1950  | 1950  | 0      | 0.0%     |
| Winneshiek | Green Peas | NON-IRROT | SLSP  |      | 2080  | 2080  | 0      | 0.0%     |
| Winneshiek | Green Peas | NON-IRROT | SMSP  |      | 2275  | 2275  | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County     | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|------------|-----------|-----------|------------|------|-------|-------|--------|----------|
|            |           |           |            |      | Yield | Yield |        |          |
| Winneshiek | Oats      | I         | S          |      | 75    | 73    | -2     | -2.7%    |
| Winneshiek | Oats      | IRR OC    | S          |      | 75    | 66    | -9     | -12.0%   |
| Winneshiek | Oats      | IRR OT    | S          |      | 75    | 66    | -9     | -12.0%   |
| Winneshiek | Oats      | NI        | S          |      | 75    | 73    | -2     | -2.7%    |
| Winneshiek | Oats      | NON-IRROC | S          |      | 75    | 66    | -9     | -12.0%   |
| Winneshiek | Oats      | NON-IRROT | S          |      | 75    | 66    | -9     | -12.0%   |
| Winneshiek | Soybeans  | I         | ALLOTHFDGD |      | 51    | 58    | 7      | 13.7%    |
| Winneshiek | Soybeans  | I         | COMM       |      | 55    | 58    | 3      | 5.5%     |
| Winneshiek | Soybeans  | I         | HP         |      | 51    | 54    | 3      | 5.9%     |
| Winneshiek | Soybeans  | I         | LLA        |      | 51    | 54    | 3      | 5.9%     |
| Winneshiek | Soybeans  | I         | LSF        |      | 51    | 54    | 3      | 5.9%     |
| Winneshiek | Soybeans  | I         | LSFG       |      | 47    | 49    | 2      | 4.3%     |
| Winneshiek | Soybeans  | I         | SSFG       |      | 39    | 41    | 2      | 5.1%     |
| Winneshiek | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Winneshiek | Soybeans  | IRR OC    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Winneshiek | Soybeans  | IRR OC    | HP         |      | 36    | 38    | 2      | 5.6%     |
| Winneshiek | Soybeans  | IRR OC    | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Winneshiek | Soybeans  | IRR OC    | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Winneshiek | Soybeans  | IRR OC    | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Winneshiek | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Winneshiek | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 41    | 5      | 13.9%    |
| Winneshiek | Soybeans  | IRR OT    | COMM       |      | 39    | 41    | 2      | 5.1%     |
| Winneshiek | Soybeans  | IRR OT    | HP         |      | 36    | 38    | 2      | 5.6%     |
| Winneshiek | Soybeans  | IRR OT    | LLA        |      | 36    | 38    | 2      | 5.6%     |
| Winneshiek | Soybeans  | IRR OT    | LSF        |      | 36    | 38    | 2      | 5.6%     |
| Winneshiek | Soybeans  | IRR OT    | LSFG       |      | 33    | 34    | 1      | 3.0%     |
| Winneshiek | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Winneshiek | Soybeans  | NI        | ALLOTHFDGD |      | 50    | 56    | 6      | 12.0%    |
| Winneshiek | Soybeans  | NI        | COMM       |      | 54    | 56    | 2      | 3.7%     |
| Winneshiek | Soybeans  | NI        | HP         |      | 50    | 52    | 2      | 4.0%     |
| Winneshiek | Soybeans  | NI        | LLA        |      | 50    | 52    | 2      | 4.0%     |
| Winneshiek | Soybeans  | NI        | LSF        |      | 50    | 52    | 2      | 4.0%     |
| Winneshiek | Soybeans  | NI        | LSFG       |      | 46    | 48    | 2      | 4.3%     |
| Winneshiek | Soybeans  | NI        | SSFG       |      | 38    | 39    | 1      | 2.6%     |
| Winneshiek | Soybeans  | NON-IRROC | ALLOTHFDGD |      | 35    | 39    | 4      | 11.4%    |
| Winneshiek | Soybeans  | NON-IRROC | COMM       |      | 38    | 39    | 1      | 2.6%     |
| Winneshiek | Soybeans  | NON-IRROC | HP         |      | 35    | 36    | 1      | 2.9%     |
| Winneshiek | Soybeans  | NON-IRROC | LLA        |      | 35    | 36    | 1      | 2.9%     |
| Winneshiek | Soybeans  | NON-IRROC | LSF        |      | 35    | 36    | 1      | 2.9%     |
| Winneshiek | Soybeans  | NON-IRROC | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Winneshiek | Soybeans  | NON-IRROC | SSFG       |      | 27    | 27    | 0      | 0.0%     |
| Winneshiek | Soybeans  | NON-IRROT | ALLOTHFDGD |      | 35    | 39    | 4      | 11.4%    |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County     | Crop Name | Practice  | Type  | Area | 2023  | 2024  | Change | % Change |
|------------|-----------|-----------|-------|------|-------|-------|--------|----------|
|            |           |           |       |      | Yield | Yield |        |          |
| Winneshiek | Soybeans  | NON-IRROT | COMM  |      | 38    | 39    | 1      | 2.6%     |
| Winneshiek | Soybeans  | NON-IRROT | HP    |      | 35    | 36    | 1      | 2.9%     |
| Winneshiek | Soybeans  | NON-IRROT | LLA   |      | 35    | 36    | 1      | 2.9%     |
| Winneshiek | Soybeans  | NON-IRROT | LSF   |      | 35    | 36    | 1      | 2.9%     |
| Winneshiek | Soybeans  | NON-IRROT | LSFG  |      | 32    | 34    | 2      | 6.3%     |
| Winneshiek | Soybeans  | NON-IRROT | SSFG  |      | 27    | 27    | 0      | 0.0%     |
| Winneshiek | Wheat     | I         | S     |      | 31    | 31    | 0      | 0.0%     |
| Winneshiek | Wheat     | IRR OC    | S     |      | 20    | 20    | 0      | 0.0%     |
| Winneshiek | Wheat     | IRR OT    | S     |      | 20    | 20    | 0      | 0.0%     |
| Winneshiek | Wheat     | NI        | S     |      | 31    | 31    | 0      | 0.0%     |
| Winneshiek | Wheat     | NON-IRROC | S     |      | 20    | 20    | 0      | 0.0%     |
| Winneshiek | Wheat     | NON-IRROT | S     |      | 20    | 20    | 0      | 0.0%     |
| Woodbury   | Corn      | I         | GSG   |      | 191   | 191   | 0      | 0.0%     |
| Woodbury   | Corn      | I         | HAMLS |      | 191   | 191   | 0      | 0.0%     |
| Woodbury   | Corn      | I         | HAMOS |      | 134   | 134   | 0      | 0.0%     |
| Woodbury   | Corn      | I         | WAXY  |      | 191   | 191   | 0      | 0.0%     |
| Woodbury   | Corn      | I         | WHITE |      | 191   | 191   | 0      | 0.0%     |
| Woodbury   | Corn      | IRR OC    | GSG   |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | IRR OC    | HAMLS |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | IRR OC    | HAMOS |      | 101   | 101   | 0      | 0.0%     |
| Woodbury   | Corn      | IRR OC    | WAXY  |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | IRR OC    | WHITE |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | IRR OT    | GSG   |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | IRR OT    | HAMLS |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | IRR OT    | HAMOS |      | 101   | 101   | 0      | 0.0%     |
| Woodbury   | Corn      | IRR OT    | WAXY  |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | IRR OT    | WHITE |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | NI        | GSG   |      | 191   | 191   | 0      | 0.0%     |
| Woodbury   | Corn      | NI        | HAMLS |      | 191   | 191   | 0      | 0.0%     |
| Woodbury   | Corn      | NI        | HAMOS |      | 134   | 134   | 0      | 0.0%     |
| Woodbury   | Corn      | NI        | WAXY  |      | 191   | 191   | 0      | 0.0%     |
| Woodbury   | Corn      | NI        | WHITE |      | 191   | 191   | 0      | 0.0%     |
| Woodbury   | Corn      | NON-IRROC | GSG   |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | NON-IRROC | HAMLS |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | NON-IRROC | HAMOS |      | 101   | 101   | 0      | 0.0%     |
| Woodbury   | Corn      | NON-IRROC | WAXY  |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | NON-IRROC | WHITE |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | NON-IRROT | GSG   |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | NON-IRROT | HAMLS |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | NON-IRROT | HAMOS |      | 101   | 101   | 0      | 0.0%     |
| Woodbury   | Corn      | NON-IRROT | WAXY  |      | 143   | 143   | 0      | 0.0%     |
| Woodbury   | Corn      | NON-IRROT | WHITE |      | 143   | 143   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice  | Type       | 2023 |       | 2024  |  | Change | % Change |
|----------|-----------|-----------|------------|------|-------|-------|--|--------|----------|
|          |           |           |            | Area | Yield | Yield |  |        |          |
| Woodbury | Oats      | I         | S          |      | 83    | 83    |  | 0      | 0.0%     |
| Woodbury | Oats      | IRR OC    | S          |      | 83    | 75    |  | -8     | -9.6%    |
| Woodbury | Oats      | IRR OT    | S          |      | 83    | 75    |  | -8     | -9.6%    |
| Woodbury | Oats      | NI        | S          |      | 83    | 83    |  | 0      | 0.0%     |
| Woodbury | Oats      | NON-IRROC | S          |      | 83    | 75    |  | -8     | -9.6%    |
| Woodbury | Oats      | NON-IRROT | S          |      | 83    | 75    |  | -8     | -9.6%    |
| Woodbury | Popcorn   | I         | NTS        |      | 5249  | 5249  |  | 0      | 0.0%     |
| Woodbury | Popcorn   | IRR OC    | NTS        |      | 3674  | 3674  |  | 0      | 0.0%     |
| Woodbury | Popcorn   | IRR OT    | NTS        |      | 3674  | 3674  |  | 0      | 0.0%     |
| Woodbury | Popcorn   | NI        | NTS        |      | 4549  | 4549  |  | 0      | 0.0%     |
| Woodbury | Popcorn   | NON-IRROC | NTS        |      | 3184  | 3184  |  | 0      | 0.0%     |
| Woodbury | Popcorn   | NON-IRROT | NTS        |      | 3184  | 3184  |  | 0      | 0.0%     |
| Woodbury | Soybeans  | I         | ALLOTHFDGD |      | 49    | 57    |  | 8      | 16.3%    |
| Woodbury | Soybeans  | I         | COMM       |      | 53    | 57    |  | 4      | 7.5%     |
| Woodbury | Soybeans  | I         | HP         |      | 49    | 53    |  | 4      | 8.2%     |
| Woodbury | Soybeans  | I         | LLA        |      | 49    | 53    |  | 4      | 8.2%     |
| Woodbury | Soybeans  | I         | LSF        |      | 49    | 53    |  | 4      | 8.2%     |
| Woodbury | Soybeans  | I         | LSFG       |      | 45    | 48    |  | 3      | 6.7%     |
| Woodbury | Soybeans  | I         | SSFG       |      | 37    | 40    |  | 3      | 8.1%     |
| Woodbury | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 40    |  | 6      | 17.6%    |
| Woodbury | Soybeans  | IRR OC    | COMM       |      | 37    | 40    |  | 3      | 8.1%     |
| Woodbury | Soybeans  | IRR OC    | HP         |      | 34    | 37    |  | 3      | 8.8%     |
| Woodbury | Soybeans  | IRR OC    | LLA        |      | 34    | 37    |  | 3      | 8.8%     |
| Woodbury | Soybeans  | IRR OC    | LSF        |      | 34    | 37    |  | 3      | 8.8%     |
| Woodbury | Soybeans  | IRR OC    | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Woodbury | Soybeans  | IRR OC    | SSFG       |      | 26    | 28    |  | 2      | 7.7%     |
| Woodbury | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 40    |  | 6      | 17.6%    |
| Woodbury | Soybeans  | IRR OT    | COMM       |      | 37    | 40    |  | 3      | 8.1%     |
| Woodbury | Soybeans  | IRR OT    | HP         |      | 34    | 37    |  | 3      | 8.8%     |
| Woodbury | Soybeans  | IRR OT    | LLA        |      | 34    | 37    |  | 3      | 8.8%     |
| Woodbury | Soybeans  | IRR OT    | LSF        |      | 34    | 37    |  | 3      | 8.8%     |
| Woodbury | Soybeans  | IRR OT    | LSFG       |      | 32    | 34    |  | 2      | 6.3%     |
| Woodbury | Soybeans  | IRR OT    | SSFG       |      | 26    | 28    |  | 2      | 7.7%     |
| Woodbury | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 33    | 37    |  | 4      | 12.1%    |
| Woodbury | Soybeans  | NC IRROC  | COMM       |      | 36    | 37    |  | 1      | 2.8%     |
| Woodbury | Soybeans  | NC IRROC  | HP         |      | 33    | 34    |  | 1      | 3.0%     |
| Woodbury | Soybeans  | NC IRROC  | LLA        |      | 33    | 34    |  | 1      | 3.0%     |
| Woodbury | Soybeans  | NC IRROC  | LSF        |      | 33    | 34    |  | 1      | 3.0%     |
| Woodbury | Soybeans  | NC IRROC  | LSFG       |      | 30    | 32    |  | 2      | 6.7%     |
| Woodbury | Soybeans  | NC IRROC  | SSFG       |      | 25    | 26    |  | 1      | 4.0%     |
| Woodbury | Soybeans  | NC IRROT  | ALLOTHFDGD |      | 33    | 37    |  | 4      | 12.1%    |
| Woodbury | Soybeans  | NC IRROT  | COMM       |      | 36    | 37    |  | 1      | 2.8%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County   | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|------------|------------|------|-------|-------|--------|----------|
|          |           |            |            |      | Yield | Yield |        |          |
| Woodbury | Soybeans  | NC IRRROT  | HP         |      | 33    | 34    | 1      | 3.0%     |
| Woodbury | Soybeans  | NC IRRROT  | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Woodbury | Soybeans  | NC IRRROT  | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Woodbury | Soybeans  | NC IRRROT  | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Woodbury | Soybeans  | NC IRRROT  | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Woodbury | Soybeans  | NC NIOC    | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Woodbury | Soybeans  | NC NIOC    | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Woodbury | Soybeans  | NC NIOC    | HP         |      | 33    | 34    | 1      | 3.0%     |
| Woodbury | Soybeans  | NC NIOC    | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Woodbury | Soybeans  | NC NIOC    | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Woodbury | Soybeans  | NC NIOC    | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Woodbury | Soybeans  | NC NIOC    | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Woodbury | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 33    | 37    | 4      | 12.1%    |
| Woodbury | Soybeans  | NC NIOT    | COMM       |      | 36    | 37    | 1      | 2.8%     |
| Woodbury | Soybeans  | NC NIOT    | HP         |      | 33    | 34    | 1      | 3.0%     |
| Woodbury | Soybeans  | NC NIOT    | LLA        |      | 33    | 34    | 1      | 3.0%     |
| Woodbury | Soybeans  | NC NIOT    | LSF        |      | 33    | 34    | 1      | 3.0%     |
| Woodbury | Soybeans  | NC NIOT    | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Woodbury | Soybeans  | NC NIOT    | SSFG       |      | 25    | 26    | 1      | 4.0%     |
| Woodbury | Soybeans  | NI         | ALLOTHFDGD |      | 49    | 57    | 8      | 16.3%    |
| Woodbury | Soybeans  | NI         | COMM       |      | 53    | 57    | 4      | 7.5%     |
| Woodbury | Soybeans  | NI         | HP         |      | 49    | 53    | 4      | 8.2%     |
| Woodbury | Soybeans  | NI         | LLA        |      | 49    | 53    | 4      | 8.2%     |
| Woodbury | Soybeans  | NI         | LSF        |      | 49    | 53    | 4      | 8.2%     |
| Woodbury | Soybeans  | NI         | LSFG       |      | 45    | 48    | 3      | 6.7%     |
| Woodbury | Soybeans  | NI         | SSFG       |      | 37    | 40    | 3      | 8.1%     |
| Woodbury | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 34    | 40    | 6      | 17.6%    |
| Woodbury | Soybeans  | NON-IRROC  | COMM       |      | 37    | 40    | 3      | 8.1%     |
| Woodbury | Soybeans  | NON-IRROC  | HP         |      | 34    | 37    | 3      | 8.8%     |
| Woodbury | Soybeans  | NON-IRROC  | LLA        |      | 34    | 37    | 3      | 8.8%     |
| Woodbury | Soybeans  | NON-IRROC  | LSF        |      | 34    | 37    | 3      | 8.8%     |
| Woodbury | Soybeans  | NON-IRROC  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Woodbury | Soybeans  | NON-IRROC  | SSFG       |      | 26    | 28    | 2      | 7.7%     |
| Woodbury | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 34    | 40    | 6      | 17.6%    |
| Woodbury | Soybeans  | NON-IRROT  | COMM       |      | 37    | 40    | 3      | 8.1%     |
| Woodbury | Soybeans  | NON-IRROT  | HP         |      | 34    | 37    | 3      | 8.8%     |
| Woodbury | Soybeans  | NON-IRROT  | LLA        |      | 34    | 37    | 3      | 8.8%     |
| Woodbury | Soybeans  | NON-IRROT  | LSF        |      | 34    | 37    | 3      | 8.8%     |
| Woodbury | Soybeans  | NON-IRROT  | LSFG       |      | 32    | 34    | 2      | 6.3%     |
| Woodbury | Soybeans  | NON-IRROT  | SSFG       |      | 26    | 28    | 2      | 7.7%     |
| Woodbury | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 47    | 53    | 6      | 12.8%    |
| Woodbury | Soybeans  | NONCON IRR | COMM       |      | 51    | 53    | 2      | 3.9%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County   | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|----------|-----------|------------|------------|------|-------|-------|--------|----------|
|          |           |            |            |      | Yield | Yield |        |          |
| Woodbury | Soybeans  | NONCON IRR | HP         |      | 47    | 49    | 2      | 4.3%     |
| Woodbury | Soybeans  | NONCON IRR | LLA        |      | 47    | 49    | 2      | 4.3%     |
| Woodbury | Soybeans  | NONCON IRR | LSF        |      | 47    | 49    | 2      | 4.3%     |
| Woodbury | Soybeans  | NONCON IRR | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Woodbury | Soybeans  | NONCON IRR | SSFG       |      | 36    | 37    | 1      | 2.8%     |
| Woodbury | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 47    | 53    | 6      | 12.8%    |
| Woodbury | Soybeans  | NONCON NI  | COMM       |      | 51    | 53    | 2      | 3.9%     |
| Woodbury | Soybeans  | NONCON NI  | HP         |      | 47    | 49    | 2      | 4.3%     |
| Woodbury | Soybeans  | NONCON NI  | LLA        |      | 47    | 49    | 2      | 4.3%     |
| Woodbury | Soybeans  | NONCON NI  | LSF        |      | 47    | 49    | 2      | 4.3%     |
| Woodbury | Soybeans  | NONCON NI  | LSFG       |      | 43    | 45    | 2      | 4.7%     |
| Woodbury | Soybeans  | NONCON NI  | SSFG       |      | 36    | 37    | 1      | 2.8%     |
| Worth    | Corn      | I          | BLUE       |      | 105   | 105   | 0      | 0.0%     |
| Worth    | Corn      | I          | GSG        |      | 190   | 190   | 0      | 0.0%     |
| Worth    | Corn      | I          | HAMLS      |      | 190   | 190   | 0      | 0.0%     |
| Worth    | Corn      | I          | HAMOS      |      | 133   | 133   | 0      | 0.0%     |
| Worth    | Corn      | I          | WAXY       |      | 190   | 190   | 0      | 0.0%     |
| Worth    | Corn      | I          | WHITE      |      | 190   | 190   | 0      | 0.0%     |
| Worth    | Corn      | IRR OC     | BLUE       |      | 79    | 79    | 0      | 0.0%     |
| Worth    | Corn      | IRR OC     | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Worth    | Corn      | IRR OC     | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Worth    | Corn      | IRR OC     | HAMOS      |      | 100   | 100   | 0      | 0.0%     |
| Worth    | Corn      | IRR OC     | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Worth    | Corn      | IRR OC     | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Worth    | Corn      | IRR OT     | BLUE       |      | 79    | 79    | 0      | 0.0%     |
| Worth    | Corn      | IRR OT     | GSG        |      | 143   | 143   | 0      | 0.0%     |
| Worth    | Corn      | IRR OT     | HAMLS      |      | 143   | 143   | 0      | 0.0%     |
| Worth    | Corn      | IRR OT     | HAMOS      |      | 100   | 100   | 0      | 0.0%     |
| Worth    | Corn      | IRR OT     | WAXY       |      | 143   | 143   | 0      | 0.0%     |
| Worth    | Corn      | IRR OT     | WHITE      |      | 143   | 143   | 0      | 0.0%     |
| Worth    | Corn      | NI         | BLUE       |      | 103   | 103   | 0      | 0.0%     |
| Worth    | Corn      | NI         | GSG        |      | 187   | 187   | 0      | 0.0%     |
| Worth    | Corn      | NI         | HAMLS      |      | 187   | 187   | 0      | 0.0%     |
| Worth    | Corn      | NI         | HAMOS      |      | 131   | 131   | 0      | 0.0%     |
| Worth    | Corn      | NI         | WAXY       |      | 187   | 187   | 0      | 0.0%     |
| Worth    | Corn      | NI         | WHITE      |      | 187   | 187   | 0      | 0.0%     |
| Worth    | Corn      | NON-IRROC  | BLUE       |      | 77    | 77    | 0      | 0.0%     |
| Worth    | Corn      | NON-IRROC  | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Worth    | Corn      | NON-IRROC  | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Worth    | Corn      | NON-IRROC  | HAMOS      |      | 98    | 98    | 0      | 0.0%     |
| Worth    | Corn      | NON-IRROC  | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Worth    | Corn      | NON-IRROC  | WHITE      |      | 140   | 140   | 0      | 0.0%     |



**Iowa**

**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Worth  | Corn      | NON-IRROT | BLUE       |      | 77    | 77    | 0      | 0.0%     |
| Worth  | Corn      | NON-IRROT | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Worth  | Corn      | NON-IRROT | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Worth  | Corn      | NON-IRROT | HAMOS      |      | 98    | 98    | 0      | 0.0%     |
| Worth  | Corn      | NON-IRROT | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Worth  | Corn      | NON-IRROT | WHITE      |      | 140   | 140   | 0      | 0.0%     |
| Worth  | Oats      | I         | S          |      | 70    | 72    | 2      | 2.9%     |
| Worth  | Oats      | IRR OC    | S          |      | 70    | 65    | -5     | -7.1%    |
| Worth  | Oats      | IRR OT    | S          |      | 70    | 65    | -5     | -7.1%    |
| Worth  | Oats      | NI        | S          |      | 70    | 72    | 2      | 2.9%     |
| Worth  | Oats      | NON-IRROC | S          |      | 70    | 65    | -5     | -7.1%    |
| Worth  | Oats      | NON-IRROT | S          |      | 70    | 65    | -5     | -7.1%    |
| Worth  | Soybeans  | I         | ALLOTHFDGD |      | 51    | 60    | 9      | 17.6%    |
| Worth  | Soybeans  | I         | COMM       |      | 55    | 60    | 5      | 9.1%     |
| Worth  | Soybeans  | I         | HP         |      | 51    | 56    | 5      | 9.8%     |
| Worth  | Soybeans  | I         | LLA        |      | 51    | 56    | 5      | 9.8%     |
| Worth  | Soybeans  | I         | LSF        |      | 51    | 56    | 5      | 9.8%     |
| Worth  | Soybeans  | I         | LSFG       |      | 47    | 51    | 4      | 8.5%     |
| Worth  | Soybeans  | I         | SSFG       |      | 39    | 42    | 3      | 7.7%     |
| Worth  | Soybeans  | IRR OC    | ALLOTHFDGD |      | 36    | 42    | 6      | 16.7%    |
| Worth  | Soybeans  | IRR OC    | COMM       |      | 39    | 42    | 3      | 7.7%     |
| Worth  | Soybeans  | IRR OC    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Worth  | Soybeans  | IRR OC    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Worth  | Soybeans  | IRR OC    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Worth  | Soybeans  | IRR OC    | LSFG       |      | 33    | 36    | 3      | 9.1%     |
| Worth  | Soybeans  | IRR OC    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Worth  | Soybeans  | IRR OT    | ALLOTHFDGD |      | 36    | 42    | 6      | 16.7%    |
| Worth  | Soybeans  | IRR OT    | COMM       |      | 39    | 42    | 3      | 7.7%     |
| Worth  | Soybeans  | IRR OT    | HP         |      | 36    | 39    | 3      | 8.3%     |
| Worth  | Soybeans  | IRR OT    | LLA        |      | 36    | 39    | 3      | 8.3%     |
| Worth  | Soybeans  | IRR OT    | LSF        |      | 36    | 39    | 3      | 8.3%     |
| Worth  | Soybeans  | IRR OT    | LSFG       |      | 33    | 36    | 3      | 9.1%     |
| Worth  | Soybeans  | IRR OT    | SSFG       |      | 27    | 29    | 2      | 7.4%     |
| Worth  | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 33    | 38    | 5      | 15.2%    |
| Worth  | Soybeans  | NC IRROC  | COMM       |      | 36    | 38    | 2      | 5.6%     |
| Worth  | Soybeans  | NC IRROC  | HP         |      | 33    | 35    | 2      | 6.1%     |
| Worth  | Soybeans  | NC IRROC  | LLA        |      | 33    | 35    | 2      | 6.1%     |
| Worth  | Soybeans  | NC IRROC  | LSF        |      | 33    | 35    | 2      | 6.1%     |
| Worth  | Soybeans  | NC IRROC  | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Worth  | Soybeans  | NC IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Worth  | Soybeans  | NC IRROT  | ALLOTHFDGD |      | 33    | 38    | 5      | 15.2%    |
| Worth  | Soybeans  | NC IRROT  | COMM       |      | 36    | 38    | 2      | 5.6%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|------------|------------|------|-------|-------|--------|----------|
|        |           |            |            |      | Yield | Yield |        |          |
| Worth  | Soybeans  | NC IRRROT  | HP         |      | 33    | 35    | 2      | 6.1%     |
| Worth  | Soybeans  | NC IRRROT  | LLA        |      | 33    | 35    | 2      | 6.1%     |
| Worth  | Soybeans  | NC IRRROT  | LSF        |      | 33    | 35    | 2      | 6.1%     |
| Worth  | Soybeans  | NC IRRROT  | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Worth  | Soybeans  | NC IRRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Worth  | Soybeans  | NC NIOC    | ALLOTHFDGD |      | 33    | 38    | 5      | 15.2%    |
| Worth  | Soybeans  | NC NIOC    | COMM       |      | 36    | 38    | 2      | 5.6%     |
| Worth  | Soybeans  | NC NIOC    | HP         |      | 33    | 35    | 2      | 6.1%     |
| Worth  | Soybeans  | NC NIOC    | LLA        |      | 33    | 35    | 2      | 6.1%     |
| Worth  | Soybeans  | NC NIOC    | LSF        |      | 33    | 35    | 2      | 6.1%     |
| Worth  | Soybeans  | NC NIOC    | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Worth  | Soybeans  | NC NIOC    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Worth  | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 33    | 38    | 5      | 15.2%    |
| Worth  | Soybeans  | NC NIOT    | COMM       |      | 36    | 38    | 2      | 5.6%     |
| Worth  | Soybeans  | NC NIOT    | HP         |      | 33    | 35    | 2      | 6.1%     |
| Worth  | Soybeans  | NC NIOT    | LLA        |      | 33    | 35    | 2      | 6.1%     |
| Worth  | Soybeans  | NC NIOT    | LSF        |      | 33    | 35    | 2      | 6.1%     |
| Worth  | Soybeans  | NC NIOT    | LSFG       |      | 30    | 32    | 2      | 6.7%     |
| Worth  | Soybeans  | NC NIOT    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Worth  | Soybeans  | NI         | ALLOTHFDGD |      | 48    | 56    | 8      | 16.7%    |
| Worth  | Soybeans  | NI         | COMM       |      | 52    | 56    | 4      | 7.7%     |
| Worth  | Soybeans  | NI         | HP         |      | 48    | 52    | 4      | 8.3%     |
| Worth  | Soybeans  | NI         | LLA        |      | 48    | 52    | 4      | 8.3%     |
| Worth  | Soybeans  | NI         | LSF        |      | 48    | 52    | 4      | 8.3%     |
| Worth  | Soybeans  | NI         | LSFG       |      | 44    | 48    | 4      | 9.1%     |
| Worth  | Soybeans  | NI         | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Worth  | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Worth  | Soybeans  | NON-IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Worth  | Soybeans  | NON-IRROC  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Worth  | Soybeans  | NON-IRROC  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Worth  | Soybeans  | NON-IRROC  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Worth  | Soybeans  | NON-IRROC  | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Worth  | Soybeans  | NON-IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Worth  | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 34    | 39    | 5      | 14.7%    |
| Worth  | Soybeans  | NON-IRROT  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Worth  | Soybeans  | NON-IRROT  | HP         |      | 34    | 36    | 2      | 5.9%     |
| Worth  | Soybeans  | NON-IRROT  | LLA        |      | 34    | 36    | 2      | 5.9%     |
| Worth  | Soybeans  | NON-IRROT  | LSF        |      | 34    | 36    | 2      | 5.9%     |
| Worth  | Soybeans  | NON-IRROT  | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Worth  | Soybeans  | NON-IRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Worth  | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 47    | 54    | 7      | 14.9%    |
| Worth  | Soybeans  | NONCON IRR | COMM       |      | 51    | 54    | 3      | 5.9%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name  | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|------------|------------|------------|------|-------|-------|--------|----------|
|        |            |            |            |      | Yield | Yield |        |          |
| Worth  | Soybeans   | NONCON IRR | HP         |      | 47    | 50    | 3      | 6.4%     |
| Worth  | Soybeans   | NONCON IRR | LLA        |      | 47    | 50    | 3      | 6.4%     |
| Worth  | Soybeans   | NONCON IRR | LSF        |      | 47    | 50    | 3      | 6.4%     |
| Worth  | Soybeans   | NONCON IRR | LSFG       |      | 43    | 46    | 3      | 7.0%     |
| Worth  | Soybeans   | NONCON IRR | SSFG       |      | 36    | 38    | 2      | 5.6%     |
| Worth  | Soybeans   | NONCON NI  | ALLOTHFDGD |      | 47    | 54    | 7      | 14.9%    |
| Worth  | Soybeans   | NONCON NI  | COMM       |      | 51    | 54    | 3      | 5.9%     |
| Worth  | Soybeans   | NONCON NI  | HP         |      | 47    | 50    | 3      | 6.4%     |
| Worth  | Soybeans   | NONCON NI  | LLA        |      | 47    | 50    | 3      | 6.4%     |
| Worth  | Soybeans   | NONCON NI  | LSF        |      | 47    | 50    | 3      | 6.4%     |
| Worth  | Soybeans   | NONCON NI  | LSFG       |      | 43    | 46    | 3      | 7.0%     |
| Worth  | Soybeans   | NONCON NI  | SSFG       |      | 36    | 38    | 2      | 5.6%     |
| Worth  | Sweet Corn | I          | EGW        |      | 7.2   | 7.2   | 0      | 0.0%     |
| Worth  | Sweet Corn | I          | OG         |      | 7.2   | 7.2   | 0      | 0.0%     |
| Worth  | Sweet Corn | IRR OC     | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Worth  | Sweet Corn | IRR OC     | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Worth  | Sweet Corn | IRR OT     | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Worth  | Sweet Corn | IRR OT     | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Worth  | Sweet Corn | NI         | EGW        |      | 7.2   | 7.2   | 0      | 0.0%     |
| Worth  | Sweet Corn | NI         | OG         |      | 7.2   | 7.2   | 0      | 0.0%     |
| Worth  | Sweet Corn | NON-IRROC  | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Worth  | Sweet Corn | NON-IRROC  | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Worth  | Sweet Corn | NON-IRROT  | EGW        |      | 4.7   | 4.7   | 0      | 0.0%     |
| Worth  | Sweet Corn | NON-IRROT  | OG         |      | 4.7   | 4.7   | 0      | 0.0%     |
| Wright | Corn       | I          | GSG        |      | 199   | 199   | 0      | 0.0%     |
| Wright | Corn       | I          | HAMLS      |      | 199   | 199   | 0      | 0.0%     |
| Wright | Corn       | I          | WAXY       |      | 199   | 199   | 0      | 0.0%     |
| Wright | Corn       | I          | WHITE      |      | 199   | 199   | 0      | 0.0%     |
| Wright | Corn       | IRR OC     | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Wright | Corn       | IRR OC     | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Wright | Corn       | IRR OC     | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Wright | Corn       | IRR OC     | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Wright | Corn       | IRR OT     | GSG        |      | 149   | 149   | 0      | 0.0%     |
| Wright | Corn       | IRR OT     | HAMLS      |      | 149   | 149   | 0      | 0.0%     |
| Wright | Corn       | IRR OT     | WAXY       |      | 149   | 149   | 0      | 0.0%     |
| Wright | Corn       | IRR OT     | WHITE      |      | 149   | 149   | 0      | 0.0%     |
| Wright | Corn       | NI         | GSG        |      | 186   | 186   | 0      | 0.0%     |
| Wright | Corn       | NI         | HAMLS      |      | 186   | 186   | 0      | 0.0%     |
| Wright | Corn       | NI         | WAXY       |      | 186   | 186   | 0      | 0.0%     |
| Wright | Corn       | NI         | WHITE      |      | 186   | 186   | 0      | 0.0%     |
| Wright | Corn       | NON-IRROC  | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Wright | Corn       | NON-IRROC  | HAMLS      |      | 140   | 140   | 0      | 0.0%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice  | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|-----------|------------|------|-------|-------|--------|----------|
|        |           |           |            |      | Yield | Yield |        |          |
| Wright | Corn      | NON-IRROC | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Wright | Corn      | NON-IRROC | WHITE      |      | 140   | 140   | 0      | 0.0%     |
| Wright | Corn      | NON-IRROT | GSG        |      | 140   | 140   | 0      | 0.0%     |
| Wright | Corn      | NON-IRROT | HAMLS      |      | 140   | 140   | 0      | 0.0%     |
| Wright | Corn      | NON-IRROT | WAXY       |      | 140   | 140   | 0      | 0.0%     |
| Wright | Corn      | NON-IRROT | WHITE      |      | 140   | 140   | 0      | 0.0%     |
| Wright | Oats      | I         | S          |      | 75    | 72    | -3     | -4.0%    |
| Wright | Oats      | IRR OC    | S          |      | 75    | 65    | -10    | -13.3%   |
| Wright | Oats      | IRR OT    | S          |      | 75    | 65    | -10    | -13.3%   |
| Wright | Oats      | NI        | S          |      | 75    | 72    | -3     | -4.0%    |
| Wright | Oats      | NON-IRROC | S          |      | 75    | 65    | -10    | -13.3%   |
| Wright | Oats      | NON-IRROT | S          |      | 75    | 65    | -10    | -13.3%   |
| Wright | Soybeans  | I         | ALLOTHFDGD |      | 48    | 58    | 10     | 20.8%    |
| Wright | Soybeans  | I         | COMM       |      | 52    | 58    | 6      | 11.5%    |
| Wright | Soybeans  | I         | HP         |      | 48    | 54    | 6      | 12.5%    |
| Wright | Soybeans  | I         | LLA        |      | 48    | 54    | 6      | 12.5%    |
| Wright | Soybeans  | I         | LSF        |      | 48    | 54    | 6      | 12.5%    |
| Wright | Soybeans  | I         | LSFG       |      | 44    | 49    | 5      | 11.4%    |
| Wright | Soybeans  | I         | SSFG       |      | 36    | 41    | 5      | 13.9%    |
| Wright | Soybeans  | IRR OC    | ALLOTHFDGD |      | 34    | 41    | 7      | 20.6%    |
| Wright | Soybeans  | IRR OC    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Wright | Soybeans  | IRR OC    | HP         |      | 34    | 38    | 4      | 11.8%    |
| Wright | Soybeans  | IRR OC    | LLA        |      | 34    | 38    | 4      | 11.8%    |
| Wright | Soybeans  | IRR OC    | LSF        |      | 34    | 38    | 4      | 11.8%    |
| Wright | Soybeans  | IRR OC    | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Wright | Soybeans  | IRR OC    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Wright | Soybeans  | IRR OT    | ALLOTHFDGD |      | 34    | 41    | 7      | 20.6%    |
| Wright | Soybeans  | IRR OT    | COMM       |      | 36    | 41    | 5      | 13.9%    |
| Wright | Soybeans  | IRR OT    | HP         |      | 34    | 38    | 4      | 11.8%    |
| Wright | Soybeans  | IRR OT    | LLA        |      | 34    | 38    | 4      | 11.8%    |
| Wright | Soybeans  | IRR OT    | LSF        |      | 34    | 38    | 4      | 11.8%    |
| Wright | Soybeans  | IRR OT    | LSFG       |      | 31    | 34    | 3      | 9.7%     |
| Wright | Soybeans  | IRR OT    | SSFG       |      | 25    | 29    | 4      | 16.0%    |
| Wright | Soybeans  | NC IRROC  | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Wright | Soybeans  | NC IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Wright | Soybeans  | NC IRROC  | HP         |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NC IRROC  | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NC IRROC  | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NC IRROC  | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Wright | Soybeans  | NC IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Wright | Soybeans  | NC IRROT  | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Wright | Soybeans  | NC IRROT  | COMM       |      | 36    | 39    | 3      | 8.3%     |



## Iowa

Sales Closing Dates: 01-01 thru 03-31

| County | Crop Name | Practice   | Type       | Area | 2023  | 2024  | Change | % Change |
|--------|-----------|------------|------------|------|-------|-------|--------|----------|
|        |           |            |            |      | Yield | Yield |        |          |
| Wright | Soybeans  | NC IRRROT  | HP         |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NC IRRROT  | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NC IRRROT  | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NC IRRROT  | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Wright | Soybeans  | NC IRRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Wright | Soybeans  | NC NIOC    | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Wright | Soybeans  | NC NIOC    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Wright | Soybeans  | NC NIOC    | HP         |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NC NIOC    | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NC NIOC    | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NC NIOC    | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Wright | Soybeans  | NC NIOC    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Wright | Soybeans  | NC NIOT    | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Wright | Soybeans  | NC NIOT    | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Wright | Soybeans  | NC NIOT    | HP         |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NC NIOT    | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NC NIOT    | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NC NIOT    | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Wright | Soybeans  | NC NIOT    | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Wright | Soybeans  | NI         | ALLOTHFDGD |      | 47    | 55    | 8      | 17.0%    |
| Wright | Soybeans  | NI         | COMM       |      | 51    | 55    | 4      | 7.8%     |
| Wright | Soybeans  | NI         | HP         |      | 47    | 51    | 4      | 8.5%     |
| Wright | Soybeans  | NI         | LLA        |      | 47    | 51    | 4      | 8.5%     |
| Wright | Soybeans  | NI         | LSF        |      | 47    | 51    | 4      | 8.5%     |
| Wright | Soybeans  | NI         | LSFG       |      | 43    | 47    | 4      | 9.3%     |
| Wright | Soybeans  | NI         | SSFG       |      | 36    | 39    | 3      | 8.3%     |
| Wright | Soybeans  | NON-IRROC  | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Wright | Soybeans  | NON-IRROC  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Wright | Soybeans  | NON-IRROC  | HP         |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NON-IRROC  | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NON-IRROC  | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NON-IRROC  | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Wright | Soybeans  | NON-IRROC  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Wright | Soybeans  | NON-IRROT  | ALLOTHFDGD |      | 33    | 39    | 6      | 18.2%    |
| Wright | Soybeans  | NON-IRROT  | COMM       |      | 36    | 39    | 3      | 8.3%     |
| Wright | Soybeans  | NON-IRROT  | HP         |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NON-IRROT  | LLA        |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NON-IRROT  | LSF        |      | 33    | 36    | 3      | 9.1%     |
| Wright | Soybeans  | NON-IRROT  | LSFG       |      | 30    | 33    | 3      | 10.0%    |
| Wright | Soybeans  | NON-IRROT  | SSFG       |      | 25    | 27    | 2      | 8.0%     |
| Wright | Soybeans  | NONCON IRR | ALLOTHFDGD |      | 47    | 55    | 8      | 17.0%    |
| Wright | Soybeans  | NONCON IRR | COMM       |      | 51    | 55    | 4      | 7.8%     |



**Sales Closing Dates: 01-01 thru 03-31**

| County | Crop Name | Practice   | Type       | 2023 |       | 2024  |       | Change | % Change |
|--------|-----------|------------|------------|------|-------|-------|-------|--------|----------|
|        |           |            |            | Area | Yield | Yield | Yield |        |          |
| Wright | Soybeans  | NONCON IRR | HP         |      | 47    | 51    |       | 4      | 8.5%     |
| Wright | Soybeans  | NONCON IRR | LLA        |      | 47    | 51    |       | 4      | 8.5%     |
| Wright | Soybeans  | NONCON IRR | LSF        |      | 47    | 51    |       | 4      | 8.5%     |
| Wright | Soybeans  | NONCON IRR | LSFG       |      | 43    | 47    |       | 4      | 9.3%     |
| Wright | Soybeans  | NONCON IRR | SSFG       |      | 36    | 39    |       | 3      | 8.3%     |
| Wright | Soybeans  | NONCON NI  | ALLOTHFDGD |      | 47    | 55    |       | 8      | 17.0%    |
| Wright | Soybeans  | NONCON NI  | COMM       |      | 51    | 55    |       | 4      | 7.8%     |
| Wright | Soybeans  | NONCON NI  | HP         |      | 47    | 51    |       | 4      | 8.5%     |
| Wright | Soybeans  | NONCON NI  | LLA        |      | 47    | 51    |       | 4      | 8.5%     |
| Wright | Soybeans  | NONCON NI  | LSF        |      | 47    | 51    |       | 4      | 8.5%     |
| Wright | Soybeans  | NONCON NI  | LSFG       |      | 43    | 47    |       | 4      | 9.3%     |
| Wright | Soybeans  | NONCON NI  | SSFG       |      | 36    | 39    |       | 3      | 8.3%     |